

# Miele ProCare Lab 11 AP

Version: 3 / CA

Replaces Version: 2 / CA Date revised: 14.01.2022

Print date: 13.05.22

## 1. Identification

### 1.1. Product identifier

Miele ProCare Lab 11 AP

### 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

PC35                      Washing and cleaning products (including solvent based products)

### 1.3. Details of the supplier of the safety data sheet

**Address:**

Miele Ltd.  
161 Four Valley Drive  
Vaughan, ON L4K 4V8  
Telephone no.            +1-888-325-3957  
www.mieleprofessional.ca

**E-mail address of person responsible for this SDS:**

sida@drweigert.de

**Manufacturer:**

Miele & Cie. KG  
Carl-Miele-Straße 29  
D-33332 Gütersloh  
Telephone no.            +49 5241 89 0  
Fax no.                    +49 5241 89 2090  
www.miele-professional.com

### 1.4. Emergency telephone number

GBK/ Infotrac: (USA domestic) +1 800 535 5053 or international +1 352 323 3500

## 2. Hazard identification

### 2.1. Classification of the substance or mixture

**Classification (Regulation (EC) No. 1272/2008)**

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1B	H314
Eye Dam. 1	H318
STOT SE 3	H335

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008  
For explanation of abbreviations see section 16.

### 2.2. Label elements

**Labelling according to regulation (EC) No 1272/2008****Hazard pictograms**

## Miele ProCare Lab 11 AP

Version: 3 / CA

Replaces Version: 2 / CA Date revised: 14.01.2022

Print date: 13.05.22



### Signal word

Danger

### Hazard statements

H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.

### Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor.  
Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

### Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains disodium metasilicate; sodium carbonate peroxyhydrate

### 2.3. Other hazards

No special hazards have to be mentioned. The product contains no PBT or vPvB substances.

## 3. Composition/Information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients

##### disodium metasilicate pentahydrate

CAS No.	10213-79-3			
EINECS no.	229-912-9			
Registration no.	01-2119449811-37			
Concentration	>= 25	<	50	%
Classification (Regulation (EC) No. 1272/2008)	Skin Corr. 1B		H314	
	STOT SE 3		H335	
	Eye Dam. 1		H318	
	Met. Corr. 1		H290	

##### sodium carbonate

CAS No.	497-19-8			
EINECS no.	207-838-8			
Registration no.	01-2119485498-19			
Concentration	>= 25	<	50	%
Classification (Regulation (EC) No. 1272/2008)	Eye Irrit. 2		H319	

##### sodium carbonate peroxyhydrate

CAS No.	15630-89-4
---------	------------

# Miele ProCare Lab 11 AP

Version: 3 / CA

Replaces Version: 2 / CA Date revised: 14.01.2022

Print date: 13.05.22

EINECS no. 239-707-6  
Registration no. 01-2119457268-30  
Concentration  $\geq$  5 < 15 %  
Classification (Regulation (EC) No. 1272/2008)  
Ox. Sol. 3 H272  
Acute Tox. 4 H302  
Eye Dam. 1 H318

Concentration limits (Regulation (EC) No. 1272/2008)  
Eye Dam. 1 H318  $\geq$  25 %  
Eye Irrit. 2 H319  $\geq$  7,5 < 25 %

**fatty alcohol, ethoxylated**

CAS No. 146340-16-1  
EINECS no. 604-522-5  
Concentration  $\geq$  0,1 < 1 %  
Classification (Regulation (EC) No. 1272/2008)  
Skin Irrit. 2 H315  
Aquatic Acute 1 H400  
Aquatic Chronic 3 H412

**Other information**

Complete text of hazard statements in chapter 16

## 4. First-aid measures

### 4.1. Description of first aid measures

**General information**

Remove contaminated clothing immediately and dispose of safely. In any case show the physician the Safety Data Sheet.

**After inhalation**

Ensure supply of fresh air. When dust is intensively inhaled, seek medical help immediately.

**After skin contact**

Wash off immediately with soap and water. Take medical treatment.

**After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

**After ingestion**

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

**Adhere to personal protective measures when giving first aid**

First aider: Pay attention to self-protection!

### 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## 5. Fire-fighting measures

# Miele ProCare Lab 11 AP

Version: 3 / CA

Replaces Version: 2 / CA Date revised: 14.01.2022

Print date: 13.05.22

## 5.1. Extinguishing media

### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

### Non suitable extinguishing media

Compatible with all usual extinguishing media.

## 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

## 5.3. Advice for firefighters

### Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Knock down dust with water spray jet.

### 6.3. Methods and material for containment and cleaning up

Pick up mechanically. Dispose of absorbed material in accordance with the regulations.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## 7. Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid the formation and deposition of dust. Keep container tightly closed.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Recommended storage temperature

Value > 0 < 25 °C

#### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

#### Storage class according to TRGS 510

Storage class according to TRGS 510 8B Non-combustible corrosive hazardous substances

### 7.3. Specific end use(s)

no data

## 8. Exposure controls/Personal protection

# Miele ProCare Lab 11 AP

Version: 3 / CA

Replaces Version: 2 / CA Date revised: 14.01.2022

Print date: 13.05.22

## 8.1. Control parameters

### Other information

There are not known any further control parameters.

## 8.2. Exposure controls

### General protective and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

### Respiratory protection

Use breathing apparatus in dust-laden atmosphere. Particle filter P2

### Hand protection

Chemical resistant gloves

Use Permanent hand contact  
neoprene

Appropriate Material  
Material thickness  $\geq$  0,65

Breakthrough time  $>$  480

Appropriate Material nitrile

Material thickness  $\geq$  0,4

Breakthrough time  $>$  480

Appropriate Material butyl

Material thickness  $\geq$  0,7

Breakthrough time  $>$  480

Use Short-term hand contact

Appropriate Material nitrile

Material thickness  $\geq$  0,11

Hand protection must comply with EN 374.

### Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Form** solid  
**Colour** white  
**Odour** characteristic

### Odour threshold

Remarks not determined

### pH value

Value  $>$  13  
Concentration/H<sub>2</sub>O 10 %  
Temperature 20 °C

### Melting point

Remarks not determined

### Freezing point

Remarks not determined

### Initial boiling point and boiling range

Remarks not determined

**Miele ProCare Lab 11 AP**

Version: 3 / CA

Replaces Version: 2 / CA Date revised: 14.01.2022

Print date: 13.05.22

**Flash point**

Remarks Not applicable

**Evaporation rate (ether = 1) :**

Remarks not determined

**Flammability (solid, gas)**

evaluation not determined

**Upper/lower flammability or explosive limits**

Remarks Not applicable

**Vapour pressure**

Remarks not determined

**Vapour density**

Remarks not determined

**Density**

Remarks not determined

**Solubility in water**

Remarks soluble

**Solubility(ies)**

Remarks not determined

**Partition coefficient: n-octanol/water**

Remarks not determined

**Ignition temperature**

Remarks Not applicable

**Decomposition temperature**

Remarks not determined

**Viscosity**

Remarks Not applicable

**Explosive properties**

evaluation no

**Oxidising properties**

evaluation None known

**9.2. Other information****Bulk density**Value appr. 970 kg/m<sup>3</sup>**Other information**

None known

**10. Stability and reactivity****10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

No hazardous reactions known.

## Miele ProCare Lab 11 AP

Version: 3 / CA

Replaces Version: 2 / CA Date revised: 14.01.2022

Print date: 13.05.22

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

### 10.4. Conditions to avoid

No hazardous reactions known.

#### Decomposition temperature

Remarks not determined

### 10.5. Incompatible materials

Contact with acids liberates irritant gases.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

## 11. Toxicological information

### 11.1. Information on toxicological effects

#### Acute oral toxicity

Species	rat		
ATE	>	2000	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)		
Remarks	Based on available data, the classification criteria are not met.		

#### Acute oral toxicity (Components)

##### sodium carbonate peroxyhydrate

Species	rat		
LD50		1034	mg/kg
Method	Value taken from the literature		

##### disodium metasilicate pentahydrate

Species	rat		
LD50		1150 to 1350	mg/kg

##### fatty alcohol, ethoxylated

Species	rat		
LD50	>	2000	mg/kg

##### Sodium carbonate

Species	rat		
LD50		2800	mg/kg

#### Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

#### Acute dermal toxicity (Components)

##### sodium carbonate peroxyhydrate

Species	rabbit		
LD50	>	2000	mg/kg
Method	OECD 402		

##### Sodium carbonate

Species	rabbit		
LD50	>	2000	mg/kg

#### Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

#### Acute inhalative toxicity (Components)

**Miele ProCare Lab 11 AP**

Version: 3 / CA

Replaces Version: 2 / CA Date revised: 14.01.2022

Print date: 13.05.22

**Sodium carbonate**

Species	mouse		
LC50	1,2		mg/l
Duration of exposure	2	h	

**Sodium carbonate**

Species	rat		
LC50	2,3		mg/l
Duration of exposure	2	h	

**Skin corrosion/irritation**

evaluation	corrosive
Remarks	The classification criteria are met.

**Skin corrosion/irritation (Components)****sodium carbonate peroxyhydrate**

Remarks	Based on available data, the classification criteria are not met.
---------	---

**Serious eye damage/irritation**

evaluation	corrosive
Remarks	The classification criteria are met.

**Serious eye damage/irritation (Components)****sodium carbonate peroxyhydrate**

Species	rabbit eye
evaluation	irritant - risk of serious damage to eyes
Method	OECD 405

**Sensitization**

Remarks	Based on available data, the classification criteria are not met.
---------	---

**Sensitization (Components)****sodium carbonate peroxyhydrate**

Route of exposure	dermal
Species	guinea pig
evaluation	non-sensitizing
Method	OECD 406

**Subacute, subchronic, chronic toxicity**

Remarks	Based on available data, the classification criteria are not met.
---------	---

**Mutagenicity**

Remarks	Based on available data, the classification criteria are not met.
---------	---

**Reproductive toxicity**

Remarks	Based on available data, the classification criteria are not met.
---------	---

**Reproduction toxicity (Components)****Sodium carbonate**

Remarks	No indications of toxic effects were observed in reproduction studies in animals.
---------	---

**Carcinogenicity**

Remarks	Based on available data, the classification criteria are not met.
---------	---

**Specific Target Organ Toxicity (STOT)****Single exposure**

Remarks	The classification criteria are met.
---------	--------------------------------------



## Miele ProCare Lab 11 AP

Version: 3 / CA

Replaces Version: 2 / CA Date revised: 14.01.2022

Print date: 13.05.22

evaluation May cause respiratory irritation.

### Repeated exposure

Remarks Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Experience in practice

Inhalation of dusts may irritate the respiratory tract.

### Other information

There is no data available on the product apart from the information given in this subsection.

## 12. Ecological information

### 12.1. Toxicity

#### General information

not determined

#### Fish toxicity (Components)

##### sodium carbonate peroxyhydrate

Species	Fathead minnow ( <i>Pimephales promelas</i> )		
LC50	70,7		mg/l
Duration of exposure	96	h	

##### disodium metasilicate pentahydrate

Species	zebra fish ( <i>Brachydanio rerio</i> )		
LC50	210		mg/l
Duration of exposure	96	h	

##### fatty alcohol, ethoxylated

Species	golden orfe ( <i>Leuciscus idus</i> )		
LC50	0,6		mg/l
Method	DIN 38412 / Part 15		

##### Sodium carbonate

Species	Bluegill ( <i>Lepomis macrochirus</i> )		
LC50	300		mg/l
Duration of exposure	96	h	

#### Daphnia toxicity (Components)

##### sodium carbonate peroxyhydrate

Species	Daphnia pulex		
EC50	4,9		mg/l
Duration of exposure	48	h	

##### sodium carbonate peroxyhydrate

Species	Daphnia pulex		
NOEC	2		mg/l
Duration of exposure	48	h	

##### disodium metasilicate pentahydrate

Species	Daphnia magna		
EC50	1700		mg/l
Duration of exposure	48	h	

##### fatty alcohol, ethoxylated

LC50	1,2		mg/l
Method	DIN 38412 / Part 11		

# Miele ProCare Lab 11 AP

Version: 3 / CA

Replaces Version: 2 / CA Date revised: 14.01.2022

Print date: 13.05.22

**Sodium carbonate**

Species	Ceriodaphnia spec				
EC50	200	to	227	mg/l	
Duration of exposure	48	h			

**Bacteria toxicity (Components)****sodium carbonate peroxyhydrate**

Species	activated sludge				
EC50	466			mg/l	
Duration of exposure	30	min			

**12.2. Persistence and degradability****General information**

not determined

**Ready degradability (Components)**

fatty alcohol, ethoxylated

**12.3. Bioaccumulative potential****General information**

not determined

**Partition coefficient: n-octanol/water**

Remarks not determined

**12.4. Mobility in soil****General information**

not determined

**12.5. Results of PBT and vPvB assessment****General information**

not determined

**Evaluation of persistence and bioaccumulation potential**

The product contains no PBT or vPvB substances.

**12.6. Other adverse effects****General information**

not determined

**General information / ecology**

Do not allow to enter soil, waterways or waste water canal.

**13. Disposal considerations****13.1. Waste treatment methods****Disposal recommendations for the product**

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

**Disposal recommendations for packaging**

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.




## Miele ProCare Lab 11 AP

Version: 3 / CA

Replaces Version: 2 / CA Date revised: 14.01.2022

Print date: 13.05.22

### 14. Transport information

	Land transport TDG	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number	3253	3253	3253
14.2. UN proper shipping name	DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE
14.3. Transport hazard class(es)	8	8	8
Label			
14.4. Packing group	III	III	III
Limited Quantity	5 kg		
Transport category	3		
14.5. Environmental hazards		no	

### Information for all modes of transport

#### 14.6. Special precautions for user

See Sections 6 to 8

### Other information

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Water Hazard Class (Germany)

Water Hazard Class (Germany) WGK 1

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

##### Other information

The product does not contain substances of very high concern (SVHC).

#### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

# Miele ProCare Lab 11 AP

Version: 3 / CA

Replaces Version: 2 / CA Date revised: 14.01.2022

Print date: 13.05.22

## 16. Other information

### Hazard statements listed in Chapter 3

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

### CLP categories listed in Chapter 3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Ox. Sol. 3	Oxidising solid, Category 3
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

### Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses  
IMDG: International Maritime Code for Dangerous Goods  
ICAO: International Civil Aviation Organization  
IATA: International Air Transport Association  
CAS: Chemical Abstracts Service  
VOC: Volatile Organic Compound  
LD: Lethal dose  
LC: Lethal concentration  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: Very persistent and very bioaccumulative  
SVHC: Substances of very high concern  
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)  
IBC: Intermediate Bulk Container  
OEL: Occupational exposure limit  
TSCA: Toxic Substances Control Act (USA)  
IMO: International Maritime Organization  
GHS: Globally Harmonized System of classification and Labelling of Chemicals  
REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals  
UN: United Nations

### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.