

neodisher LaboClean GK

Version: 3 / CA

Replaces Version: 2 / CA

Date revised: 21.06.2023

Print date: 19.02.24

1. Identification

1.1. Product identifier

neodisher LaboClean GK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

PC35

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Miele Ltd
161 Four Valley Drive
VAUGHAN, ON L4K 4V8 Canada
Telephone no. 888.325.3957
www.mieleprofessional.ca

E-mail address of person responsible for this SDS:

sida@drweigert.de

Manufacturer:

Chemische Fabrik Dr. Weigert GmbH & Co. KG
Mühlenhagen 85
D-20539 Hamburg
Telephone no. +49 40 789 60 0
Fax no. +49 40 789 60 120
www.drweigert.com

1.4. Emergency telephone number

GBK/ Infotrac: (USA domestic) +1 800 535 5053 or international +1 352 323 3500

2. Hazard identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 3	H335
Aquatic Chronic 2	H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



neodisher LaboClean GK

Version: 3 / CA

Replaces Version: 2 / CA

Date revised: 21.06.2023

Print date: 19.02.24

Signal word

Warning

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention. Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains trisodium phosphate; troclosene sodium

Supplemental information

Further supplemental information

Contact with acids liberates toxic gas.

2.3. Other hazards

No special hazards have to be mentioned.

3. Composition/Information on ingredients

3.2. Mixtures

Hazardous ingredients

trisodium phosphate

CAS No.	10101-89-0			
EINECS no.	231-509-8			
Registration no.	02-2119752908-24			
Concentration	>= 50			%
Classification (Regulation (EC) No. 1272/2008)				
	Skin Irrit. 2		H315	
	Eye Irrit. 2		H319	
	STOT SE 3		H335	

troclosene sodium

CAS No.	2893-78-9			
EINECS no.	220-767-7			
Registration no.	01-2119489371-33			
Concentration	>= 2,5	< 10		%
Classification (Regulation (EC) No. 1272/2008)				
	Ox. Sol. 2		H272	
	Acute Tox. 4		H302	
	Eye Irrit. 2		H319	
	STOT SE 3		H335	
	Aquatic Acute 1		H400	
	Aquatic Chronic 1		H410	

neodisher LaboClean GK

Version: 3 / CA

Replaces Version: 2 / CA

Date revised: 21.06.2023

Print date: 19.02.24

Concentration limits (Regulation (EC) No. 1272/2008)

STOT SE 3 H335 >= 10 %

EUH031 >= 10 %

CLP Regulation (EC) No 1272/2008, Annex VI, Note G

Other information

Complete text of hazard statements in chapter 16

4. First-aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When dust is intensively inhaled, seek medical help immediately.

After skin contact

Wash off immediately with soap and water. Take medical treatment.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Compatible with all usual extinguishing media.

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

neodisher LaboClean GK

Version: 3 / CA

Replaces Version: 2 / CA

Date revised: 21.06.2023

Print date: 19.02.24

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Knock down dust with water spray jet.

6.3. Methods and material for containment and cleaning up

Pick up mechanically. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid the formation and deposition of dust. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value	>	0	<	25	°C
-------	---	---	---	----	----

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

Storage class according to TRGS 510

Storage class according to TRGS 510	13	Non- combustible solids
-------------------------------------	----	-------------------------

7.3. Specific end use(s)

no data

8. Exposure controls/Personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Use breathing apparatus in dust-laden atmosphere. Particle filter P2

Hand protection

Chemical resistant gloves

Use

Appropriate Material

Material thickness

Breakthrough time

Appropriate Material

Material thickness

Breakthrough time

Appropriate Material

Permanent hand contact

neoprene

>= 0,65

> 480

nitrile

>= 0,4

> 480

butyl

neodisher LaboClean GK

Version: 3 / CA

Replaces Version: 2 / CA

Date revised: 21.06.2023

Print date: 19.02.24

Material thickness	>=	0,7
Breakthrough time	>	480
Use		Short-term hand contact
Appropriate Material		nitrile
Material thickness	>=	0,11
Hand protection must comply with EN ISO 374.		

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	solid
Colour	white
Odour	characteristic
Odour threshold	
Remarks	not determined
pH value	
Value	appr. 12
Concentration/H ₂ O	10 %
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Initial boiling point and boiling range	
Remarks	not determined
Flash point	
Remarks	Not applicable
Evaporation rate (ether = 1) :	
Remarks	not determined
Flammability (solid, gas)	
evaluation	not determined
Upper/lower flammability or explosive limits	
Remarks	Not applicable
Vapour pressure	
Remarks	not determined
Vapour density	
Remarks	not determined
Density	
Remarks	not determined
Solubility in water	
Remarks	soluble
Solubility(ies)	
Remarks	not determined
Partition coefficient: n-octanol/water	
Remarks	not determined
Ignition temperature	

neodisher LaboClean GK

Version: 3 / CA

Replaces Version: 2 / CA

Date revised: 21.06.2023

Print date: 19.02.24

Remarks Not applicable

Decomposition temperature

Remarks not determined

Viscosity

Remarks Not applicable

Explosive properties

evaluation not determined

Oxidising properties

evaluation None known

9.2. Other information

Other information

None known

10. Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

Decomposition temperature

Remarks not determined

10.5. Incompatible materials

Evolution of chlorine under influence of acids.

10.6. Hazardous decomposition products

Chlorine

11. Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

ATE > 2000 mg/kg
Method calculated value (Regulation (EC) No. 1272/2008)
Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

troclosene sodium

Species rat
LD50 1400 mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

troclosene sodium

Species rat
LD50 > 5000 mg/kg

neodisher LaboClean GK

Version: 3 / CA

Replaces Version: 2 / CA

Date revised: 21.06.2023

Print date: 19.02.24

Source IUCLID

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation irritant

Remarks The classification criteria are met.

Serious eye damage/irritation

evaluation irritant

Remarks The classification criteria are met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks The classification criteria are met.

evaluation May cause respiratory irritation.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Experience in practice

Inhalation of dusts may irritate the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

12. Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

troclosene sodium

Species	Bluegill (<i>Lepomis macrochirus</i>)	
LC50	0,28	mg/l
Duration of exposure	96	h
Source	IUCLID	

trisodium phosphate

Species	rainbow trout (<i>Oncorhynchus mykiss</i>)	
LC50	> 100	mg/l
Duration of exposure	96	h
Method	OECD 203	

neodisher LaboClean GK

Version: 3 / CA

Replaces Version: 2 / CA

Date revised: 21.06.2023

Print date: 19.02.24

Daphnia toxicity (Components)

troclosene sodium

Species	Daphnia magna			
LC50	0,18	to	0,21	mg/l
Duration of exposure	48	h		
Source	IUCLID			

trisodium phosphate

Species	Daphnia magna			
EC50	> 100			mg/l
Duration of exposure	48	h		
Method	OECD 202			

Algae toxicity (Components)

trisodium phosphate

Species	Scenedesmus subspicatus			
LC50	> 100			mg/l
Duration of exposure	72	h		
Method	OECD 201			

troclosene sodium

Species	Chlorella pyrenoidosa			
EC50	< 0,5			mg/l
Duration of exposure	3	h		

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Evaluation of persistence and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal.

13. Disposal considerations

13.1. Waste treatment methods

neodisher LaboClean GK

Version: 3 / CA

Replaces Version: 2 / CA

Date revised: 21.06.2023

Print date: 19.02.24







Disposal recommendations for the product

EWC waste code 18 01 06* chemicals consisting of or containing dangerous substances
 EWC waste code 20 01 29* detergents containing dangerous substances
 The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging
 Completely emptied packagings can be given for recycling.
 EWC waste code 15 01 10* packaging containing residues of or contaminated by dangerous substances
 Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

14. Transport information

	Land transport TDG	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	-		
IMDG-Code segregation group		0 Not applicable	
14.1. UN number	3077	3077	3077
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (troclosene sodium)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (troclosene sodium)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (troclosene sodium)
14.3. Transport hazard class(es)	9	9	9
Label			
14.4. Packing group	III	III	III
Limited Quantity	5 kg		
Transport category	3		
14.5. Environmental hazards	 ENVIRONMENTALLY HAZARDOUS	Marine Pollutant 	 ENVIRONMENTALLY HAZARDOUS

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

neodisher LaboClean GK

Version: 3 / CA

Replaces Version: 2 / CA

Date revised: 21.06.2023

Print date: 19.02.24

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

16. Other information

Hazard statements listed in Chapter 3

H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Eye Irrit. 2	Eye irritation, Category 2
Ox. Sol. 2	Oxidising solid, Category 2
Skin Irrit. 2	Skin irritation, Category 2
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
IMDG: International Maritime Code for Dangerous Goods
ICAO: International Civil Aviation Organization
IATA: International Air Transport Association
CAS: Chemical Abstracts Service
VOC: Volatile Organic Compound
LD: Lethal dose
LC: Lethal concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: Very persistent and very bioaccumulative
SVHC: Substances of very high concern
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)
IBC: Intermediate Bulk Container
OEL: Occupational exposure limit
TSCA: Toxic Substances Control Act (USA)
IMO: International Maritime Organization
GHS: Globally Harmonized System of classification and Labelling of Chemicals



neodisher LaboClean GK

Version: 3 / CA

Replaces Version: 2 / CA

Date revised: 21.06.2023

Print date: 19.02.24

REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals
UN: United Nations

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a
guarantee for any specific product properties and shall not establish a legally valid relationship.