

## **ProCare Dent 40**

Version: 2 / CA Replaces Version: - / CA Date revised: 27.02.2023 Print date: 05.02.25

#### 1. Identification

#### 1.1. Product identifier

ProCare Dent 40

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

PC35 Washing and cleaning products (including solvent based products)

### 1.3. Details of the supplier of the safety data sheet

## Address/Manufacturer

Miele Ltd.

161 Four Valley Drive Vaughan, ON L4K 4V8

Telephone no. +1-888-325-3957 E-mail address of sida@drweigert.de

person responsible

for this SDS

#### Manufacturer:

Miele & Cie. KG Carl-Miele-Straße 29 D-33332 Gütersloh

Telephone no. +49 5241 89 0 Fax no. +49 5241 89 2090

www.miele-professional.com

### 1.4. Emergency telephone number

GBK/ Infotrac: (USA domestic) +1 800 535 5053 or international +1 352 323 3500

#### 2. Hazard identification

## 2.1. Classification of the substance or mixture

## Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

#### 2.2. Label elements

## Labelling according to regulation (EC) No 1272/2008

## **Hazard pictograms**



Signal word

Warning



## **ProCare Dent 40**

Version: 2 / CA Replaces Version: - / CA Date revised: 27.02.2023 Print date: 05.02.25

**Hazard statements** 

H319 Causes serious eye irritation.

**Precautionary statements** 

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Dispose only when container is empty and closed. For disposal of product

residues, refer to safety data sheet.

2.3. Other hazards

No special hazards have to be mentioned.

## 3. Composition/Information on ingredients

#### 3.2. Mixtures

## **Hazardous ingredients**

fatty alcohol C12-C14, ethoxylated, propoxylated

CAS No. 68439-51-0

Concentration >= 10 < 25 %

Classification (Regulation (EC) No. 1272/2008)

Aquatic Chronic 3 H412

citric acid

CAS No. 77-92-9 EINECS no. 201-069-1

Registration no. 01-2119457026-42

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 STOT SE 3 H335

sodium cumenesulfonate

CAS No. 15763-76-5 EINECS no. 239-854-6

Registration no. 01-2119489411-37

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

#### Other information

Complete text of hazard statements in chapter 16

### 4. First-aid measures

## 4.1. Description of first aid measures

#### **General information**

Remove contaminated, soaked clothing immediately and dispose of safely.

#### After inhalation



## **ProCare Dent 40**

Version: 2 / CA Replaces Version: - / CA Date revised: 27.02.2023 Print date: 05.02.25

Ensure supply of fresh air. In the event of symptoms take medical treatment.

#### After skin contact

After contact with skin, wash immediately with plenty of water. Consult a doctor if skin irritation persists.

#### After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. In case of irritation consult an oculist.

#### After ingestion

Rinse mouth thoroughly with water.

### Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

## 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

## 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## 5. Fire-fighting measures

#### 5.1. Extinguishing media

## Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

## Non suitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

## 5.3. Advice for firefighters

## Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.



## **ProCare Dent 40**

Version: 2 / CA Replaces Version: - / CA Date revised: 27.02.2023 Print date: 05.02.25

## 7. Handling and storage

## 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

### Advice on protection against fire and explosion

The product is not combustible.

### 7.2. Conditions for safe storage, including any incompatibilities

## Recommended storage temperature

Value > 0 < 30 °C

#### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### Storage class according to TRGS 510

Storage class according to 12 Non-combustible liquids TRGS 510

#### 7.3. Specific end use(s)

no data

#### 8. Exposure controls/Personal protection

#### 8.1. Control parameters

#### Other information

There are not known any further control parameters.

#### 8.2. Exposure controls

#### General protective and hygiene measures

Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work.

## **Respiratory protection**

Not necessary, but do not inhale vapours. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

#### **Hand protection**

Chemical resistant gloves

Use Permanent hand contact Appropriate Material neoprene Material thickness >= 0.65 Breakthrough time 480 Appropriate Material nitrile Material thickness 0.4 >= Breakthrough time 480 Appropriate Material butyl Material thickness 0.7 >=

Breakthrough time > 480

Use Short-term hand contact

Appropriate Material nitrile



## **ProCare Dent 40**

Version: 2 / CA Replaces Version: - / CA Date revised: 27.02.2023 Print date: 05.02.25

Material thickness >= 0,11 Hand protection must comply with EN 374.

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

**Body protection** 

Clothing as usual in the chemical industry.

## 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form liquid
Colour colourless
Odour characteristic

**Odour threshold** 

Remarks not determined

pH value

Value appr. 2

Temperature 20 °C

**Melting point** 

Remarks not determined

Freezing point

Remarks not determined

Initial boiling point and boiling range

Remarks not determined

Flash point

Remarks Not applicable

**Evaporation rate (ether = 1):** 

Remarks not determined

Flammability (solid, gas)

evaluation not determined

Upper/lower flammability or explosive limits

Remarks Not applicable

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

**Density** 

Value 1,05 g/cm<sup>3</sup>

Temperature 20 °C

Solubility in water

Remarks miscible in all proportions

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water



**ProCare Dent 40** 

Version: 2 / CA Replaces Version: - / CA Date revised: 27.02.2023 Print date: 05.02.25

Remarks not determined

**Auto-ignition temperature** 

Remarks Not applicable

**Decomposition temperature** 

Remarks not determined

**Viscosity** 

dynamic

Value < 50 mPa.s

Temperature 20 °C

**Explosive properties** 

evaluation no

**Oxidising properties** 

evaluation None known

9.2. Other information

Other information

None known

## 10. Stability and reactivity

#### 10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

#### 10.2. Chemical stability

No hazardous reactions known.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

## 10.4. Conditions to avoid

No hazardous reactions known.

## **Decomposition temperature**

Remarks not determined

#### 10.5. Incompatible materials

None known

## 10.6. Hazardous decomposition products

No hazardous decomposition products known.

### 11. Toxicological information

## 11.1. Information on toxicological effects

#### **Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

## **Acute oral toxicity (Components)**

#### fatty alcohol C12-C14, ethoxylated, propoxylated

Species rat

LD50 > 2000 mg/kg

Method EEC 84/449, B.1



**ProCare Dent 40** 

Version: 2 / CA Replaces Version: - / CA Date revised: 27.02.2023 Print date: 05.02.25

sodium cumenesulfonate

Species rat

LD50 > 2000 mg/kg

Method OECD 401

citric acid

Species rat

LD50 11700 mg/kg

citric acid

Species mouse

LD50 5040 mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

**Acute dermal toxicity (Components)** 

fatty alcohol C12-C14, ethoxylated, propoxylated

Species rat

LD50 > 5000 mg/kg

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

evaluation irritant

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)** 

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

**Experience in practice** 

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.



## **ProCare Dent 40**

Version: 2 / CA Replaces Version: - / CA Date revised: 27.02.2023 Print date: 05.02.25

## 12. Ecological information

## 12.1. Toxicity

#### **General information**

not determined

## Fish toxicity (Components)

fatty alcohol C12-C14, ethoxylated, propoxylated

Species guppy (Poecilia reticulata)

LC50 1 to 10 mg/l Duration of exposure 96 h

Method OECD 203

citric acid

Species golden orfe (Leuciscus idus)

LC50 440 to 706 mg/l

Duration of exposure 96 h

## **Daphnia toxicity (Components)**

fatty alcohol C12-C14, ethoxylated, propoxylated

Species Daphnia magna
FC50 1 to 10 m

EC50 1 to 10 mg/l Duration of exposure 48 h

Method OECD 202

citric acid

Species Daphnia magna

EC50 120 mg/l

Duration of exposure 72 h

### Algae toxicity (Components)

fatty alcohol C12-C14, ethoxylated, propoxylated

Species Scenedesmus subspicatus

EC50 1 to 10 mg/l

Duration of exposure 72 h

Method OECD 201

## **Bacteria toxicity (Components)**

fatty alcohol C12-C14, ethoxylated, propoxylated

Species Pseudomonas putida

EC0 > 100 mg/l

Method OECD 209

### 12.2. Persistence and degradability

### **General information**

not determined

## **Biodegradability (Components)**

## fatty alcohol C12-C14, ethoxylated, propoxylated

evaluation Readily biodegradable (according to OECD criteria)

#### Ready degradability (Components)

citric acid

## 12.3. Bioaccumulative potential



## **ProCare Dent 40**

Version: 2 / CA Replaces Version: - / CA Date revised: 27.02.2023 Print date: 05.02.25

#### **General information**

not determined

Partition coefficient: n-octanol/water

Remarks not determined

#### 12.4. Mobility in soil

**General information** 

not determined

#### 12.5. Results of PBT and vPvB assessment

#### Evaluation of persistance and bioaccumulation potential

The product contains no PBT or vPvB substances.

## 12.6. Other adverse effects

#### General information

not determined

#### General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

## 13. Disposal considerations

#### 13.1. Waste treatment methods

### Disposal recommendations for the product

EWC waste code 18 01 06\* chemicals consisting of or containing dangerous substances

EWC waste code 20 01 29\* detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

## Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging Completely emptied packagings can be given for recycling.

EWC waste code 15 01 10\* packaging containing residues of or contaminated by

dangerous substances

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

### 14. Transport information

	Land transport TDG	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.

#### Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8



## **ProCare Dent 40**

Version: 2 / CA Replaces Version: - / CA Date revised: 27.02.2023 Print date: 05.02.25

#### Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## 15. Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Water Hazard Class (Germany)

Water Hazard Class WGK 2

(Germany)

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

#### Other information

The product does not contain substances of very high concern (SVHC).

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

#### 16. Other information

#### Hazard statements listed in Chapter 3

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

#### **CLP** categories listed in Chapter 3

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3

Eye Irrit. 2 Eye irritation, Category 2

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

#### **Abbreviations**

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization IATA: International Air Transport Association

IBC: Intermediate Bulk Container CAS: Chemical Abstracts Service VOC: Volatile Organic Compound

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by

the Protocol of 1978 (MARPOL: Marine Pollution) ISO: International Organization for Standardization

OECD: Organisation for Economic Co-operation and Development

IMO: International Maritime Organization

UN: United Nations EU: European Union

#### **Supplemental information**



ion: 2/CA	Dent 40 Replaces Versio	n: - / CA Date r	evised: 27.02.2023	3	Print date: 05.0
This info	changes compared rmation is based on the for any specific pro	our present state	of knowledge. Hov	vever, it should not	constitute a