

Data sheet for household cooker hoods

In acc. with delegated regulation (EU) No. 65/2014 and regulation (EU) No. 66/2014

| Miele | | DA 6890 | | | |
|---|-------------------|----------|--|--|--|
| Model name / identifier | | LEVANTAR | | | |
| Annual Energy Consumption (AEC) (AEC _{rpm}) | kWh/year | 109,9 | | | |
| Energy efficiency class | | C | | | |
| Energy efficiency index (EEI) (EEI _{rpm}) | | 79,7 | | | |
| Fluid Dynamic Efficiency (FDE) (FDE _{rpm}) | | 18,6 | | | |
| Fluid Dynamic Efficiency class | | | | | |
| A (most efficient) to G (least efficient) | | C | | | |
| Lighting Efficiency (LE) (LE _{rpm}) | lx/W | 42,9 | | | |
| Lighting Efficiency class | | | | | |
| A (most efficient) to G (least efficient) | | A | | | |
| Grease Filtering Efficiency | % | 71,6 | | | |
| Grease Filtering Efficiency class | | | | | |
| A (most efficient) to G (least efficient) | | D | | | |
| Airflow at best efficiency point | m ³ /h | 400,8 | | | |
| Air flow (min. speed) | m ³ /h | 220 | | | |
| Air flow (max. speed) | m ³ /h | 450 | | | |
| Air flow (intensive or boost setting) | m ³ /h | 710 | | | |
| Max. air flow (Q) (Q _{max}) | m ³ /h | 710 | | | |
| Air pressure at best efficiency point | Pa | 361 | | | |
| Airborne acoustical A-weighted sound power emissions (min. speed) | dB | 47 | | | |
| Airborne acoustical A-weighted sound power emissions (max. speed) | dB | 60 | | | |
| Airborne acoustical A-weighted sound power emissions (intensive or boost setting) | dB | 69 | | | |
| Electrical power input at best efficiency point | W | 216,0 | | | |
| Power consumption in off mode (P _o) | W | | | | |
| Power consumption in standby mode (P _s) | W | 0,45 | | | |
| Nominal power of lighting system | W | 7,0 | | | |
| Average illumination of the lighting system on the cooking surface | lx | 300 | | | |
| Time increase factor | | 1,3 | | | |