Supplier's name or trade mark Supplier's address Model identifier General product parameters Parameter Rated capacity ^(a) (kg) Energy efficiency index EEI _w ^(a) Washing efficiency index ^(a) Energy consumption in kWh per cycle, based on	Value 8.0 51.7 1.036		Miele Carl-Miele-Straße 29, 33332 Güters WDD131 WPS GuideLine Parameter Dimensions in cm Energy efficiency class ^(a)	Value Height Width Depth	85 60
Model identifier General product parameters Parameter Rated capacity ^(a) (kg) Energy efficiency index EEI _w ^(a) Washing efficiency index ^(a) Energy consumption in	8.0 51.7		WDD131 WPS GuideLine Parameter Dimensions in cm	Value Height Width Depth	85
General product parameters Parameter Rated capacity ^(a) (kg) Energy efficiency index EEI _w ^(a) Washing efficiency index ^(a) Energy consumption in	8.0 51.7		Parameter Dimensions in cm	Height Width Depth	85
Parameter Rated capacity ^(a) (kg) Energy efficiency index EEI _W ^(a) Washing efficiency index ^(a) Energy consumption in	8.0 51.7		Dimensions in cm	Height Width Depth	85
Rated capacity ^(a) (kg) Energy efficiency index EEI _W ^(a) Washing efficiency index ^(a) Energy consumption in	8.0 51.7		Dimensions in cm	Height Width Depth	85
Energy efficiency index EEI _w ^(a) Washing efficiency index ^(a) Energy consumption in	51.7			Width Depth	
Energy efficiency index EEI _w ^(a) Washing efficiency index ^(a) Energy consumption in	51.7			Depth	60
Washing efficiency index ^(a) Energy consumption in			Energy efficiency class ^(a)	•	
Washing efficiency index ^(a) Energy consumption in			Energy efficiency class ^(a)		64
Energy consumption in	1.036			A	
			Rinsing effectiveness (g/kg) ^(a)	4.0	
the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used.	0.470		Water consumption in litre per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	47	
Maximum temperature inside the treated textile(a) (°C)	Rated capacity	42		52.1 %	
	Half 31		Weighted remaining moisture content ^(a) (%)		
	Quarter	25	Content ³ (%)		
Spin speed ^(a) (rpm)	Rated capacity	1400		В	
	Half	1400	Spin-drying efficiency class ^(a)		
	Quarter	1400			
Programme duration ^(a) (h:min)	Rated capacity	3:39		Free-standing	
	Half	2:39	Design type		
	Quarter	2:39			
Airborne acoustical noise emission class ^(a) (spinning phase)	70		Airborne acoustical noise emission class ^(a) (spinning phase)	А	
Off-mode (W) (if applicable)	0.30		Standby mode (W) (if applicable)	-	
Delay start (W) (if applicable)	3.80		Networked standby (W) (if applicable)	-	
Minimum duration of the guara	intee offered by the	e supplier	24 months		
This product has been designed the washing cycle	l to release silver io	ns during	no		
Additional information					
Weblink to the supplier's website 9 of Annex II to Commission Reg found		•	https://www.miele.com/		