Supplier's address Carl-Miele-Straße 29, 33332 Gütersloh, DE	COMMISSION DELEGATED RE	2002/11/01/ (20) 20	710/2011	A4: 1			
Model identifier WWR860WPS PWash2.0&TDosXL&WiFi General product parameters Value Parameter Value Rated capacity™ (kg) 9.0 Dimensions in cm Height image ima	Supplier's name or trade mark						
Parameter Value Value Parameter Value Parameter Value Parameter Valu				<u> </u>			
Parameter Value Parameter Value Rated capacity (kg) 9.0 Dimensions in cm Height Height 1	Model identifier			WWR860WPS PWash2.0&TDosXL	_&WiFi		
Rated capacity (kg) 9.0 Dimensions in cm Height Width Depth Depth A Washing efficiency index EEI, (kg) Washing efficiency index (gr/kg) (a) Energy efficiency class(a) Rated capacity A Washing efficiency index (gr/kg) (a) Energy consumption in kWh per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption in litre per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used. Rated capacity Half 10 Quarter 25 Rated capacity Half 1600 Quarter 1600 Rated capacity Half 2:39 Programme duration(a) (h:min) Half 2:39 Quarter 2:29 Airborne acoustical noise emission class(a) (spinning phase) Off-mode (W) (if applicable) Dimensions in cm Weighted remaining moisture content(a) (b) Spin-drying efficiency class(a) Airborne acoustical noise emission class(a) (spinning phase) Off-mode (W) (if applicable) Delay start (W) (if applicable) Delay start (W) (if applicable) Airborneation Weblink to the supplier's website, where the information in point https://www.miele.com/	General product parameters						
Rated capacity ⁽⁶⁾⁾ (kg) Polymensions in cm Width Depth Company Depth Depth Depth Company Depth Depth Depth Depth Company Depth	Parameter	Value		Parameter	Value		
Energy efficiency index EEL _w ^[6] 51.8 Energy efficiency class ⁽⁶⁾ A Washing efficiency index. [6] 1.036 Rinsing effectiveness (g/kg) ⁽⁶⁾ 4.0 Energy consumption in kWh per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used. Rated capacity 42 Maximum temperature inside the treated textile [6] (°C) Spin speed [6] (rpm) Rated capacity 1600 Quarter 25 Rated capacity 3:19 Programme duration (h:min) Half 1600 Quarter 1600 Rated capacity 3:19 Programme duration (h:min) Half 2:39 Quarter 2:29 Airborne acoustical noise emission class (9) (spinning phase) Off-mode (W) (if applicable) Off-mode (W) (if applicable) Delay start (W) (if applicable) Augurante offered by the supplier This product has been designed to release silver ions during the washing cycle Additional information Weblink to the supplier's website, where the information in point https://www.miele.com/	Rated capacity ^(a) (kg)	9.0		Dimensions in cm	Height	85	
Energy efficiency index EEL _w ⁽⁶⁾ 51.8 Energy efficiency class ⁽⁶⁾ A Washing efficiency index ⁽⁶⁾ 1.036 Rinsing effectiveness (g/kg) ⁽⁶⁾ 4.0 Energy consumption in kWh per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used. Rated capacity 42 Half 31 Quarter 25 Rated capacity 1600 Spin speed ⁽⁶⁾ (rpm) Rated capacity 1600 Quarter 1600 Quarter 1600 Quarter 1600 Quarter 1600 Attribute 2:39 Quarter 2:29 Airborne acoustical noise emission class ⁽⁶⁾ (spinning phase) Off-mode (W) (if applicable) Off-mode (W) (if applicable) Delay start (W) (if applicable) A Rated despacity to 3.19 Delay start (W) (if applicable) 2.40 Minimum duration of the guarantee offered by the supplier the washing cycle Additional information Weblink to the supplier's website, where the information in point https://www.miele.com/					Width	60	
Washing efficiency index ^(a) 1.036 Rinsing effectiveness (g/kg) ^(a) 4.0 Energy consumption in kWh per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used. Rated capacity 42 Half 31 Quarter 25 Rated capacity 1600 Half 1600 Quarter 1600 Rated capacity 3:19 Programme duration ^(a) (h:min) Half 2:39 Quarter 2:29 Airborne acoustical noise emission class ^(a) (spinning phase) Off-mode (W) (if applicable) College start (W) (if applicable) Play start (W) (if applicable) Minimum duration of the guarantee offered by the supplier This product has been designed to release silver ions during the supplier's websilte, where the information in point Weblink to the supplier's websilte, where the information in point Water consumption in litre per cycle, based on the ead-040-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water. Weighted remaining moisture contential loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water. Weighted remaining moisture contential loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water. Weighted remaining moisture contential loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water. Weighted remaining moisture contential loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water. Weighted remaining moisture contential loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water. Also durater 25 Rated capacity 1600 Spin-drying efficiency class ^(a) A if borne acoustical noise emission class ^(a) (spinning phase) A irborne acoustical noise emission class ^(a) (spinning phase) A irborne acoustical noise emission class ^{(a}					Depth	64	
Energy consumption in kWh per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used. Rated capacity 42	Energy efficiency index EEI _w (a)	51.8		Energy efficiency class ^(a)	A		
chergy consumption in kWh/h per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used. Maximum temperature inside the treated textile ^(a) (°C) Rated capacity 42 Half 31 Quarter 25 Rated capacity 1600 Quarter 1600 Quarter 1600 Quarter 1600 Quarter 1600 Quarter 12:39 Quarter 2:29 Programme duration (s) (h:min) Half 2:39 Quarter 2:29 Airborne acoustical noise emission class ^(a) (spinning phase) Off-mode (W) (if applicable) Quarter 0:30 Standby mode (W) (if applicable) Quarter Qu	Washing efficiency index ^(a)	1.036		Rinsing effectiveness (g/kg) ^(a)	4.0		
Maximum temperature inside the treated textile (a) (°C) Auarter 25	kWh per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on	0.493		cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness	48		
the treated textile (a) (°C) Quarter 25 Rated capacity 1600 Quarter 1600 Quarter 1600 Rated capacity 3:19 Programme duration (a) (h:min) Half 2:39 Quarter 2:29 Airborne acoustical noise emission class (a) (spinning phase) Off-mode (W) (if applicable) Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Delay start (W) (if applicable) 0.70 Networked standby (W) (if applicable) Delay start (W) (if applicable) 0.70 Networked standby (W) (if applicable) Delay start (W) (if applicable) 0.70 Networked standby (W) (if applicable) Delay start (W) (if applicable) 0.70 Networked standby (W) (if applicable) Delay start (W) (if applicable) 0.70 Networked standby (W) (if applicable) Delay start (W) (if applicable) 0.70 Networked standby (W) (if applicable) Delay start (W) (if applicable) 0.70 Networked standby (W) (if applicable) Delay start (W) (if applicable) 0.70 Networked standby (W) (if applicable) Delay start (W) (if applicable) 0.70 Networked standby (W) (if applicable) Delay start (W) (if applicable) 0.70 Networked standby (W) (if applicable) Delay start (W) (if applicable) 0.70 Networked standby (W) (if applicable)		Rated capacity	42		42.0		
Quarter 25 Rated capacity 1600 Half 1600 Quarter 1600 Quarter 1600 Rated capacity 3:19 Programme duration (a) (h:min) Half 2:39 Design type Free-standing Quarter 2:29 Airborne acoustical noise emission class (a) (spinning phase) Airborne acoustical noise emission class (a) (spinning phase) Standby mode (W) (if applicable) Quarter 2:40 Networked standby (W) (if applicable) Quarter Q		Half	31				
Spin speed ^(a) (rpm) Half 1600 Quarter 1600 Rated capacity 3:19 Programme duration ^(a) (h:min) Half 2:39 Quarter 2:29 Airborne acoustical noise emission class ^(a) (spinning phase) Off-mode (W) (if applicable) Delay start (W) (if applicable) Delay start (W) (if applicable) Airborne acoustical noise emission class ^(a) (spinning phase) Networked standby (W) (if applicable) Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Minimum duration of the guarantee offered by the supplier This product has been designed to release silver ions during the washing cycle Additional information Weblink to the supplier's website, where the information in point https://www.miele.com/		Quarter	25	content ^(a) (%)			
Programme duration (a) (h:min) Rated capacity 3:19 Programme duration (a) (h:min) Half 2:39 Quarter 2:29 Airborne acoustical noise emission class (a) (spinning phase) Off-mode (W) (if applicable) Delay start (W) (if applicable) Delay start (W) (if applicable) Airborne acoustical noise emission class (a) (spinning phase) Airborne acoustical noise emission class (a) (spinning phase) Airborne acoustical noise emission class (a) (spinning phase) Applicable) Networked (W) (if applicable) Ale phase) Networked standby (W) (if applicable) Airborne acoustical noise emission class (a) (spinning phase) A phase) A phase) Networked standby (W) (if applicable) Networked standby (W) (if applicable) A phase) Networked standby (W) (if applicable) A phase) Networked standby (W) (if applicable) A phase) Networked standby (W) (if applicable) Networked standby (W) (if applicable) Networked standby (W) (if applicable) A phase) Networked standby (W) (if applicable) Networked standby (W)	Spin speed ^(a) (rpm)	Rated capacity	1600	Spin-drying efficiency class ^(a)			
Programme duration ^(a) (h:min) Half 2:39 Quarter 2:29 Airborne acoustical noise emission class ^(a) (spinning phase) Off-mode (W) (if applicable) Delay start (W) (if applicable) Delay start (W) (if applicable) Minimum duration of the guarantee offered by the supplier This product has been designed to release silver ions during the washing cycle Additional information Rated capacity 3:19 Design type Free-standing Airborne acoustical noise emission class ^(a) (spinning phase) Standby mode (W) (if applicable) Networked standby (W) (if applicable) 2.40 Networked standby (W) (if applicable) no Airborne acoustical noise emission class ^(a) (spinning phase) A phase) A phase) Networked standby (W) (if applicable) 10.70 Notworked standby (W) (if applicable)		Half	1600				
Programme duration ^(a) (h:min) Half 2:39 Design type Free-standing Airborne acoustical noise emission class ^(a) (spinning phase) Off-mode (W) (if applicable) Delay start (W) (if applicable) Delay start (W) (if applicable) Minimum duration of the guarantee offered by the supplier This product has been designed to release silver ions during the washing cycle Additional information Weblink to the supplier's website, where the information in point https://www.miele.com/		Quarter	1600				
Airborne acoustical noise emission class(a) (spinning phase) Off-mode (W) (if applicable) Delay start (W) (if applicable) Airborne acoustical noise emission class(a) (spinning phase) Standby mode (W) (if applicable) Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Networked standby (W) (if applicable) 24 months This product has been designed to release silver ions during the washing cycle Additional information Weblink to the supplier's website, where the information in point https://www.miele.com/	Programme duration ^(a) (h:min)	Rated capacity	3:19				
Airborne acoustical noise emission class(a) (spinning phase) Off-mode (W) (if applicable) Delay start (W) (if applicable) Minimum duration of the guarantee offered by the supplier This product has been designed to release silver ions during the washing cycle Additional information Weblink to the supplier's website, where the information in point https://www.miele.com/		Half	2:39	Design type	Free-standing		
emission class ^(a) (spinning phase) Off-mode (W) (if applicable) Delay start (W) (if applicable) 2.40 Minimum duration of the guarantee offered by the supplier This product has been designed to release silver ions during the washing cycle Additional information Weblink to the supplier's website, where the information in point https://www.miele.com/		Quarter	2:29				
Delay start (W) (if applicable) 2.40 Networked standby (W) (if applicable) Minimum duration of the guarantee offered by the supplier 24 months This product has been designed to release silver ions during the washing cycle Additional information Weblink to the supplier's website, where the information in point https://www.miele.com/	emission class ^(a) (spinning	68		emission class ^(a) (spinning	А		
Minimum duration of the guarantee offered by the supplier This product has been designed to release silver ions during the washing cycle Additional information Weblink to the supplier's website, where the information in point https://www.miele.com/	Off-mode (W) (if applicable)	0.30		1 ' ' '	-		
This product has been designed to release silver ions during the washing cycle Additional information Weblink to the supplier's website, where the information in point https://www.miele.com/	Delay start (W) (if applicable)	2.40		- ' ' '	0.70		
Additional information Weblink to the supplier's website, where the information in point https://www.miele.com/	Minimum duration of the guara	antee offered by the	supplier	24 months			
Weblink to the supplier's website, where the information in point https://www.miele.com/	-	to release silver io	ns during	no			
	Additional information						
9 of Annex II to Commission Regulation (EU) 2019/2023 is found	9 of Annex II to Commission Reg		•	https://www.miele.com/			