

CVA 6401

Built-in coffee machine with bean-to cup system and OneTouch for Two prep. for perfect coffee enjoyment.



- Perfect results and intense coffee flavor AromaticSystem
- Fully automatic perfection -OneTouch for Two
- Innovative and convenient milk system EasyClick milk system
- Convenient cleaning for care and mainten. Cleaning programs
- Patented door system with fully opening front ComfortDoor

EAN: 4002515354889 / material number: 09676900

Construction type and design	
Built-in bean-to-cup coffee machine	•
PureLine	•
Color	Clean Touch Steel
ContourLine	•
Consumer benefits	
AromaticSystem	•
OneTouch preparation	•
One Touch and OneTouch for Two	•
Programmable user profile	10
Grinding grade selectable	•
Additional coffee types in ground coffee form possible	•
Ground quantity programmable	•
Water quantity programmable	•
Water temperature programmable	•
Amount of milk can be programmed	•
Amount of milk froth can be programmed	•
Pre-brewing programmable	•
Beverage specialities	
Espresso, single	•
Espresso, double	•
Coffee, single	•
Coffee, double	•
Long coffee, single	•
Long coffee, double	•
Cappuccino, single	•
Cappuccino, double	•
Latte macchiato, single	•
Latte macchiato, double	•
Hot milk, single	•
Hot milk, double	•
Milk froth, single	•
Milk froth, double	•
Caffè latte, single	•
Caffè latte, double	•
Hot water, single	•
Coffee pot	•

More information at www.MieleUSA.com



CVA 6401

Built-in coffee machine

with bean-to cup system and OneTouch for Two prep. for perfect coffee enjoyment.



Control panel	
Control panel	DirectSensor
Height adjustment of infinitely adjustable central spout in	3 3/8 (8)
in.(cm)	
ComfortDoor	•
Hidden door handle	
MultiLingua	•
Bean container capacity, total in oz (g)	17.64 (500)
Capacity of water container in fl oz (l)	77.77 (2.3)
Capacity of waste container in capsules	
Easily accessible containers	•
Time-of-day display	•
Date display	•
Programmable switch-on time	•
Programmable switch-off time	•
Programmable stand-by time	•
Clock battery backup in h	150
Efficiency and sustainability	
Energy-saving Eco mode option	•
Cleaning convenience	
Stainless steel front with Clean Touch Steel surface	_ <u>•</u>
Automatic rinsing of the milk pipework from the water	•
container Convenient cleaning programs	•
Auto-Off function	
ComfortClean	-
Removable milk pipework	- <u>-</u>
Removable brew unit	
Adjustable water hardness	-
Safety	-
System lock	•
Technical data	
Appliance width in in.(mm)	23 1/2 (595)
Applicance height in in.(mm)	17 7/8 (452)
Appliance depth in in.(mm)	19 (480)
Depth with door open in in.(cm)	41 3/4 (106.0)
Total connected load in kW	1.5
Voltage in V	120
	15
Fuse rating in A	- 15
Number of phases	
Length of electrical wire in ft (m) Standard accessories	5 (1.8)
Glass milk container	•
	-
Descaling tablets	-
Cleaning tablets	
Milk pipework cleaner	
Coffee spoon for ground coffee	•
Test strips to test water hardness	•




CVA 6401


Built-in coffee machine

with bean-to cup system and OneTouch for Two prep. for perfect coffee enjoyment.





ESW 6114, ESW 6214 (Installation drawing) * appliances with glass front ** Appliances with metal front



ESW 6129, ESW 6229 (Installation drawing)

* appliances with glass front ** Appliances with metal front