

Data sheet for household cooker hoods

In acc. with delegated regulation (EU) No. 65/2014 and regulation (EU) No. 66/2014

Miele			
Model name / identifier		DA 3366	
Annual Energy Consumption (AEC) (AEC _{rpm})	kWh/year		61,4
Energy efficiency class			C
Energy efficiency index (EEI) (EEI _{rpm})			80,5
Fluid Dynamic Efficiency (FDE) (FDE _{rpm})			14,2
Fluid Dynamic Efficiency class			
A (most efficient) to G (least efficient)			D
Lighting Efficiency (LE) (LE _{rpm})	lx/W		53,3
Lighting Efficiency class			
A (most efficient) to G (least efficient)			A
Grease Filtering Efficiency	%		89,0
Grease Filtering Efficiency class			
A (most efficient) to G (least efficient)			B
Airflow at best efficiency point	m ³ /h	246,8	
Air flow (min. speed)	m ³ /h	150	
Air flow (max. speed)	m ³ /h	320	
Air flow (intensive or boost setting)	m ³ /h	430	
Max. air flow (Q) (Q _{max})	m ³ /h	430	
Air pressure at best efficiency point	Pa	217	
Airborne acoustical A-weighted sound power emissions (min. speed)	dB	44	
Airborne acoustical A-weighted sound power emissions (max. speed)	dB	51	
Airborne acoustical A-weighted sound power emissions (intensive or boost setting)	dB	58	
Electrical power input at best efficiency point	W	105,0	
Power consumption in off mode (P _o)	W	0,00	
Power consumption in standby mode (P _s)	W		
Nominal power of lighting system	W	6,0	
Average illumination of the lighting system on the cooking surface	lx	320	
Time increase factor		1,5	