

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025

Version number 1.04 (replaces version 1.03)

Revision: 27.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name** ProCare Universal 70 ST
- **Article number:** 1002308634251
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Restrictions on use:**
Restrictions on use according to REGULATION (EC) No 1907/2006 ANNEX XVII apply to this product (see section 15).
- **Application of the substance / the mixture** Cleaning agent/ Cleaner
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
HERSTELLER:
Stockmeier Chemie GmbH & Co. KG
Am Stadholz 37
33609 Bielefeld
Germany

LIEFERANT:
Miele & Cie. KG
Carl-Miele-Straße 29
33332 Gütersloh
Germany
Tel: 0800 22 44 644

Steelco S.p.A.
Via Balegante 27,
31039 Riese Pio X (TV)
Italy
Tel: +39 0423 7561
- **Informing department:**
Product safety department. Tel.: 0049 / 521 / 3037-381
E-mail: ehs-bielefeld@stockmeier.de
- **1.4 Emergency telephone number:**
This is an English-language document designed for the European region. For the emergency number and other country-specific data, please refer to the specific national versions of this safety data sheet.
Counselling Centre for Poisoning, Mainz
Tel. (+49) 61 31 / 19 240.

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**
Safety data sheet available on request.

(Contd. on page 2)

EUE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025

Version number 1.04 (replaces version 1.03)

Revision: 27.10.2025

Trade name ProCare Universal 70 ST

(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Determination of endocrine-disrupting properties** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- Description:

Mixture of the substances listed below with non-hazardous additions (solution in water).

- Dangerous components:

CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	diethylene glycol monobutyl ether ⚠ Eye Irrit. 2, H319 substance with a Community workplace exposure limit	≥2,5-<10%
CAS: 85586-07-8 EINECS: 287-809-4 Reg.nr.: 01-2119489463-28	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 20% Eye Irrit. 2; H319: 10 % ≤ C < 20 %	<2,5%
CAS: 103818-93-5 Polymer	Alcohols, C9-11, ethoxylated propoxylated ⚠ Eye Irrit. 2, H319	≤2,5%

- SVHC

This preparation does not contain any substances of very high concern (SVHC) in a concentration of ≥ 0.1 % according to Regulation (EC) 1907/2006, Article 57.

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

- Composition/Ingredients

Constituents according to EC-Regulation 648/2004:

- < 5 % non-ionic surfactants,
- < 5 % anionic surfactants
- Fragrances

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- **General advice:** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** Wash off with water.
- **After eye contact**
Rinse immediately opened eye for several minutes under running water. Then consult doctor.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025

Version number 1.04 (replaces version 1.03)

Revision: 27.10.2025

Trade name ProCare Universal 70 ST

(Contd. of page 2)

- 4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Coordinate fire extinguishing measures with the surroundings.
- **5.2 Special hazards arising from the substance or mixture**
Can be released in case of fire:
carbon monoxide (CO)
- **5.3 Advice for firefighters**
- **Protective equipment:** Adapt protective equipment to the surrounding fire.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
- **6.2 Environmental precautions:**
Do not allow to enter drainage system, surface or ground water.
In case of release of larger quantities, inform competent authorities.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to point 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:**
Observance of the general rules of preventive operational fire protection.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage** Store in cool, dry conditions in well sealed containers.
- **Requirements to be met by storerooms and containers:**
Observe laws and regulations on the storage and use of substances hazardous to water.
Store in the delivery container or in PE containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Protect from frost.
- **7.3 Specific end use(s)** No further relevant information available.

EUE

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025

Version number 1.04 (replaces version 1.03)

Revision: 27.10.2025

Trade name ProCare Universal 70 ST

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Components with critical values that require monitoring at the workplace:

112-34-5 diethylene glycol monobutyl ether

AGW (Germany)	Long-term value: 67 mg/m ³ , 10 ppm 1,5(l);EU, DFG, Y, 11
EG (Germany)	Short-term value: 101,2 mg/m ³ , 15 ppm Long-term value: 67,5 mg/m ³ , 10 ppm
MAK (Germany)	Long-term value: 67 mg/m ³ , 10 ppm Dampf und Aerosol
IOELV (EU)	Short-term value: 101,2 mg/m ³ , 15 ppm Long-term value: 67,5 mg/m ³ , 10 ppm

- DNELs

112-34-5 diethylene glycol monobutyl ether

Oral	DNEL (population)	6,25 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	101,2 mg/m ³ (Acute, local effects) 67,5 mg/m ³ (Long-term, local effects)

85586-07-8 Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Oral	DNEL (population)	24 mg/kg bw/day (Long-term, systemic effects)
Dermal	DNEL (worker)	4.060 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	2.440 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	285 mg/m ³ (Long-term, systemic effects)
	DNEL (population)	85 mg/m ³ (Long-term, systemic effects)

122-99-6 2-phenoxyethanol

Oral	DNEL (population)	9,23 mg/kg bw/day (Acute, systemic effects) 9,23 mg/kg bw/day (Long-term, systemic effects)
Dermal	DNEL (worker)	20,83 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	10,42 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	8,07 mg/m ³ (Long-term - systemic + local effects)
	DNEL (population)	2,41 mg/m ³ (Long-term - systemic + local effects)

497-19-8 sodium carbonate

Inhalative	DNEL (worker)	10 mg/m ³ (Long-term, local effects)
	DNEL (population)	5 mg/m ³ (Acute, local effects)

- PNECs

112-34-5 diethylene glycol monobutyl ether

Oral	PNEC oral	56 mg/kg (Nahrung) (Secondary poisoning)
	PNEC water	1,1 mg/l (freshwater) 0,11 mg/l (marine water)
	PNEC	11 mg/l (intermittent releases)
	PNEC sediment	4,4 mg/kg dw (freshwater) 0,44 mg/kg dw (marine water)
	PNEC soil	0,32 mg/kg dw (soil)

(Contd. on page 5)

EUE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025

Version number 1.04 (replaces version 1.03)

Revision: 27.10.2025

Trade name ProCare Universal 70 ST

(Contd. of page 4)

85586-07-8 Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

PNEC water	0,0131 mg/l (Seawater) 0,131 mg/l (freshwater)
PNEC	0,036 mg/l (intermittent releases) 1,35 mg/l (sewage plant)
PNEC sediment	4,61 mg/kg (freshwater) 0,461 mg/kg (Seawater)
PNEC soil	0,846 mg/kg (soil)

122-99-6 2-phenoxyethanol

PNEC water	3,44 mg/l (intermittent releases) 0,943 mg/l (freshwater) 0,094 mg/l (marine water) 24,8 mg/l (sewage plant)
PNEC sediment	7,23 mg/kg dw (freshwater) 0,723 mg/kg dw (marine water)
PNEC soil	1,26 mg/kg dw (soil)

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from food, beverages and fodder.

Gases, fumes and aerosols should not be inhaled.

- **Breathing equipment:**

Not necessary if room is well-ventilated.

Use breathing protection in case of insufficient ventilation.

- **Recommended filter device for short term use:** Combination filter A-P2

- **Hand protection**

In the event of prolonged skin contact, protective gloves or skin protection cream are recommended.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Eye/face protection** Safety glasses recommended during refilling.

- **Body protection:** Standard protective work clothing.

- **Environmental exposure controls** Observe the local and national waste water regulations.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- **General Information**

- **Physical state**

Liquid

- **Colour:**

Light green

- **Smell:**

Characteristic

- **Odour threshold:**

Not determined.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025

Version number 1.04 (replaces version 1.03)

Revision: 27.10.2025

Trade name ProCare Universal 70 ST

(Contd. of page 5)

- Melting point/freezing point:	Not determined
- Boiling point or initial boiling point and boiling range	100 °C
- Flammability	Not applicable.
- Lower and upper explosion limit	
- Lower:	Not determined.
- Upper:	Not determined.
- Flash point:	Product is non-flammable nor potentially explosive
- Decomposition temperature:	Not determined.
- pH at 20 °C	10,8
- pH-value:	
- Viscosity:	
- Kinematic viscosity	Not determined.
- dynamic:	Not determined.
- Solubility	
- Water:	Fully miscible
- Partition coefficient n-octanol/water (log value)	Not determined.
- Vapour pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity or of similar purity)
- Density and/or relative density	
- Density at 20 °C	1,013 g/cm³
- Relative density	Not determined.
- Vapour density	Not determined.

- 9.2 Other information

- Appearance:	
- Form:	Fluid
- Important information on protection of health and environment, and on safety.	
- Self-inflammability:	Product is not selfigniting.
- Explosive properties:	Product is not potentially explosive
- Evaporation rate	Not determined.

- Information with regard to physical hazard classes

- Explosives	Void
- Flammable gases	Void
- Aerosols	Void
- Oxidising gases	Void
- Gases under pressure	Void
- Flammable liquids	Void
- Flammable solids	Void
- Self-reactive substances and mixtures	Void
- Pyrophoric liquids	Void
- Pyrophoric solids	Void
- Self-heating substances and mixtures	Void
- Substances and mixtures, which emit flammable gases in contact with water	Void
- Oxidising liquids	Void
- Oxidising solids	Void

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025

Version number 1.04 (replaces version 1.03)

Revision: 27.10.2025

Trade name ProCare Universal 70 ST

(Contd. of page 6)

- Organic peroxides	Void
- Corrosive to metals	Void
- Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
strong oxidising agents
Acids
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- LD/LC50 values that are relevant for classification:

112-34-5 diethylene glycol monobutyl ether

Oral	LD50	2.410-5.530 mg/kg (mouse) >2.000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2.000 mg/kg (rabbit) (OECD 402) 2.764 mg/kg (rat) (OECD 402)
Inhalative	LC 50 / 2 h	>29 mg/l (rat)

85586-07-8 Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Oral	LD50	1.800 mg/kg (rat)
Dermal	LD50	>2.000 mg/kg (rat)

103818-93-5 Alcohols, C9-11, ethoxylated propoxylated

Oral	LD50	>2.000 mg/kg (rat)
------	------	--------------------

122-99-6 2-phenoxyethanol

Oral	LD50	1.394 mg/kg (ATEmix (17. ATP)) 1.840 mg/kg (rat) 1.394 mg/kg (ATE)
Dermal	LD50	>2.000 mg/kg (rabbit) (OECD 402)

497-19-8 sodium carbonate

Oral	LD50	4.090 mg/kg (IUCLID) 2.800 mg/kg (rat)
Dermal	LD50	>2.000 mg/kg (rat) (16 CFR 1500.40) >2.000 mg/kg (rabbit)

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025

Version number 1.04 (replaces version 1.03)

Revision: 27.10.2025

Trade name ProCare Universal 70 ST

(Contd. of page 7)

78330-20-8 Alcohol C10, ethoxylated

Oral	LD50	>300-2.000 mg/kg (rat)
------	------	------------------------

D-pentose and D-glucose, oligomeric, C8 and C10 alkyl glycosides

Oral	LD50	>2.000 mg/kg (rat)
------	------	--------------------

Dermal	LD50	>2.000 mg/kg (rat)
--------	------	--------------------

D-pentose, oligomeric, C10 and C12 alkyl glycosides

Oral	LD50	>2.000 mg/kg (rat)
------	------	--------------------

Dermal	LD50	>2.000 mg/kg (rat)
--------	------	--------------------

- Primary irritant effect:

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

- STOT-repeated exposure:**122-99-6 2-phenoxyethanol**

Oral	NOAEL	700 mg/kg (rat) (OECD 408)
------	-------	----------------------------

- 11.2 Information on other hazards**- Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information**- 12.1 Toxicity****- Aquatic toxicity:****112-34-5 diethylene glycol monobutyl ether**

LC 50 / 96 h (static)	1.300 mg/l (Lepomis macrochirus) (OECD 203)
-----------------------	---

EC 50 / 48 h (static)	>100 mg/l (Daphnia magna) (OECD 202)
-----------------------	--------------------------------------

EC 50 / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
--------------	--

EC 50 / 24 h	2.850 mg/l (Daphnia magna)
--------------	----------------------------

EC 50 / 72 h (static)	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
-----------------------	--

NOEC / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
-------------	--

NOEC / 48 h	>100 mg/l (Daphnia magna) (OECD 202)
-------------	--------------------------------------

85586-07-8 Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

LC 50 / 96 h	3,6 mg/l (Oncorhynchus mykiss) (OECD 203)
--------------	---

EC 50 / 48 h	4,7 mg/l (Daphnia magna) (OECD 202)
--------------	-------------------------------------

EC 50 / 72 h	20 mg/l (Desmodesmus subspicatus) (OECD 201)
--------------	--

NOEC	0,508 mg/l (Daphnia magna)
------	----------------------------

NOEC / 72 h	0,6 mg/l (Algae) (OECD 201)
-------------	-----------------------------

(Contd. on page 9)

EUE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025

Version number 1.04 (replaces version 1.03)

Revision: 27.10.2025

Trade name ProCare Universal 70 ST

(Contd. of page 8)

103818-93-5 Alcohols, C9-11, ethoxylated propoxylated

EC 50 / 48 h	13,5 mg/l (Daphnia)
EC50 / 72h	12 mg/l (Algae)

122-99-6 2-phenoxyethanol

LC 50 / 96 h	344 mg/l (Pimephales promelas) (OECD 203)
LC 50 / 72 h	>100 mg/l /Literaturw (Desmodesmus subspicatus) (OECD 201)
EC 50 / 48 h	>500 mg/l (Daphnia magna)
	>100 mg/l (Daphnia) (OECD 202)
EC50 / 3h	>1.000 mg/l (OECD 209 / ISO 8192)
EC 50 / 72 h	>500 mg/l (Scenedesmus subspicatus)
NOEC	23 mg/l (Pimephales promelas) (dynamisch)
	9,43 mg/l (Daphnia) (statisch)

497-19-8 sodium carbonate

LC 50 / 96 h	300 mg/l (Lepomis macrochirus)
EC 50 / 48 h	200-227 mg/l (Ceriodaphnia dubia)

- 12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

112-34-5 diethylene glycol monobutyl ether

Biodegradability	~85 % (28 d, OECD 301 C)
	100 % (OECD 302 B)

85586-07-8 Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Biodegradability	90,8 % (OECD 301 D) (EMPLA 67/2007)
Biodegradability	>60 % /28 d (OECD 301 B)

122-99-6 2-phenoxyethanol

Biodegradability	90 % (OECD 301 F)
Biodegradability	>90 % (OECD 301A)
	80-90 % /28 d (OECD 301 B)

D-pentose and D-glucose, oligomeric, C8 and C10 alkyl glycosides

Biodegradability	>60 % (28 d OECD 301F)
------------------	------------------------

D-pentose, oligomeric, C10 and C12 alkyl glycosides

Biodegradability	>60 % (28d, OECD 301F)
------------------	------------------------

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025

Version number 1.04 (replaces version 1.03)

Revision: 27.10.2025

Trade name ProCare Universal 70 ST

(Contd. of page 9)

- 12.7 Other adverse effects**- Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):****112-34-5 diethylene glycol monobutyl ether**

EC 10 / 0,5 h	>1.995 mg/l (activated sludge (DEV - L2)) (OECD 209 (Activated Sludge, Resp. Inhibition Test))
---------------	--

122-99-6 2-phenoxyethanol

EC 10 / 17 h	320 mg/l (activated sludge (method OECD 209))
--------------	---

EC 50 / 17 h	880 mg/l (bacteria)
--------------	---------------------

- Additional ecological information:**- General notes:**

Water hazard class 2 (Self-assessment): hazardous for water.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations**- 13.1 Waste treatment methods****- Recommendation**

Contact manufacturer for recycling information.

The above recommendations apply to the unused product (e.g. residual quantities).

When used as intended, the product enters the waste water.

Disposal in accordance with official regulations.

- Waste disposal key number:

Since 1 January 1999, the waste code numbers have not only been product-related but essentially application-related. The waste code number valid for the application can be taken from the European Waste Catalogue.

- Uncleaned packagings: Disposal in accordance with official regulations.**- Recommendation:**

L e v e l o p m e n t : After optimal emptying, immediately return to the supplier tightly closed and without cleaning. Make sure that no foreign matter gets into the packaging!

Other containers: Empty completely and clean for reconditioning or reprocessing.

SECTION 14: Transport information**- 14.1 UN number or ID number****- ADR/RID, IMDG, IATA**

Void

- 14.2 UN proper shipping name**- ADR/RID, IMDG, IATA**

Void

- 14.3 Transport hazard class(es)**- ADR/RID, IMDG, IATA****- Class**

Void

- 14.4 Packing group**- ADR/RID, IMDG, IATA**

Void

- 14.5 Environmental hazards:

Not applicable.

- Marine pollutant:

No

(Contd. on page 11)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025

Version number 1.04 (replaces version 1.03)

Revision: 27.10.2025

Trade name ProCare Universal 70 ST

(Contd. of page 10)

- 14.6 Special precautions for user	Not applicable.
- 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
- Transport/Additional information:	Not dangerous according to the above specifications.
- UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)
None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 55
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Regulation (EC) No 273/2004 on drug precursors
None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
None of the ingredients is listed.
- National regulations
- Information about limitation of use:
Employment restrictions concerning young persons must be observed.
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57
None of the ingredients is listed.
- VOC (EU) 45,8 g/l
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 12)

EUE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025

Version number 1.04 (replaces version 1.03)

Revision: 27.10.2025

Trade name ProCare Universal 70 ST

(Contd. of page 11)

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2023/707.

- **Application:** Please refer to the technical data sheet for application instructions.

- **Registration-Number**

- **Relevant phrases**

Complete wording of hazard statements and risk phrases (H-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

- **Department issuing data specification sheet:** See section 1.3: Responding area

- **Date of previous version:** 25.03.2025

- **Version number of previous version:** 1.03

- **Abbreviations and acronyms:**

NOAEL: No Observed Adverse Effect Level

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- * **Data compared to the previous version altered.**

EUE