Data sheet for household cooker hoods
In acc. with delegated regulation (EU) No. 65/2014 and regulation (EU) No. 66/2014

Miele				
Model name/identifier		DAS 2620		
Annual Energy Consumption (AEC)				
(AEC _{rpm})	kWh/year	41,7		
Energy efficiency class		Α		
Energy efficiency index (EEI) (EEI _{ppm})		50,2		
Fluid Dynamic Efficiency (FDE) (FDE _{rom})		30,6		
Fluid Dynamic Efficiency class		,-		
A (most efficient) to G (least efficient)		Α		
Lighting Efficiency (LE) (LE _{rom})	lx/W	96,9		
Lighting Efficiency class				
A (most efficient) to G (least efficient)		Α		
Grease Filtering Efficiency	%	95,6		
Grease Filtering Efficiency class				
A (most efficient) to G (least efficient)		Α		
Airflow at best efficiency point	m³/h	312,6		
Air flow (min. speed)	m³/h	198		
Air flow (max. speed)	m³/h	413		
Air flow (intensive or boost setting)	m³/h	559		
Max. air flow (Q) (Q _{max})	m³/h	559		
Air pressure at best efficiency point	Pa	422		
Airborne acoustical A-weighted sound power emis-	sions			
(min. speed)	dB	47		
Airborne acoustical A-weighted sound power emiss				
(max. speed)	dB	61		
Airborne acoustical A-weighted sound power emission				
(intensive or boost setting)	dB	68		
Electrical power input at best efficiency point	W	119,9		
Power consumption in off mode (P _o)	W			
Power consumption in standby mode (P _s)	W	0,25		
Nominal power of lighting system	W	3,2		
Average illumination of the lighting system on the courses		310		
surface	lx			
Time increase factor		0,9		