

Page 1/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2025 Version number 1.03 (replaces version 1.02) Revision: 25.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name ProCare Universal 70 ST
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Restrictions on use:

Restrictions on use according to REGULATION (EC) No 1907/2006 ANNEX XVII apply to this product (see section 15).

- Application of the substance / the mixture Cleaning agent/ Cleaner
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

HERSTELLER: Stockmeier Chemie GmbH & Co. KG Am Stadholz 37 33609 Bielefeld Germany

LIEFERANT: Miele & Cie. KG Carl-Miele-Straße 29 33332 Gütersloh Germany Tel: 0800 22 44 644

Steelco S.p.A. Via Balegante 27, 31039 Riese Pio X (TV)

Italy

Tel: +39 0423 7561

- Informing department:

Product safety department. Tel.: 0049 / 521 / 3037-381

E-mail: ehs-bielefeld@stockmeier.de

- 1.4 Emergency telephone number:

This is an English-language document designed for the European region. For the emergency number and other country-specific data, please refer to the specific national versions of this safety data sheet.

Counselling Centre for Poisoning, Mainz

Tel. (+49) 61 31 / 19 240.

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Additional information:

Safety data sheet available on request.

(Contd. on page 2)

Printing date 25.03.2025 Version number 1.03 (replaces version 1.02) Revision: 25.03.2025

Trade name ProCare Universal 70 ST

(Contd. of page 1)

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description:

Mixture of the substances listed below with non-hazardous additions (solution in water).

- Dangerous components:		
	diethylene glycol monobutyl ether Eye Irrit. 2, H319	≥2,5-<10%
Reg.nr.: 01-2119475104-44	substance with a Community workplace exposure limit	
EINECS: 287-809-4 Reg.nr.: 01-2119489463-28	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. Augustic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 20% Eye Irrit. 2; H319: 10 % ≤ C < 20 %	<2,5%
CAS: 103818-93-5 Polymer	Alcohols, C9-11, ethoxylated propoxylated September 2, H319	≤2,5%

- SVHC

This preparation does not contain any substances of very high concern (SVHC) in a concentration of \geq 0.1 % according to Regulation (EC) 1907/2006, Article 57.

- Additional information For the wording of the listed hazard phrases refer to section 16.
- Composition/Ingredients

Constituents according to EC-Regulation 648/2004:

- < 5 % non-ionic surfactants,
- < 5 % anionic surfactants

Fragrances

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General advice: No special measures required.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Wash off with water.
- After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

- After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Printing date 25.03.2025 Version number 1.03 (replaces version 1.02) Revision: 25.03.2025

Trade name ProCare Universal 70 ST

(Contd. of page 2)

- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Coordinate fire extinguishing measures with the surroundings.
- 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire:

carbon monoxide (CO)

- 5.3 Advice for firefighters
- Protective equipment: Adapt protective equipment to the surrounding fire.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

- 6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

In case of release of larger quantities, inform competent authorities.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to point 13.

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special measures required.
- Information about protection against explosions and fires:

Observance of the general rules of preventive operational fire protection.

- 7.2 Conditions for safe storage, including any incompatibilities
- **Storage** Store in cool, dry conditions in well sealed containers.
- Requirements to be met by storerooms and containers:

Observe laws and regulations on the storage and use of substances hazardous to water.

Store in the delivery container or in PE containers.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from frost.
- 7.3 Specific end use(s) No further relevant information available.

FUF .

Printing date 25.03.2025 Version number 1.03 (replaces version 1.02) Revision: 25.03.2025

Trade name ProCare Universal 70 ST

(Contd. of page 3)

8.1 Contro	ol para	meters		
	-		llues that require monitoring at the workplace:	
-			nonobutyl ether	
		. .	value: 67 mg/m³, 10 ppm	
•	3,	1,5(Ĭ);EU, D		
EG (Germ	any)		value: 101,2 mg/m³, 15 ppm	
NAA14 (O		_	/alue: 67,5 mg/m³, 10 ppm	
MAK (Ger	many)	Long-term \ Dampf und	/alue: 67 mg/m³, 10 ppm Aerosol	
IOELV (El	J)	•	value: 101,2 mg/m³, 15 ppm	
	-,		/alue: 67,5 mg/m³, 10 ppm	
DNELs				
112-34-5	diethyle	ene glycol n	nonobutyl ether	
Oral	-		6,25 mg/kg bw/day (Long-term, systemic effects)	
	DNEL	(population)	5 mg/kg (Long-term, systemic effects)	
Dermal	DNEL	(worker)	83 mg/kg bw/day (Long-term, systemic effects)	
	DNEL	(population)	50 mg/kg bw/day (Long-term, systemic effects)	
Inhalative	DNEL	(worker)	101,2 mg/m³ (Acute, local effects)	
			67,5 mg/m³ (Long-term, local effects)	
	DNEL	(population)	,	
			40,5 mg/m³ (Long-term - systemic + local effects)	
			ono-C12-14-alkyl esters, sodium salts	
Oral			24 mg/kg bw/day (Long-term, systemic effects)	
Dermal		(worker)	4.060 mg/kg bw/day (Long-term, systemic effects)	
Inhalativa		(population)		
Inhalative		. ,	285 mg/m³ (Long-term, systemic effects) 85 mg/m³ (Long-term, systemic effects)	
122-00-6 1		oxyethanol	05 mg/m (Long-term, systemic enects)	
Oral	•	•	9,23 mg/kg bw/day (Acute, systemic effects)	
5.0.	J. 1-L	(2000.00001)	9,23 mg/kg bw/day (Long-term, systemic effects)	
Dermal	DNEL	(worker)	20,83 mg/kg bw/day (Long-term, systemic effects)	
-		(population)		
Inhalative			8,07 mg/m³ (Long-term - systemic + local effects)	
	DNEL	(population)	,	
497-19-8	odium	carbonate		
Inhalative	DNEL	(worker)	10 mg/m³ (Long-term, local effects)	
	DNEL	(population)	5 mg/m³ (Acute, local effects)	
PNECs				
112-34-5	diethyle	ene glycol n	nonobutyl ether	
Oral PNE	-		kg (Nahrung) (Secondary poisoning)	
PNE	C water	1.1 ma	/I (freshwater)	

Printing date 25.03.2025 Version number 1.03 (replaces version 1.02) Revision: 25.03.2025

Trade name ProCare Universal 70 ST

	(Contd. of page 4
PNEC	11 mg/l (intermittent releases)
PNEC sediment	4,4 mg/kg dw (freshwater)
	0,44 mg/kg dw (marine water)
PNEC soil	0,32 mg/kg dw (soil)
85586-07-8 Sulfuric a	cid, mono-C12-14-alkyl esters, sodium salts
PNEC water	0,0131 mg/l (Seawater)
	0,131 mg/l (freshwater)
PNEC	0,036 mg/l (intermittent releases)
	1,35 mg/l (sewage plant)
PNEC sediment	4,61 mg/kg (freshwater)
	0,461 mg/kg (Seawater)
PNEC soil	0,846 mg/kg (soil)
122-99-6 2-phenoxye	thanol
PNEC water	3,44 mg/l (intermittent releases)
	0,943 mg/l (freshwater)
	0,094 mg/l (marine water)
	24,8 mg/l (sewage plant)
PNEC sediment	7,23 mg/kg dw (freshwater)
	0,723 mg/kg dw (marine water)
PNEC soil	1,26 mg/kg dw (soil)

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from food, beverages and fodder.

Gases, fumes and aerosols should not be inhaled.

- Breathing equipment:

Not necessary if room is well-ventilated.

Use breathing protection in case of insufficient ventilation.

- Recommended filter device for short term use: Combination filter A-P2
- Hand protection

In the event of prolonged skin contact, protective gloves or skin protection cream are recommended.

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Eye/face protection Safety glasses recommended during refilling.
- Body protection: Standard protective work clothing.
- Environmental exposure controls Observe the local and national waste water regulations.

-LIF

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2025 Version number 1.03 (replaces version 1.02) Revision: 25.03.2025

Trade name ProCare Universal 70 ST

(Contd. of page 5)

SECTION 9: Ph	ysical and	chemical	properties
---------------	------------	----------	------------

- 9.1 Information on basic physical and chemical properties

- General Information

- Physical state
 - Colour:
 - Smell:
 - Odour threshold:
 - Melting point/freezing point:

Liquid

 Light green
 Characteristic
 Not determined

Not determined

- Boiling point or initial boiling point and

boiling range 100 °C

- **Flammability** Not applicable.

- Lower and upper explosion limit

- Lower: Not determined.- Upper: Not determined.

- Flash point: Product is non-flammable nor potentially

explosive

- **Decomposition temperature:** Not determined.

- **pH at 20 °C** 10,8

pH-value:Viscosity:

- Kinematic viscosity
- dynamic:

Not determined.

Not determined.

- Solubility

- Water: Fully miscible

- Partition coefficient n-octanol/water (log

value) Not determined.

- Vapour pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or

of similar purity)

- Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 Not determined.
 Not determined.

- 9.2 Other information

- Appearance:

- Form: Fluid

- Important information on protection of health

and environment, and on safety.

- **Self-inflammability:** Product is not selfigniting.

- **Explosive properties**: Product is not potentially explosive

- **Evaporation rate** Not determined.

- Information with regard to physical hazard

classes - Explosives Void - Flammable gases Void - Aerosols Void Void - Oxidising gases - Gases under pressure Void - Flammable liquids Void - Flammable solids Void - Self-reactive substances and mixtures Void

(Contd. on page 7)

Printing date 25.03.2025 Version number 1.03 (replaces version 1.02) Revision: 25.03.2025

Trade name ProCare Universal 70 ST

		(Contd. of page 6)
- Pyrophoric liquids	Void	
- Pyrophoric solids	Void	
- Self-heating substances and mixtures	Void	
- Substances and mixtures, which emit		
flammable gases in contact with water	Void	
- Oxidising liquids	Void	
- Oxidising solids	Void	
- Organic peroxides	Void	
- Corrosive to metals	Void	
- Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: strong oxidising agents Acids

- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values that are relevant for classification:		
112-34-5	diethylene	glycol monobutyl ether
Oral	LD50	2.410-5.530 mg/kg (mouse)
		>2.000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2.000 mg/kg (rabbit) (OECD 402)
		2.764 mg/kg (rat) (OECD 402)
Inhalative	LC 50 / 2 h	>29 mg/l (rat)
85586-07	7-8 Sulfuric a	acid, mono-C12-14-alkyl esters, sodium salts
Oral	LD50	1.800 mg/kg (rat)
Dermal	LD50	>2.000 mg/kg (rat)
103818-93-5 Alcohols, C9-11, ethoxylated propoxylated		
Oral	LD50	>2.000 mg/kg (rat)
122-99-6 2-phenoxyethanol		
Oral	LD50	1.394 mg/kg (ATEmix (17. ATP))
		1.840 mg/kg (rat)
		1.394 mg/kg (ATE)
	•	(Contd. on page 8

- EUE

Printing date 25.03.2025 Version number 1.03 (replaces version 1.02) Revision: 25.03.2025

Trade name ProCare Universal 70 ST

			(Contd. of page 7)
Dermal	LD50	>2.214 mg/kg (rabbit)	
497-19-8	sodium car	bonate	
Oral	LD50	4.090 mg/kg (IUCLID)	
		2.800 mg/kg (rat)	
Dermal	LD50	>2.000 mg/kg (rat) (16 CFR 1500.40)	
		>2.000 mg/kg (rabbit)	
78330-20	-8 Alkohol C	10, ethoxyliert	
Oral	LD50	>300-2.000 mg/kg (rat)	
D-pentos	e and D-glu	cose, oligomeric, C8 and C10 alkyl glycosides	
Oral	LD50	>2.000 mg/kg (rat)	
Dermal	LD50	>2.000 mg/kg (rat)	
D-pentos	D-pentose, oligomeric, C10 and C12 alkyl glycosides		
Oral	LD50	>2.000 mg/kg (rat)	
Dermal	LD50	>2.000 mg/kg (rat)	

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

- STO	- STOT-repeated exposure:	
122	2-99-6 2-phenoxyethanol	
Ora	al NOAEL 700 mg/kg (rat) (OECD 408)	

- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:		
112-34-5 diethylene	glycol monobutyl ether	
LC 50 / 96 h (static)	1.300 mg/l (Lepomis macrochirus) (OECD 203)	
EC 50 / 48 h (static)	>100 mg/l (Daphnia magna) (OECD 202)	
EC 50 / 48 h	4.950 mg/l (Daphnia magna)	
EC 50 / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)	
EC 50 / 24 h	2.850 mg/l (Daphnia magna)	
EC 50 / 72 h (static)	>100 mg/l (Desmodesmus subspicatus) (OECD 201)	
NOEC / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)	(Contd. on page 0)

(Contd. on page 9)

Printing date 25.03.2025 Version number 1.03 (replaces version 1.02) Revision: 25.03.2025

Trade name ProCare Universal 70 ST

	(Contd. of page 8)
NOEC / 48 h	>100 mg/l (Daphnia magna) (OECD 202)
85586-07-8 Sulf	uric acid, mono-C12-14-alkyl esters, sodium salts
LC 50 / 96 h	3,6 mg/l (Oncorhynchus mykiss) (OECD 203)
EC 50 / 48 h	4,7 mg/l (Daphnia magna) (OECD 202)
EC 50 / 72 h	20 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC	0,508 mg/l (Daphnia magna)
NOEC / 72 h	0,6 mg/l (Algae) (OECD 201)
103818-93-5 Alc	ohols, C9-11, ethoxylated propoxylated
EC 50 / 48 h	13,5 mg/l (Daphnia)
EC50 / 72h	12 mg/l (Algae)
122-99-6 2-pher	noxyethanol
LC 50 / 96 h	344 mg/l (Pimephales promelas) (OECD 203)
LC 50 / 72 h	>100 mg/l /Literaturw (Desmodesmus subspicatus) (OECD 201)
EC 50 / 48 h	>500 mg/l (Daphnia magna)
	>100 mg/l (Daphnia) (OECD 202)
EC 50 / 72 h	>500 mg/l (Scenedesmus subspicatus)
NOEC	23 mg/l (Pimephales promelas) (dynamisch)
	9,43 mg/l (Daphnia) (statisch)
497-19-8 sodiur	n carbonate
LC 50 / 96 h	300 mg/l (Lepomis macrochirus)
EC 50 / 48 h	200-227 mg/l (Ceriodaphnia dubia)
	ı

- 12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

112-34-5 diethyle	112-34-5 diethylene glycol monobutyl ether		
Biodegradability	~85 % (28 d, OECD 301 C)		
	100 % (OECD 302 B)		
85586-07-8 Sulfu	uric acid, mono-C12-14-alkyl esters, sodium salts		
Biodegradability	90,8 % (OECD 301 D) (EMPLA 67/2007)		
Biodegradability	>60 % /28 d (OECD 301 B)		
122-99-6 2-phen	122-99-6 2-phenoxyethanol		
Biodegradability	90 % (OECD 301 F)		
Biodegradability	>90 % (OECD 301A)		
	80-90 % /28 d (OECD 301 B)		
D-pentose and D-glucose, oligomeric, C8 and C10 alkyl glycosides			
Biodegradability	>60 % (28 d OECD 301F)		
D-pentose, oligomeric, C10 and C12 alkyl glycosides			
Biodegradability	>60 % (28d, OECD 301F)		
Biodegradability Biodegradability 122-99-6 2-phen Biodegradability Biodegradability D-pentose and D Biodegradability D-pentose, oligo	90,8 % (OECD 301 D) (EMPLA 67/2007) >60 % /28 d (OECD 301 B) oxyethanol 90 % (OECD 301 F) >90 % (OECD 301A) 80-90 % /28 d (OECD 301 B) O-glucose, oligomeric, C8 and C10 alkyl glycosides >60 % (28 d OECD 301F) omeric, C10 and C12 alkyl glycosides		

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.

(Contd. on page 10)

Version number 1.03 (replaces version 1.02) Printing date 25.03.2025 Revision: 25.03.2025

Trade name ProCare Universal 70 ST

(Contd. of page 9)

- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects

- Respiratory i	- Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):		
112-34-5 diet	112-34-5 diethylene glycol monobutyl ether		
EC 10 / 0,5 h	EC 10 / 0,5 h >1.995 mg/l (activated sludge (DEV - L2)) (OECD 209 (Activated Sludge, Resp Inhibition Test))		
122-99-6 2-pl	122-99-6 2-phenoxyethanol		
EC 10 / 17 h	320 mg/l (activated sludge (method OECD 209))		
EC 50 / 17 h	880 mg/l (bacteria)		

- Additional ecological information:
- General notes:

Water hazard class 2 (Self-assessment): hazardous for water.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Contact manufacturer for recycling information.

The above recommendations apply to the unused product (e.g. residual quantities).

When used as intended, the product enters the waste water.

Disposal in accordance with official regulations.

- Waste disposal key number:

Since 1 January 1999, the waste code numbers have not only been product-related but essentially application-related. The waste code number valid for the application can be taken from the European Waste Catalogue.

- **Uncleaned packagings:** Disposal in accordance with official regulations.
- Recommendation:

L e v e I o p m e n t : After optimal emptying, immediately return to the supplier tightly closed and without cleaning. Make sure that no foreign matter gets into the packaging!

Other containers: Empty completely and clean for reconditioning or reprocessing.

- 14.1 UN number or ID number		
- ADR/RID, IMDG, IATA	Void	
- 14.2 UN proper shipping name - ADR/RID, IMDG, IATA	Void	
- 14.3 Transport hazard class(es)		
- ADR/RID, IMDG, IATA		
- Class	Void	
- 14.4 Packing group		
- ADR/RID, IMDG, IATA	Void	

Printing date 25.03.2025 Version number 1.03 (replaces version 1.02) Revision: 25.03.2025

Trade name ProCare Universal 70 ST

	(Contd. of page 10)
- 14.5 Environmental hazards:- Marine pollutant:	Not applicable. No
- 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk accordi IMO instruments 	ng to Not applicable.
- Transport/Additional information:	Not dangerous according to the above specifications.
- UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 55
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations
- Information about limitation of use:

Employment restrictions concerning young persons must be observed.

- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

- VOC (EU) 45,8 g/l
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

FUE

Printing date 25.03.2025 Version number 1.03 (replaces version 1.02) Revision: 25.03.2025

Trade name ProCare Universal 70 ST

(Contd. of page 11)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Application**: Please refer to the technical data sheet for application instructions.
- Registration-Number
- Relevant phrases

Complete wording of hazard statements and risk phrases (H-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

- Department issuing data specification sheet: See section 1.3: Responding area
- Date of previous version: 26.09.2023
- Version number of previous version: 1.02
- Abbreviations and acronyms:

NOAEL: No Observed Adverse Effect Level

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

- * Data compared to the previous version altered.

EUE