

# Data sheet for household cooker hoods

In acc. with delegated regulation (EU) No. 65/2014 and regulation (EU) No. 66/2014

| Miele   |                   |          |       |
|---|-------------------|----------|-------|
| Model name / identifier   |                   | DAR 1155 |       |
| Annual Energy Consumption (AEC) (AEC <sub>rpm</sub> )                             | kWh/year          |          | 69,5  |
| Energy efficiency class   |                   |          | B     |
| Energy efficiency index (EEI) (EEI <sub>rpm</sub> )                               |                   |          | 65,0  |
| Fluid Dynamic Efficiency (FDE) (FDE <sub>rpm</sub> )                              |                   |          | 25,6  |
| Fluid Dynamic Efficiency class  |                   |          |       |
| A (most efficient) to G (least efficient)   |                   |          | B     |
| Lighting Efficiency (LE) (LE <sub>rpm</sub> )                                     | lx/W              |          | 62,5  |
| Lighting Efficiency class   |                   |          |       |
| A (most efficient) to G (least efficient)   |                   |          | A     |
| Grease Filtering Efficiency   | %                 |          | 80,9  |
| Grease Filtering Efficiency class   |                   |          |       |
| A (most efficient) to G (least efficient)   |                   |          | C     |
| Airflow at best efficiency point  | m <sup>3</sup> /h |          | 382,1 |
| Air flow (min. speed)   | m <sup>3</sup> /h |          | 200   |
| Air flow (max. speed)   | m <sup>3</sup> /h |          | 400   |
| Air flow (intensive or boost setting)   | m <sup>3</sup> /h |          | 650   |
| Max. air flow (Q) (Q <sub>max</sub> )   | m <sup>3</sup> /h |          | 650   |
| Air pressure at best efficiency point   | Pa                |          | 373   |
| Airborne acoustical A-weighted sound power emissions (min. speed)                 | dB                |          | 39    |
| Airborne acoustical A-weighted sound power emissions (max. speed)                 | dB                |          | 54    |
| Airborne acoustical A-weighted sound power emissions (intensive or boost setting) | dB                |          | 67    |
| Electrical power input at best efficiency point                                   | W                 |          | 154,5 |
| Power consumption in off mode (P <sub>o</sub> )                                   | W                 |          | 0,00  |
| Power consumption in standby mode (P <sub>s</sub> )                               | W                 |          |       |
| Nominal power of lighting system  | W                 |          | 12,0  |
| Average illumination of the lighting system on the cooking surface                | lx                |          | 750   |
| Time increase factor  |                   |          | 1,1   |