

E 957 Mobile unit for the optimum loading of up to 12 large volume laboratory glassware.



- Equipped with 12 nozzles with Ø 10 mm
- Height adjustable holding frame
- Magnetic strip for automatic mobile unit recognition
- Max. vertical clearance from star overlay: 24 1/4 (615) in (mm) mm

| Product category | |
|--|---|
| Large-capacity washer-disinfectors, laboratory | • |
| Machine affiliation | |
| PG 8527 | • |
| Product category | |
| Other mobile units | • |
| Module for large-volume laboratory glassware | • |
| Product characteristics | |
| Material | Stainless steel, Plastic |
| Colour | Stainless Steel, Black |
| Maximum vertical clearance in mm | 24 1/4 (615) |
| Application area | |
| Reprocessing of laboratory glassware | • |
| Capacity | |
| Large-volume laboratory glassware [number] | 12 |
| | |
| Standard electrical connection | |
| Standard electrical connection Number of phases | 0 |
| | 0-0 |
| Number of phases | |
| Number of phases Voltage in V | 0-0 |
| Number of phases Voltage in V Frequency in Hz | 0-0 0-0 |
| Number of phases Voltage in V Frequency in Hz Total rated load in kW | 0-0 0-0 0.00-0.00 |
| Number of phases Voltage in V Frequency in Hz Total rated load in kW Fuse rating in A | 0-0 0-0 0.00-0.00 |
| Number of phases Voltage in V Frequency in Hz Total rated load in kW Fuse rating in A Dimensions and weight | 0-0 0-0 0.00-0.00 0-0 |
| Number of phases Voltage in V Frequency in Hz Total rated load in kW Fuse rating in A Dimensions and weight External dimensions, net height in in. (mm) | 0-0 0-0 0.00-0.00 0-0 13 15/16 (353) |
| Number of phases Voltage in V Frequency in Hz Total rated load in kW Fuse rating in A Dimensions and weight External dimensions, net height in in. (mm) External dimensions, net width in in. (mm) | 0-0 0-0 0.00-0.00 0-0 13 15/16 (353) 25 1/4 (640) |
| Number of phases Voltage in V Frequency in Hz Total rated load in kW Fuse rating in A Dimensions and weight External dimensions, net height in in. (mm) External dimensions, net width in in. (mm) External dimensions, net depth in in. (mm) | 0-0 0-0 0.00-0.00 0-0 13 15/16 (353) 25 1/4 (640) 31 1/8 (790) |
| Number of phases Voltage in V Frequency in Hz Total rated load in kW Fuse rating in A Dimensions and weight External dimensions, net height in in. (mm) External dimensions, net width in in. (mm) External dimensions, net depth in in. (mm) External dimensions, gross height in in. (mm) | 0-0 0-0 0.00-0.00 0-0 13 15/16 (353) 25 1/4 (640) 31 1/8 (790) 15 3/8 (390) |
| Number of phases Voltage in V Frequency in Hz Total rated load in kW Fuse rating in A Dimensions and weight External dimensions, net height in in. (mm) External dimensions, net width in in. (mm) External dimensions, net depth in in. (mm) External dimensions, gross height in in. (mm) External dimensions, gross width in in. (mm) | 0-0 0-0 0.00-0.00 0-0 13 15/16 (353) 25 1/4 (640) 31 1/8 (790) 15 3/8 (390) 26 3/16 (665) |

EAN: 4002513298789 / Material number: 05746300 / Old Material Number: 69595701D