### Miele

#### PW 6241 [SI]

Washing machine, steam heating (indirect)

With individually programmable controls for the maximum in flexibility.



- Drum volume 8.48 (240) ft<sup>3</sup> (I) I, load size 55 (24.5) lb (kg)
- Large program variety application-specific wash programs
- Gentle laundry care thanks to the Miele honeycomb drum
- Particularly efficient low water and energy consumption
- Perfect spinning results residual moisture 43 %\*, g-factor447

EAN: 4002516585534 / Material number: 12092220 / Old Material Number: 51624189NAM

Construction type and design	
Construction type and design Construction type	Front loader
Product line	Professional
Front	
	Iron grey
Control panel colour	Stainless steel 1:10
Load ratio	
Load in lbs. (kg)	55 (24.5)
Drum volume in I	8.48 (240) ft <sup>3</sup> (l)
Door opening [Ø] in in. (mm)	16 15/16 (430)
Door-opening angle in degrees	180
Door hinging	right
Maintenance-free motor with frequency converter	<u>•</u>
Honeycomb drum	•
Application	
Suitable for hotels and restaurants	•
Suitable for retirement and care homes	
Suitable for facility management	
Suitable for dry cleaners	•
Suitable for commercial laundromats	•
Suitable for fire departments and rescue services	•
Suitable for stud farms and stables	•
Suitable for universities, schools, and kindergartens	•
Suitable for hospitals	•
Suitable for sports clubs	•
Suitable for beauty salons, spas, and fitness centres	•
Suitable for the petrochemical industry	•
Performance data	
Tested virucidal efficacy	•
Proven hygiene	•
Specific water consumption for cold water connection in I/	9.00
kg	
Specific energy consumption for cold water connection in kWh/kg	0.26
Specific water consumption for hot water connection in I/kg	8.80
Specific energy consumption for hot water connection in kWh/kg	0.10
Water consumption with cold water connection in I	216.0
Energy consumption with cold water connection in kWh	6.24
Energy consumption for cold water connection in Mops standard 60°C program in kWh	6.56
Program duration with cold water connection in minutes	55
Water consumption with hot water connection in I	211.0
Water consumption for hot water connection in Mops	276.1
standard 60°C program in I	
Energy consumption with hot water connection in kWh	2.40
Energy consumption for hot water connection in Mops standard 60°C program in kWh	1.66
Program duration with hot water connection in minutes	47
Water consumption in Economy program with cold water connection in I	212.3

<sup>\*</sup> Residual moisture specification relates to a hot rinse during the last rinse cycle.

## Míele

# PW 6241 [SI] Washing machine, steam heating (indirect) With individually programmable controls for the maximum in flexibility.



D IIV. 40020 100000047 IVIALONAI HAMBOT. 120022207 Old IVI	laterial Number: 51624189NAN
Energy consumption in Economy program with cold water connection in kWh	5.04
Program duration with cold water connection in Economy program in minutes	46
Water consumption in Economy program with hot water connection in I	212.5
Energy consumption in Economy program with hot water connection in kWh	1.44
Program duration with hot water connection in Economy program in minutes	36
Program cycle time in minutes for Mops standard 60°C program with cold water connection	70
Program cycle time in minutes for Mops standard 60°C program with hot water connection	53
Residual moisture with cold rinse in %	46
Residual moisture with hot rinse in %	43
Residual moisture when reprocessing wiping cloths in %	25
Spin speed in rpm	1100
g-factor	447
Tested operating hours	30000
Controls	
Control type	Profitronic M
Programmability	Freely programmable
Max. delay start in h	Can be selected freely
Time left display	•
Program sequence indicator	•
Choice of display language	•
Option to enter weight prior to start of program	•
Standard / target grp programs	
Basic programs	•
Dispensing	
Detergent drawer	3 compartments
Liquid dispensing module (optional)	•
Maximum number of connections for liquid dispenser pumps [number]	12
Empty sensing	•
Standard electrical connection	
	Indirect steam
Standard electrical connection Heating type Electrical connection	Indirect steam 240V 60HZ 1 PH 3 WIRE
Heating type	
Heating type Electrical connection	240V 60HZ 1 PH 3 WIRE
Heating type Electrical connection Steam heater rating in kW Total rated load in kW	240V 60HZ 1 PH 3 WIRE 50.00
Heating type Electrical connection Steam heater rating in kW Total rated load in kW Fuse rating in A	240V 60HZ 1 PH 3 WIRE 50.00 4.40
Heating type Electrical connection Steam heater rating in kW Total rated load in kW	240V 60HZ 1 PH 3 WIRE 50.00 4.40
Heating type  Electrical connection  Steam heater rating in kW  Total rated load in kW  Fuse rating in A  Water connection/drainage	240V 60HZ 1 PH 3 WIRE 50.00 4.40 30 2x 1/2" hose w/ 3/4" th.
Heating type  Electrical connection  Steam heater rating in kW  Total rated load in kW  Fuse rating in A  Water connection/drainage  Cold water [number]	240V 60HZ 1 PH 3 WIRE 50.00 4.40 30 2x 1/2" hose w/ 3/4" th. union 1x 1/2" hose w/ 3/4" th.
Heating type  Electrical connection  Steam heater rating in kW  Total rated load in kW  Fuse rating in A  Water connection/drainage  Cold water [number]  Hot water [number]	240V 60HZ 1 PH 3 WIRE 50.00 4.40 30  2x 1/2" hose w/ 3/4" th. union 1x 1/2" hose w/ 3/4" th. union
Heating type  Electrical connection  Steam heater rating in kW  Total rated load in kW  Fuse rating in A  Water connection/drainage  Cold water [number]  Hot water [number]	240V 60HZ 1 PH 3 WIRE 50.00 4.40 30  2x 1/2" hose w/ 3/4" th. union 1x 1/2" hose w/ 3/4" th. union
Heating type  Electrical connection  Steam heater rating in kW  Total rated load in kW  Fuse rating in A  Water connection/drainage  Cold water [number]  Hot water [number]  Drain valve  Steam connection	240V 60HZ 1 PH 3 WIRE 50.00 4.40 30  2x 1/2" hose w/ 3/4" th. union 1x 1/2" hose w/ 3/4" th. union DN 70



### PW 6241 [SI]

Washing machine, steam heating (indirect)

With individually programmable controls for the maximum in flexibility.

EAN: 4002516585534 / Material number: 12092220 / Old Material Number: 51624189NAM

External dimensions net width in in (mm)	12 7/8 (1080)
External dimensions, net width in in. (mm)  External dimensions, net depth in in. (mm)	42 7/8 (1089) 51 9/16 (1309)
External dimensions, rict deptiminit. (min)	67 3/8 (1710)
External dimensions, gross width in in. (mm)	49 11/16 (1262)
External dimensions, gross depth in in. (mm)	58 (1472)
Net weight in lbs. (kg)	1456 (660.0)
Gross weight in lbs. (kg)	1568 (711)
Maximum floor load in N/m <sup>2</sup>	9049
Emission values	9049
Emission values  Emission sound pressure level in the workplace	73 dB(A) re 20 µPa
Heat dissipation into the room in MJ/h	4.70
Features	4.70
Patented pre-spin	•
Cloths treatment	
Imbalance monitoring	•
Temperature monitoring	•
Automatic load recognition+	•
Volumetric flow meter (optional)	•
Communication slot	•
	•
Emergency shut-off  Machine-independent accessories	
Efficiency and sustainability	
Recycling rate in %	96
Connection options	90
Payment system (optional)	•
Optical interface for service access	•
•	
Senal Interface module BS 232 (ontional)	•
Serial interface module RS 232 (optional)  Peak-load pegotiation / energy management (optional)	<u>•</u>
Peak-load negotiation / energy management (optional)	•
Peak-load negotiation / energy management (optional) Operating data logging	•
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional)	•
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities	•
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number]	20
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number]	• • 20 6
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number]	• • 20 6 4
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective coats [number]	• • • • • • • • • • • • • • • • • • •
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective coats [number] Chemical protection suits [number]	20 6 4 6 2
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective coats [number] Chemical protection suits [number] Synthetic duvets [number]	20 6 4 6 2 2
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective coats [number] Chemical protection suits [number] Synthetic duvets [number] Synthetic pillows [number]	20 6 4 6 2
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective coats [number] Chemical protection suits [number] Synthetic duvets [number] Down comforters [number]	20 6 4 6 2 2 2
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective coats [number] Chemical protection suits [number] Synthetic duvets [number] Synthetic pillows [number] Down comforters [number]	• • • • • • • • • • • • • • • • • • •
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective coats [number] Chemical protection suits [number] Synthetic duvets [number] Synthetic pillows [number] Down comforters [number] Down pillows [number] Cleaning cloths, 22 g [number]	20 6 4 6 2 2 2 4 2 4 578
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective coats [number] Chemical protection suits [number] Synthetic duvets [number] Synthetic pillows [number] Down comforters [number] Down pillows [number] Cleaning cloths, 22 g [number] Cotton mops, 40 cm / 190 g [number]	• • • • • • • • • • • • • • • • • • •
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective suits [number] Chemical protection suits [number] Synthetic duvets [number] Synthetic duvets [number] Down comforters [number] Down pillows [number] Cleaning cloths, 22 g [number] Cotton mops, 40 cm / 190 g [number] Cotton mops, 50 cm / 220 g [number]	• • • • • • • • • • • • • • • • • • •
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective suits [number] Chemical protection suits [number] Synthetic duvets [number] Synthetic divets [number] Down comforters [number] Down pillows [number] Cleaning cloths, 22 g [number] Cotton mops, 40 cm / 190 g [number] Microfibre mops, 40 cm / 120 g [number]	20 6 4 6 2 2 2 4 2 4 578
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective suits [number] Chemical protection suits [number] Synthetic duvets [number] Synthetic duvets [number] Down comforters [number] Down pillows [number] Cleaning cloths, 22 g [number] Cotton mops, 40 cm / 190 g [number] Cotton mops, 50 cm / 220 g [number]	• • • • • • • • • • • • • • • • • • •
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective soats [number] Chemical protection suits [number] Synthetic duvets [number] Synthetic duvets [number] Down comforters [number] Down pillows [number] Cleaning cloths, 22 g [number] Cotton mops, 40 cm / 190 g [number] Microfibre mops, 40 cm / 120 g [number] Microfibre mops, 50 cm / 170 g [number] Mops, office, 100 g [number]	• • • • • • • • • • • • • • • • • • •
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective soats [number] Chemical protection suits [number] Synthetic duvets [number] Synthetic duvets [number] Down comforters [number] Down pillows [number] Cleaning cloths, 22 g [number] Cotton mops, 40 cm / 190 g [number] Microfibre mops, 50 cm / 170 g [number]	• • • • • • • • • • • • • • • • • • •
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective coats [number] Chemical protection suits [number] Synthetic duvets [number] Synthetic pillows [number] Down comforters [number] Down pillows [number] Cleaning cloths, 22 g [number] Cotton mops, 40 cm / 190 g [number] Microfibre mops, 40 cm / 120 g [number] Microfibre mops, 50 cm / 170 g [number] Mops, office, 100 g [number] Mops, stairway, 150 g [number]	• • • • • • • • • • • • • • • • • • •
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective coats [number] Chemical protection suits [number] Synthetic duvets [number] Synthetic pillows [number] Down comforters [number] Down pillows [number] Cleaning cloths, 22 g [number] Cotton mops, 40 cm / 190 g [number] Microfibre mops, 50 cm / 220 g [number] Microfibre mops, 50 cm / 170 g [number] Mops, office, 100 g [number] Mops, stairway, 150 g [number] Horse summer blankets [number]	• • • • • • • • • • • • • • • • • • •
Peak-load negotiation / energy management (optional) Operating data logging Water recovery (optional) Capacities Breathing masks [number] Helmets [number] Protective suits [number] Protective coats [number] Chemical protection suits [number] Synthetic duvets [number] Synthetic pillows [number] Down comforters [number] Down pillows [number] Cleaning cloths, 22 g [number] Cotton mops, 40 cm / 190 g [number] Microfibre mops, 40 cm / 120 g [number] Microfibre mops, 50 cm / 170 g [number] Mops, office, 100 g [number] Horse summer blankets [number] Standards / certs / symbols	• • • • • • • • • • • • • • • • • • •

## Miele

### PW 6241 [SI]

Washing machine, steam heating (indirect)
With individually programmable controls for the maximum in flexibility.



EAN: 4002516585534 / Material number: 12092220 / Old Material Number: 51624189NAM

Complies with Machinery Directive 2006/42/EC