Miele

CS 1013-1
ProLine element



- Professional design – 288 mm wide stainless steel trough
- Particularly versatile – 1 medium burner and 1 large burner
- Simple controls -single-handed operation via rotary dial control
- Extremely safe – GasStop function
- Particularly high-quality – enamelled cast-iron pot rests

EAN: 4002514847436 / Material number: 07789280 /
Old Material Number: 27101352HK

General information	
Model identifier	CS 1013-1
Manufacturer material number	07789280
EAN number	4002514847436
Marketing class	Gold
Heating type	
Heating type	Gas
Construction type	
ProLine	•
Design	
Cast iron pot rests (matt black enamelled)	•
Miele logo embossed in stainless steel	•
Stainless steel trough	•
Cooking zone details	
Number of cooking zones	2
Gas burner power rating	
Medium burner in kW	1,80
Large burner in kW	3,00
1st cooking zone/cooking area	
Position	front centre
Type	Standard burner
Max. rating in W	1800
2nd cooking zone/cooking area	
Position	rear centre
Type	High-speed burner
Max. rating in W	3000
User convenience	
Operation via sensor controls	Knob
Operation via knobs	•
Safety	
Heat indicator	•
Operational indicator	•
GasStop	•
Technical data	
Dimensions (H x W x D) in mm	73 x 288 x 520
Dimensions in mm (width)	288
Dimensions in mm (height)	73
Dimensions in mm (depth)	520
Cut-out dimensions (W x D) with surface-mounted installation in mm	272 mm x 500 mm
Casing height incl. connection box in mm	106
Cutout dimensions in mm (width) with surface-mounted installation	272 mm
Cutout dimensions in mm (depth) with surface-mounted installation	500 mm
Weight in kg	8
Total rated load in kW	4,80
Length of supply lead in m	1,4


CS 1013-1
ProLine element



EAN: 4002514847436 / Material number: 07789280 /
Old Material Number: 27101352HK

Position of gas connection	Hinten links
Voltage in V	220 - 240
Frequency in Hz	50 - 60
Accessories included	
Mains cable	•

CS 1013-1
ProLine element



CS 1013-1 G (drawing)

The final space requirements for the gas connection should be checked with a licensed gas fitter, in order to conform to , local and national regulations. The room of installation must be at least 20m³ in size and have an outside door or window., 1) Front, 2) Height for building in, 3) Mains connection box with cable, 2000 mm long, 4) Gas connection R 1/2 - ISO 7-1 (DIN EN 10226)