

TE P 2800
 Partial demineralisation cartridge
 For optimum water preparation.



- Max. through flow volume: 800 l/h
- State of depletion measurable with FlowMeter FM
- Max water inlet temperature 40 °C – pressure from 0.5-10 bar
- Resin content 19.5 litres
- Softening capacity at carbonate hardness of 10 °dH: 18 m³

EAN: 4002515405314 / Material number: 09773430 / Old Material Number: 67809501D

Product classification	
Fresh-water dishwashers	•
Tank dishwashers	•
Throughfeed tank dishwashers	•
Machine affiliation	
G 8066	•
PG 8067	•
PG 8041	•
PG 8043	•
PG 8045	•
PG 8055	•
PG 8055 U	•
PG 8056	•
PG 8056 U	•
PG 8057 TD	•
PG 8057 TD U	•
PG 8058	•
PG 8058 U	•
PG 8059	•
PG 8059 U	•
PG 8060	•
PG 8061	•
PG 8061 U	•
PG 8063	•
PG 8164	•
PG 8165	•
PG 8166	•
PG 8169	•
PG 8172	•
PG 8172 Eco	•
PTD 901	•
PG 8096	•
PG 8096 U	•
PG 8099	•
PG 8099 U	•
PFD 400	•
PFD 400 U	•
PFD 401	•
PFD 401 U	•
PFD 402	•
PFD 402 U	•
PFD 404	•
PFD 404 U	•
PFD 405	•
PFD 405 U	•
PFD 407	•
PFD 407 U	•
PFD 408 U	•
PTD 701	•
PTD 702	•

TE P 2800
 Partial demineralisation cartridge
 For optimum water preparation.

EAN: 4002515405314 / Material number: 09773430 / Old Material Number: 67809501D



PTD 703	•
PTD 704	•
Product category	
Water treatment	•
Product properties	
Material	Stainless steel, Plastic
Colour	Stainless Steel, Black
Dimensions and weight	
External dimensions, net height in mm	570
External dimensions, net width in mm	0
External dimensions, net depth in mm	0
External dimensions, gross height in mm	260
External dimensions, gross width in mm	260
External dimensions, gross depth in mm	600
Diameter in mm	230
Net weight in kg	18,66
Gross weight in kg	19,92