

## PWM 906 [EL DP MAR 2N AC 400V 50-60Hz]

Professional washing machine, Little Giants, electric heating, drain pump Lloyd's Register approved, load size 6.0 kg.



- Drum volume 57 I, load size 6.0 kg
- Tested for intensive use unparalleled Miele quality
- Max. user convenience w. fulltouch colour display –M Touch Flex
- 22 % less water consumption and 28 % less energy consumption\*
- Thorough cleaning with professional wash programmes

Based on the Coloured items 60 °C programme with a warm water connection, compared to predecessor.

EAN: 4002516218500 / Material number: 11252330 / Old Material Number: 51906381MAR

ont loader erformance Plus ainless steel o o o o o o o ht ht
ainless steel ainless steel 0 00 77 ht
ainless steel
D 10 17 ht
10 157 ht
00 57 ht
i7 ht
ht
50
50
50
50
50
50
50
50
50
16
00
26
i,0
95
)
2,0
38
)
8
, ,
; ;00
14
0000
Touch Else
Touch Flex
ogrammable
5
compartments



## PWM 906 [EL DP MAR 2N AC 400V 50-60Hz]

Professional washing machine, Little Giants, electric heating, drain pump Lloyd's Register approved, load size 6.0 kg.



Standard electrical connection	
Heating type	Electric
Electrical connection	2N~ 400V 50-60 HZ
Heater rating in kW	5,30
Total connected load in kW	5,50
Fuse rating in A	16
Possible voltage variant 1	
Electrical connection	230V~
Heater rating in kW	2,65
Total connected load in kW	2,85
Fuse rating in A	16
Water connection/drainage	10
<b>.</b>	1x 1/2" hose w/ 3/4" th.
Cold water [number]	union
Hot water [number]	1x 1/2" hose w/ 3/4" th.
	union
Drain pump	DN 22
Dimensions and weight	
External dimensions, height in mm	850
External dimensions, width in mm	605
External dimensions, depth in mm	714
External dimensions, gross height in mm	940
External dimensions, gross width in mm	660
External dimensions, gross depth in mm	768
Net weight in kg	100,0
Gross weight in kg	104
Maximum floor load in N/m <sup>2</sup>	2820
Emissions data	
Emission sound pressure level in the workplace	<70 dB(A) re 20 µPa
Heat dissipation into the room in MJ/h	1,00
Features	1,00
3-dimensional imbalance monitoring	•
Commercial shock absorbers	•
Hard-wearing stainless-steel flange	•
Disinfection rinse	• 
EcoSpeed	
Pre-ironing	•
Efficient drum rib technology	
Temperature monitoring	•
Special heater element	•
Automatic load control	•
Flow meter	•
LED drum lighting, class 1	•
Communication slot	•
Add laundry	•
Machine-independent accessories	•
Efficiency and sustainability	
Recycling rate in %	95
Connection options	
Payment system (optional)	•
Optical interface for service access	•

EAN: 4002516218500 / Material number: 11252330 / Old Material Number: 51906381MAR



## PWM 906 [EL DP MAR 2N AC 400V 50-60Hz]

Professional washing machine, Little Giants, electric heating, drain pump Lloyd's Register approved, load size 6.0 kg.



EAN: 4002516218500 / Material number: 11252330 / Old Material Number: 51906381MAR

Peak load cut-out/energy management (optional)	•	
LAN/WiFi module (optional)	•	
WiFiConn@ct	•	
Standards, test certificates and symbols		
WEEE	•	
Lloyd's Register	•	
Complies with Machinery Directive 2006/42/EC	•	