

## PW 6321 [EL SOM WEK MF]

Washing machine, electrically heated

For marine requirements, powder detergent dispenser, liquid dispensing module.



- Large programme variety application-specific wash programmes
- Particularly efficient low water and energy consumption
- Perfect spinning results residual moisture 47 %\*, g-factor447
- Gentle laundry care thanks to the Miele honeycomb drum
- Drum volume 320 I, load size 32.0 kg

EAN: 4002516447504 / Material number: 11814090 / Old Material Number: 51632117SOM

Construction type and version	
Construction type	Front loader
Range	Professional
Front	Stainless steel
Control panel colour	Stainless steel
Load ratio	1:10
Load in kg	32,0
Drum volume in I	320
Door opening [Ø] in mm	430
Door opening angle in degrees	180
Door hinge	right
Maintenance-free motor with frequency converter	•
Honeycomb drum	•
Application	
Suitable for marine use	•
Performance data	
Tested virucidal efficacy	•
Proven hygiene	•
Specific water consumption for cold water connection in I/kg	9,00
Specific energy consumption for cold water connection in kWh/kg	0,25
Specific water consumption for hot water connection in I/kg	8,80
Specific energy consumption for hot water connection in kWh/kg	0,10
Water consumption with cold water connection in I	288,0
Energy consumption with cold water connection in kW	8,00
Programme duration in minutes with cold water connection	61
Water consumption with hot water connection in I	281,6
Energy consumption with hot water connection in kW	3,20
Programme duration in minutes with cold water and hot water connection	49
Water consumption in ECO programme with cold water connection in I	281,6
Energy consumption in ECO programme with cold water	6,20
Programme duration in minutes with cold water connection in ECO programme	47
Water consumption in ECO programme with hot water connection in I	284,8
Energy consumption in ECO programme with hot water	1,60
Programme duration in minutes with cold water and hot water connection in ECO programme	37
Residual moisture with cold rinse in %	50
Residual moisture with hot rinse in %	47
Spin speed in rpm	1000
g factor	447
Tested operating hours	30000
Control system	
Control system	Profitronic M
Programmability	Freely programmable
Max. delay start in h	Freely selectable

Residual moisture specification relates to a hot rinse during the last rinse cycle.



## PW 6321 [EL SOM WEK MF]

Washing machine, electrically heated

For marine requirements, powder detergent dispenser, liquid dispensing module.



EAN: 4002516447504 / Material number: 11814090 / Old Material Number: 51632117SOM

<u>•</u>
•
•
•
•
•
•
•
•
•
•
•
•
•
3 compartments
•
12
•
Electric
3 AC 220-240V 50-60HZ
24,00
25,00
80
3 AC 208V 60HZ
19,00
20,00
70
2x 1/2" hose w/ 3/4" th. union
1x 1/2" hose w/ 3/4" th. union
DN 70
1643
1089
1280
1710
1336
1530
680,0
731
9520



## PW 6321 [EL SOM WEK MF]

Washing machine, electrically heated

For marine requirements, powder detergent dispenser, liquid dispensing module.



EAN: 4002516447504 / Material number: 11814090 / Old Material Number: 51632117SOM

Features	
Patented pre-spin	•
Cloth reprocessing	•
Imbalance monitoring	•
Temperature monitoring	•
Special heater element	•
Automatic load control+	•
Volumetric flow meter (optional)	•
Communication slot	•
Emergency switch-off	•
Machine-independent accessories	•
Efficiency and sustainability	
Recycling rate in %	96
Connection options	
Payment system (optional)	•
Optical interface for service access	•
Serial interface module RS 232 (optional)	•
Peak-load negotiation / energy management (optional)	•
Operating data acquisition	•
Water recovery (optional)	•
Capacities	
Respirator masks [number]	26
Overalls [number]	6
Over jackets [number]	9
Chemical protection suits [number]	5
Synthetic duvets [number]	4
Synthetic pillows [number]	8
Down duvets [number]	4
Down pillows [number]	8
Cloths, 22 g [number]	727
Cotton mops, 40 cm / 190 g [number]	168
Cotton mops, 50 cm / 220 g [number]	145
Microfibre mops, 40 cm / 120 g [number]	267
Microfibre mops, 50 cm / 170 g [number]	188
Summer horse blankets [number]	5
Standards, test certificates and symbols	
CE	•
VDE-EMC	•
VDE	•
Splash-proof safety rating IPX4	•
UKCA	•
WEEE	•
Complies with Machinery Directive 2006/42/EC	