

## PWM 507 [EL DP MAR 1N AC 230 V 60Hz]

Professional washing machine, Little Giants, electric heating, drain pump Lloyd's Register approved, load size 7.0 kg.



- Drum volume 64 I, load size 7.0 kg
- 22 % less water consumption and 28 % less energy consumption\*
- Tested for intensive use unparalleled Miele quality
- Language-neutral fascia panel with rotary control – M Select
- Thorough cleaning with professional wash programmes

EAN: 4002516296638 / Material number: 11300950 / Old Material Number: 51507185MAR

| Construction type and version  |                 |
|--|-----------------|
| Construction type  | Front loader    |
| Range  | Performance     |
| Front  | Lotus white     |
| Control panel colour   | Stainless steel |
| Load in kg   | 7.0             |
| Drum volume in I   | 64              |
| Door opening [Ø] in mm   | 300             |
| Door opening angle in degrees  | 167             |
| Door hinge   | right           |
| Maintenance-free synchronous motor                                     | •               |
| Honeycomb drum with perforated drum rear panel                         | •               |
| Application  |                 |
| Suitable for offshore use  | •               |
| Suitable for marine use  | •               |
| Performance data   |                 |
| Tested virucidal efficacy  | •               |
| Proven hygiene   | •               |
| Specific water consumption for cold water connection in I/             | 7.00            |
| kg   |                 |
| Specific energy consumption for cold water connection in kWh/kg        | 0.14            |
| Specific energy consumption for hot water connection in kWh/kg         | 0.06            |
| Water consumption with cold water connection in I                      | 49.0            |
| Energy consumption with cold water connection in kW                    | 0.98            |
| Programme duration in minutes with cold water connection               | 69              |
| Water consumption with hot water connection in I                       | 46.0            |
| Energy consumption with hot water connection in kW                     | 0.44            |
| Programme duration in minutes with cold water and hot water connection | 59              |
| Residual moisture with cold rinse in %                                 | 48              |
| Residual moisture with hot rinse in %                                  | 45              |
| Spin speed in rpm  | 1600            |
| g factor   | 704             |
| Tested operating hours   | 30000           |
| Control system   |                 |
| Control system   | M Select        |
| Programmability  | programmable    |
| Max. delay start in h  | 24              |
| Time left display  | •               |
| Programme sequence indicator   | •               |
| Control panel with easy-to-understand symbols                          | •               |
| Language can be selected easily at any time                            | •               |
|  | -               |
| Dispensing Detergent drawer  | 2 compartments  |
| Detergent drawer   | 3 compartments  |
| CapDosing  |                 |
| Flexible dispensing adapter (optional)                                 | •               |
| Maximum number of connections for liquid dispenser pumps [number]      | 6               |
| Empty sensor   | •               |

<sup>\*</sup>Based on the Coloured items 60 °C programme with a warm water connection, compared to predecessor.



## PWM 507 [EL DP MAR 1N AC 230 V 60Hz]

Professional washing machine, Little Giants, electric heating, drain pump Lloyd's Register approved, load size 7.0 kg.



EAN: 4002516296638 / Material number: 11300950 / Old Material Number: 51507185MAR

| Standard electrical connection                 |                          |
|--|--------------------------|
| Heating type                                   | Electric                 |
| Electrical connection                          | 230V~ 60HZ               |
| Heater rating in kW                            | 2.65                     |
| Total connected load in kW                     | 2.85                     |
| Fuse rating in A                               | 16                       |
| Possible voltage variant 1                     |                          |
| Electrical connection                          | 230V~                    |
| Heater rating in kW                            | 2.65                     |
| Total connected load in kW                     | 2.85                     |
| Fuse rating in A                               | 16                       |
| Water connection/drainage                      |                          |
| Cold water [number]                            | 1x 1/2" hose w/ 3/4" th. |
|  | union                    |
| Hot water [number]                             | 1x 1/2" hose w/ 3/4" th. |
|  | union                    |
| Drain pump                                     | DN 22                    |
| Dimensions and weight                          |                          |
| External dimensions, height in mm              | 850                      |
| External dimensions, width in mm               | 596                      |
| External dimensions, depth in mm               | 714                      |
| External dimensions, gross height in mm        | 944                      |
| External dimensions, gross width in mm         | 660                      |
| External dimensions, gross depth in mm         | 768                      |
| Net weight in kg                               | 98.0                     |
| Gross weight in kg                             | 102                      |
| Maximum floor load in N/m <sup>2</sup>         | 2820                     |
| Emissions data                                 |                          |
| Emission sound pressure level in the workplace | <70 dB(A) re 20 μPa      |
| Heat dissipation into the room in MJ/h         | 1.00                     |
| Features                                       |                          |
| 3-dimensional imbalance monitoring             |                          |
| Commercial shock absorbers                     | •                        |
| Hard-wearing stainless-steel flange            | •                        |
| Disinfection rinse                             | •                        |
| EcoSpeed                                       |                          |
| Pre-ironing                                    |                          |
| Efficient drum rib technology                  |                          |
| Temperature monitoring                         |                          |
| Special heater element                         |                          |
| Automatic load control                         |                          |
| Flow meter                                     | •                        |
| LED drum lighting, class 1                     |                          |
| Communication slot                             | •                        |
| Add laundry                                    | •                        |
| Machine-independent accessories                | •                        |
| Efficiency and sustainability                  | 0.5                      |
| Recycling rate in %                            | 95                       |
| Connection options                             |                          |
| Payment system (optional)                      | •                        |
| Optical interface for service access           | •                        |



## PWM 507 [EL DP MAR 1N AC 230 V 60Hz]

Professional washing machine, Little Giants, electric heating, drain pump Lloyd's Register approved, load size 7.0 kg.



EAN: 4002516296638 / Material number: 11300950 / Old Material Number: 51507185MAR

| Peak load cut-out/energy management (optional) | • |
|--|---|
| WiFiConn@ct                                    | • |
| Standards, test certificates and symbols       |   |
|  |   |
| WEEE   | • |
| WEEE Lloyd's Register                          | • |