

PWM 507 Hygiene [EL DV]

Professional washing machine, Little Giants, EL heated, with drain valve and disinfection programmes. Performance 7.0 kg in 49 min.



- Drum volume 64 l, load size 7.0 kg
- Tested for intensive use – unparalleled Miele quality
- Language-neutral fascia panel with rotary control – M Select
- Safe hygiene – special programmes for disinfection

EAN: 4002516361718 / Material number: 11588410 / Old Material Number: 51507241GB

Construction type and design	
Construction type	Front-loader, stackable
Range	Performance
Front	Lotus white
Control panel colour	Stainless steel
Load in kg	7.0
Drum volume in l	64
Door opening [Ø] in mm	300
Door opening angle in degrees	167
Door hinge	right
Maintenance-free synchronous motor	•
Honeycomb drum with perforated drum rear panel	•
Application	
Suitable for universities, nurseries, and schools	•
Suitable for hospitals	•
Suitable for doctors' and dentists' practices	•
Suitable for the food-processing industry	•
Suitable for state/community care facilities	•
Performance data	
Tested virucidal efficacy	•
Proven hygiene	•
Specific water consumption for cold water connection in l/kg	7.00
Specific energy consumption for cold water connection in kWh/kg	0.14
Specific water consumption for hot water connection in l/kg	6.60
Specific energy consumption for hot water connection in kWh/kg	0.06
Water consumption with cold water connection in l	49.0
Energy consumption with cold water connection in kW	0.98
Programme duration in minutes with cold water connection	59
Water consumption with hot water connection in l	46.0
Energy consumption with hot water connection in kW	0.44
Programme duration in minutes with cold water and hot water connection	49
Residual moisture with cold rinse in %	48
Residual moisture with hot rinse in %	45
Spin speed in rpm	1600
g factor	704
Tested operating hours	30000
Controls	
Control system	M Select
Programmability	programmable
Max. delay start in h	96
Time left display	•
Programme sequence indicator	•
Control panel with easy-to-understand symbols	•
Language can be selected easily at any time	•
Dispensing	
Detergent drawer	3 compartments
CapDosing	•

PWM 507 Hygiene [EL DV]

Professional washing machine, Little Giants, EL heated, with drain valve and disinfection programmes. Performance 7.0 kg in 49 min.



EAN: 4002516361718 / Material number: 11588410 / Old Material Number: 51507241GB

Flexible dispensing adapter (optional)	•
Maximum number of connections for liquid dispenser pumps [number]	6
Empty sensor	•
Standard electrical connection	
Heating type	Electric
Electrical connection	2N~ 400V 50HZ
Heater rating in kW	5.30
Total connected load in kW	5.50
Fuse rating in A	13
Possible voltage variant 1	
Electrical connection	230V~
Heater rating in kW	2.65
Total connected load in kW	2.85
Fuse rating in A	13
Water connection/drainage	
Cold water [number]	1x 1/2" hose w/ 3/4" th. union
Hot water [number]	1x 1/2" hose w/ 3/4" th. union
Dump valve	DN 70
Dimensions and weight	
External dimensions, height in mm	850
External dimensions, width in mm	596
External dimensions, depth in mm	714
External dimensions, gross height in mm	944
External dimensions, gross width in mm	660
External dimensions, gross depth in mm	768
Net weight in kg	101.0
Gross weight in kg	105
Maximum floor loading in N	2820
Emissions data	
Emission sound pressure level in the workplace	<70 dB(A) re 20 µPa
Heat dissipation into the room in MJ/h	1.00
Features	
3-dimensional imbalance monitoring	•
Commercial shock absorbers	•
Hard-wearing stainless-steel flange	•
Disinfection rinse	•
EcoSpeed	•
Pre-ironing	•
Efficient drum rib technology	•
Temperature monitoring	•
Special heater element	•
Automatic load control	•
Flow meter	•
LED drum lighting, class 1	•
Communication slot	•
Add laundry	•
Machine-independent accessories	•

PWM 507 Hygiene [EL DV]

Professional washing machine, Little Giants, EL heated, with drain valve and disinfection programmes. Performance 7.0 kg in 49 min.



EAN: 4002516361718 / Material number: 11588410 / Old Material Number: 51507241GB

Efficiency and sustainability

Recycling rate in %	95
---------------------	----

Connection options

Optical interface for service access	•
--------------------------------------	---

Peak load cut-out/energy management (optional)	•
--	---

WiFiConn@ct	•
-------------	---

Standards, certs, symbols

CE	•
----	---

VDE-EMC	•
---------	---

VDE	•
-----	---

Splash-proof safety rating IPX4	•
---------------------------------	---

WRAS	•
------	---

UKCA	•
------	---

WEEE	•
------	---

Complies with Machinery Directive 2006/42/EC	•
--	---