### Miele

## PW 6241 [EL] Washing machine, electrically heated With individually programmable controls for the maximum in flexibility.



- Drum volume 240 I, load size 24.0 kg
- Large programme variety application-specific wash programmes
- Gentle laundry care thanks to the Miele honeycomb drum
- Particularly efficient low water and energy consumption
- Perfect spinning results residual moisture 43 %\*, g-factor541

EAN: 4002516447030 / Material number: 11813650 / Old Material Number: 51624105NER

Construction type and version	
Construction type	Front loader
Range	Professional
Front	Stainless steel
Control panel colour	Stainless steel
Load ratio	1:10
Load in kg	24.0
Drum volume in I	240
Door opening [Ø] in mm	430
Door opening angle in degrees	180
Door hinge	right
Maintenance-free motor with frequency converter	•
Honeycomb drum	•
Application	
Suitable for the hotel and catering industry	•
Suitable for retirement and care homes	•
Suitable for facility management	•
Suitable for dry cleaners	•
Suitable for commercial laundries	•
Suitable for fire brigades and rescue services	•
Suitable for studs, riding schools and stables	•
Suitable for universities, nurseries, and schools	•
Suitable for hospitals	•
Suitable for sports clubs	•
Suitable for beauty salons, spas, and fitness centres	•
Performance data	
Tested virucidal efficacy	•
Proven hygiene	•
Specific water consumption for cold water connection in I/	9.00
kg	0.00
Specific energy consumption for cold water connection in	0.26
kWh/kg	
Specific water consumption for hot water connection in I/kg	8.80
Specific energy consumption for hot water connection in kWh/kg	0.10
Water consumption with cold water connection in I	216.0
· · · · · · · · · · · · · · · · · · ·	
Energy consumption with cold water connection in kW	6.24
Programme duration in minutes with cold water connection	60
Water consumption with hot water connection in I	211.0
Energy consumption with hot water connection in kW	2.40
Programme duration in minutes with cold water and hot water connection	49
Water consumption in ECO programme with cold water	212.3
connection in I	2.2.0
Energy consumption in ECO programme with cold water	5.04
Programme duration in minutes with cold water connection	46
in ECO programme	
Water consumption in ECO programme with hot water connection in I	212.5
Energy consumption in ECO programme with hot water	1.44
Liorgy conodifiption in 200 programme with flot water	T

Residual moisture specification relates to a hot rinse during the last rinse cycle.

## Míele

#### PW 6241 [EL] Washing machine, electrically heated With individually programmable controls for the maximum in flexibility.



EAN: 4002516447030 / Material number: 11813650 / Old Material Number: 51624105NER Programme duration in minutes with cold water and hot water connection in ECO programme Residual moisture with cold rinse in % Residual moisture with hot rinse in % 43 Spin speed in rpm 1100 541 g factor Tested operating hours 30000 Control system Control system Profitronic M Programmability Freely programmable Max. delay start in h Freely selectable Time left display Programme sequence indicator Selectable display languages Standard/target grp programmes Basic programmes Programmes for the hotel and catering industry Programmes for retirement and care homes Programmes for facility management Programmes for dry cleaners Programmes for small businesses Programmes for fire brigades and rescue services Programmes for studs, riding schools, and stables Programmes for hospitals Programmes for sports clubs Programmes for beauty clinics, spas, and fitness studios Dispensing Detergent drawer 3 compartments Liquid dispensing module (optional) • Maximum number of connections for liquid dispenser 12 pumps [number] Empty sensor Standard electrical connection Heating type Electric Electrical connection 3N AC 380-415V 50-60HZ Heater rating in kW 24.00 Total connected load in kW 25.00 Fuse rating in A 50 Water connection/drainage 2x 1/2" hose w/ 3/4" th. Cold water [number] Hot water [number] 1x 1/2" hose w/ 3/4" th. union Dump valve DN 70 Dimensions and weight 1643 External dimensions, height in mm 1089 External dimensions, width in mm 1250 External dimensions, depth in mm External dimensions, gross height in mm 1700 External dimensions, gross width in mm 1336

1530

External dimensions, gross depth in mm

## Míele

# PW 6241 [EL] Washing machine, electrically heated With individually programmable controls for the maximum in flexibility.



EAN: 4002516447030 / Material number: 11813650 / Old Material Number: 51624105NER

Net weight in kg	640.0
Gross weight in kg	691
Maximum floor load in N/m <sup>2</sup>	8853
Emissions data	
Emission sound pressure level in the workplace	78 dB(A) re 20 μPa
Heat dissipation into the room in MJ/h	4.70
Features	
Patented pre-spin	•
Cloth reprocessing	•
Imbalance monitoring	•
Temperature monitoring	•
Special heater element	•
Automatic load control+	•
Volumetric flow meter (optional)	•
Communication slot	•
Emergency switch-off	•
Machine-independent accessories	•
Efficiency and sustainability	
Recycling rate in %	96
Connection options	
Payment system (optional)	•
Optical interface for service access	•
Serial interface module RS 232 (optional)	•
Peak-load negotiation / energy management (optional)	•
Operating data acquisition	•
Water recovery (optional)	•
Capacities	
Respirator masks [number]	19
Overalls [number]	4
Over jackets [number]	6
Chemical protection suits [number]	4
Synthetic duvets [number]	3
Synthetic pillows [number]	6
Down duvets [number]	3
Down pillows [number]	6
Cloths, 22 g [number]	546
Cotton mops, 40 cm / 190 g [number]	126
Cotton mops, 50 cm / 220 g [number]	109
Microfibre mops, 40 cm / 120 g [number]	200
Microfibre mops, 50 cm / 170 g [number]	141
Summer horse blankets [number]	4
Standards, test certificates and symbols	
CE	•
VDE-EMC	•
VDE	•
Splash-proof safety rating IPX4	•
UKCA	•
WEEE	•
Complies with Machinery Directive 2006/42/EC	•