

PW 6321 [EL SOM WEK MF]

Washing machine, electrically heated

For marine requirements, powder detergent dispenser, liquid dispensing module.



- Large programme variety application-specific wash programmes
- Particularly efficient low water and energy consumption
- Perfect spinning results residual moisture 47 %^{*}, g-factor447
- Gentle laundry care thanks to the Miele honeycomb drum
- Drum volume 320 l, load size 32.0 kg

Residual moisture specification relates to a hot rinse during the last rinse cycle.

EAN: 4002516447504 / Material number: 11814090 / Old Material Number: 51632117SOM

Construction type and version	
Construction type	Front loader
Range	Professional
Front	Stainless steel
Control panel colour	Stainless steel
Load ratio	1:10
Load in kg	32.0
Drum volume in l	320
Door opening [Ø] in mm	430
Door opening angle in degrees	180
Door hinge	right
Maintenance-free motor with frequency converter	•
Honeycomb drum	•
Application	
Suitable for marine use	•
Performance data	
Tested virucidal efficacy	•
Proven hygiene	•
Specific water consumption for cold water connection in I/kg	9.00
Specific energy consumption for cold water connection in kWh/kg	0.25
Specific water consumption for hot water connection in I/kg	8.80
Specific energy consumption for hot water connection in kWh/kg	0.10
Water consumption with cold water connection in I	288.0
Energy consumption with cold water connection in kW	8.00
Programme duration in minutes with cold water connection	61
Water consumption with hot water connection in I	281.6
Energy consumption with hot water connection in kW	3.20
Programme duration in minutes with cold water and hot water connection	49
Water consumption in ECO programme with cold water connection in I	281.6
Energy consumption in ECO programme with cold water	6.20
Programme duration in minutes with cold water connection in ECO programme	47
Water consumption in ECO programme with hot water connection in I	284.8
Energy consumption in ECO programme with hot water	1.60
Programme duration in minutes with cold water and hot water connection in ECO programme	37
Residual moisture with cold rinse in %	50
Residual moisture with hot rinse in %	47
Spin speed in rpm	1000
g factor	447
Tested operating hours	30000
Control system	
Control system	Profitronic M
Programmability	Freely programmable
Max. delay start in h	Freely selectable



PW 6321 [EL SOM WEK MF] Washing machine, electrically heated

For marine requirements, powder detergent dispenser, liquid dispensing module.



Time left display Programme sequence indicator • Selectable display languages . Standard/target grp programmes Basic programmes • Programmes for the hotel and catering industry • Programmes for retirement and care homes • Programmes for facility management Programmes for dry cleaners Programmes for small businesses • Programmes for fire brigades and rescue services • Programmes for studs, riding schools, and stables • Programmes for hospitals • Programmes for sports clubs ٠ Programmes for beauty clinics, spas, and fitness studios • Dispensing Detergent drawer 3 compartments Liquid dispensing module • Maximum number of connections for liquid dispenser 12 pumps [number] Empty sensor • Standard electrical connection Heating type Electric Electrical connection 3 AC 220-240V 50-60HZ Heater rating in kW 24.00 Total connected load in kW 25.00 Fuse rating in A 80 Possible voltage variant 1 3 AC 208V 60HZ Electrical connection Heater rating in kW 19.00 Total connected load in kW 20.00 Fuse rating in A 70 Water connection/drainage Cold water [number] 2x 1/2" hose w/ 3/4" th. union Hot water [number] 1x 1/2" hose w/ 3/4" th. union Dump valve DN 70 Dimensions and weight External dimensions, height in mm 1643 External dimensions, width in mm 1089 External dimensions, depth in mm 1280 1710 External dimensions, gross height in mm External dimensions, gross width in mm 1336 External dimensions, gross depth in mm 1530 Net weight in kg 680.0 Gross weight in kg 731 Maximum floor load in N/m² 9520 Emissions data 73 dB(A) re 20 µPa Emission sound pressure level in the workplace Heat dissipation into the room in MJ/h 4.70

EAN: 4002516447504 / Material number: 11814090 / Old Material Number: 51632117SOM



PW 6321 [EL SOM WEK MF]

Washing machine, electrically heated

For marine requirements, powder detergent dispenser, liquid dispensing module.



Features	
Patented pre-spin	•
Cloth reprocessing	•
Imbalance monitoring	
Temperature monitoring	•
Special heater element	
Automatic load control+	•
Volumetric flow meter (optional)	•
Communication slot	
Emergency switch-off	•
Machine-independent accessories	•
Efficiency and sustainability	
Recycling rate in %	96
Connection options	
Payment system (optional)	•
Optical interface for service access	•
Serial interface module RS 232 (optional)	•
Peak-load negotiation / energy management (optional)	•
Operating data acquisition	•
Water recovery (optional)	•
Capacities	
Respirator masks [number]	26
Overalls [number]	6
Over jackets [number]	9
Chemical protection suits [number]	5
Synthetic duvets [number]	4
Synthetic pillows [number]	8
Down duvets [number]	4
Down pillows [number]	8
Cloths, 22 g [number]	727
Cotton mops, 40 cm / 190 g [number]	168
Cotton mops, 50 cm / 220 g [number]	145
Microfibre mops, 40 cm / 120 g [number]	267
Microfibre mops, 50 cm / 170 g [number]	188
Summer horse blankets [number]	5
Standards, test certificates and symbols	
CE	•
VDE-EMC	•
VDE	•
Splash-proof safety rating IPX4	•
UKCA	
WEE	
Complies with Machinery Directive 2006/42/EC	

EAN: 4002516447504 / Material number: 11814090 / Old Material Number: 51632117SOM