Míele

PWM 909 [EL DP DD]

Professional washing machine, electric heating, drain pump and detergent drawer, M Touch Pro Plus – freely programmable.



- Drum volume 80 I, load size 9.0 kg
- 18 % less water consumption and 45 % less energy consumption*
- Ideal operation thanks to colour touch display M Touch Pro Plus
- Perfect spinning results residual moisture 44 %**, g-factor518
- Connected for the future using LAN and WiFi

Construction type and version	
	Front loader
Construction type	Performance Plus
Range Front	
Control panel colour	Iron grey Stainless steel
Maximum load with a load ratio of 1:9 in kg	9.0
Load ratio	
	<u>1:9</u> 9.0
Load in kg Drum volume in I	•
	<u>80</u> 370
Door opening [Ø] in mm	180
Door opening angle in degrees	·
Door hinge Automatic door lock	right
	•
Maintenance-free synchronous motor	
Honeycomb drum	•
Application	
Suitable for the hotel and catering industry	·
Suitable for facility management	<u>•</u>
Suitable for launderettes	·
Suitable for residential homes and apartments	·
Suitable for dry cleaners	•
Suitable for commercial laundries	•
Suitable for small businesses	•
Suitable for fire brigades and rescue services	•
Suitable for studs, riding schools and stables	•
Suitable for universities, nurseries, and schools	
Suitable for hospitals	•
Suitable for camp sites	•
Suitable for sports clubs	
Suitable for beauty salons, spas, and fitness centres	•
Suitable for doctors' and dentists' practices	•
Suitable for the petrochemicals industry	
Suitable for the food-processing industry	•
Suitable for amusement parks & holiday complexes	
Suitable for state/community care facilities	•
Performance data	
Tested virucidal efficacy	<u>•</u>
Proven hygiene	•
Specific water consumption for cold water connection in I/kg	6.30
Specific energy consumption for cold water connection in	0.13
kWh/kg	
Specific water consumption for hot water connection in I/kg	6.60
Specific energy consumption for hot water connection in kWh/kg	0.03
Water consumption with cold water connection in I	56.2
Energy consumption with cold water connection in kW	1.20
Programme duration in minutes with cold water connection	49
Water consumption with hot water connection in I	59.3
Energy consumption with hot water connection in kW	0.23

Based on the Coloured items 60 °C programme with a warm water connection, compared to predecessor.

[&]quot;Residual moisture specification relates to a hot rinse during the last rinse cycle.



PWM 909 [EL DP DD]

Professional washing machine, electric heating, drain pump and detergent drawer, M Touch Pro Plus – freely programmable.



Programme duration in minutes with cold water and hot water connection	45
Water consumption in ECO programme with cold water connection in I	49.7
Energy consumption in ECO programme with cold water	0.82
Programme duration in minutes with cold water connection	34
in ECO programme	
Water consumption in ECO programme with hot water connection in I	52.0
Energy consumption in ECO programme with hot water	0.14
Programme duration in minutes with cold water and hot water connection in ECO programme	32
Residual moisture with cold rinse in %	47
Residual moisture with hot rinse in %	44
Spin speed in rpm	1300
g factor	518
Tested operating hours	30000
Control system	
Control system	M Touch Pro Plus
Programmability	Freely programmable
Max. delay start in h	Freely selectable
Time left display	•
Programme sequence indicator	•
Selectable display languages	•
Standard/target grp programmes	
Basic programmes	•
Programmes for the hotel and catering industry	•
Programmes for retirement and care homes	•
Programmes for facility management	•
Programmes for launderettes	•
Programmes for residential homes and apartments	•
Programmes for dry cleaners	•
Programmes for commercial laundries	•
Programmes for small businesses	•
Programmes for fire brigades and rescue services	•
Programmes for studs, riding schools, and stables	•
Programmes for universities, nurseries, and school	•
Programmes for hospitals	•
Programmes for fast food restaurants	•
Programmes for camp sites	•
Programmes for sports clubs	•
Programmes for beauty clinics, spas, and fitness studios	•
Programmes for domestic use	•
Programmes for doctors' and dentists' practices	•
Dispensing	
Detergent drawer	3 compartments
Flexible dispensing adapter (optional)	
	6
Maximum number of connections for liquid dispenser pumps [number]	U
Empty sensor	•
Standard electrical connection	
Heating type	Electric
· · · · · · · · · · · · · · · · · · ·	



PWM 909 [EL DP DD]

Professional washing machine, electric heating, drain pump and detergent drawer, M Touch Pro Plus – freely programmable.

eater rating in kW otal connected load in kW use rating in A	5.30 5.50
use rating in A	5.50
eter connection/drainage	25
ater connection/drainage	
Cold water [number]	1x 1/2" hose w/ 3/4" th.
	union
ot water [number]	1x 1/2" hose w/ 3/4" th. union
rey water (optional) [number]	1 x 1/2" w/ 3/4" union
rain pump	DN 22
mensions and weight	
kternal dimensions, height in mm	1020
dernal dimensions, width in mm	700
dernal dimensions, water in mm	718
ternal dimensions, deput it min	1214
· · · · · · · · · · · · · · · · · · ·	750
kternal dimensions, gross width in mm kternal dimensions, gross depth in mm	817
	140.0
et weight in kg	
ross weight in kg aximum floor load in N/m²	152
33 MITGHT 110 OF 10 AG 111 T WITH	2421
missions data	05 IP(A) 00 P
mission sound pressure level in the workplace	65 dB(A) re 20 μPa
eat dissipation into the room in MJ/h	2.30
eatures	
atented pre-spin	
oth reprocessing	<u> </u>
dimensional imbalance monitoring	<u>•</u>
sinfection rinse	<u>•</u>
coSpeed	<u>•</u>
emperature monitoring	<u>•</u>
pecial heater element	•
utomatic load control+	•
ow meter	•
dd laundry	<u> </u>
ogramme selection via colour frame	•
achine-independent accessories	•
ficiency and sustainability	
ecycling rate in %	95
onnection options	
ayment system (optional)	•
ptical interface for service access	•
eak load cut-out/energy management (optional)	•
AN	•
iFi	•
onnector Box	•
apacities	
espirator masks [number]	13
	2
elmets [number]	<u>~</u>
elmets [number] veralls [number]	1



PWM 909 [EL DP DD]

Professional washing machine, electric heating, drain pump and detergent drawer, M Touch Pro Plus – freely programmable.



Synthetic duvets [number]	1
Synthetic pillows [number]	2
Down duvets [number]	1
Down pillows [number]	2
Cloths, 22 g [number]	204
Cotton mops, 40 cm / 190 g [number]	42
Cotton mops, 50 cm / 220 g [number]	33
Microfibre mops, 40 cm / 120 g [number]	66
Microfibre mops, 50 cm / 170 g [number]	43
Mops, office, 100 g [quantity]	55
Mops, stairway, 150 g [quantity]	35
Summer horse blankets [number]	2
Standards, test certificates and symbols	
CE	•
VDE-EMC	•
VDE	•
Splash-proof safety rating IPX4	•
UKCA	•
WEEE	•
Complies with Machinery Directive 2006/42/EC	•