KM 3056 G
Gas hob
936 mm | 5 burners incl. 1 dual wok burner | GasStop & ReStart | QuickStart | Timer



- -
- Elegant design – 936 mm wide gas hob on glass for surface-mounted installation
- Particularly versatile – 5 burners incl. 1 dual wok
- Extremely safe – GasStop&Restart function
- Easy cleaning – dishwasher-safe ComfortClean pot rests

EAN: 4002517023813 / Material number: 13037270 /
Old Material Number: 26305652GB

General information	
Model identifier	KM 3056 G
Manufacturer material number	13037270
EAN number	4002517023813
Marketing class	Platinum
Heating type	
Heating type	Gas
Construction type	
Independent of cooker	•
Design	
Elegant glass ceramic surface	•
Ceramic surface colour	Black
Cast iron pot rests (matt black enamelled)	•
Surface-mounted installation	•
Cooking zone details	
Number of cooking zones	5
Gas burner power rating	
Small burner in kW	1.00
Medium burner in kW	1.70
Large burner in kW	2.70
Dual wok burner in kW	4.70
1st cooking zone/cooking area	
Position	left centre
Type	Dual wok burner
2nd cooking zone/cooking area	
Position	rear centre
Type	Economy burner
3rd cooking zone/cooking area	
Position	rear right
Type	Standard burner
4th cooking zone/cooking area	
Position	front right
Type	Standard burner
5th cooking zone/cooking area	
Position	front centre
Type	High-speed burner
User convenience	
Operation via knobs	•
Minute minder	•
Individual setting options (e.g. buzzers)	•
Electronic ignition with single-hand operation	•
QuickStart	•
Cleaning and care	
Easy to clean ceramic glass	•
Dishwasher-proof pot rests	•
Safety	
GasStop & ReStart	•

KM 3056 G
Gas hob
936 mm | 5 burners incl. 1 dual wok burner | GasStop & ReStart | QuickStart | Timer



EAN: 4002517023813 / Material number: 13037270 /
Old Material Number: 26305652GB

Technical data	
Dimensions (H x W x D) in mm	51 x 936 x 520
Dimensions in mm (width)	936
Dimensions in mm (height)	51
Dimensions in mm (depth)	520
Casing height incl. connection box in mm	78
Cutout dimensions in mm (width) with surface-mounted installation	916 mm
Cutout dimensions in mm (depth) with surface-mounted installation	490 mm
Weight in kg	22
Length of supply lead in m	2.0
Position of gas connection	Hinten rechts
Voltage in V	220 - 240
Frequency in Hz	50 - 60
Accessories included	
Wok ring	•
Small trivet	•

KM 3056 G
Gas hob
936 mm | 5 burners incl. 1 dual wok burner | GasStop & ReStart | QuickStart | Timer

