

PWM 507 [EL DP]

Professional washing machine, Little Giants, electric heating, drain pump and target group specific programmes. Capacity 7.0 kg in 49 min.



- Drum volume 64 l, load capacity 7.0 kg
- 22 % less water consumption and 28 % less energy consumption*
- Tested for intensive use – unparalleled Miele quality
- Language-neutral fascia panel with rotary control – M Select
- Thorough cleaning with professional wash programmes

* Based on the Coloured items 60 °C programme with a warm water connection, compared to predecessor.



EAN: 4002516134411 / Material number: 11154280 / Old Material Number: 51507154IRL

Construction type and version

| | |
|--|-------------------------|
| Construction type | Front-loader, stackable |
| Range | Performance |
| Front | Lotus white |
| Control panel colour | Stainless steel |
| Load in kg | 7.0 |
| Drum volume in l | 64 |
| Door opening [Ø] in mm | 300 |
| Door opening angle in degrees | 167 |
| Door hinge | right |
| Maintenance-free synchronous motor | • |
| Honeycomb drum with perforated drum rear panel | • |

Application

| | |
|---|---|
| Suitable for the hotel and catering industry | • |
| Suitable for retirement and care homes | • |
| Suitable for residential homes and apartments | • |
| Suitable for commercial laundries | • |
| Suitable for small businesses | • |
| Suitable for universities, nurseries, and schools | • |
| Suitable for hospitals | • |
| Suitable for camp sites | • |
| Suitable for sports clubs | • |
| Suitable for beauty salons, spas, and fitness centres | • |
| Suitable for domestic use | • |
| Suitable for doctors' and dentists' practices | • |
| Suitable for the petrochemicals industry | • |
| Suitable for the food-processing industry | • |
| Suitable for amusement parks & holiday complexes | • |
| Suitable for state/community care facilities | • |

Performance data

| | |
|--|-------|
| Tested virucidal efficacy | • |
| Proven hygiene | • |
| Specific water consumption for cold water connection in l/kg | 7.00 |
| Specific energy consumption for cold water connection in kWh/kg | 0.14 |
| Specific water consumption for hot water connection in l/kg | 6.60 |
| Specific energy consumption for hot water connection in kWh/kg | 0.06 |
| Water consumption with cold water connection in l | 49.0 |
| Energy consumption with cold water connection in kW | 0.98 |
| Programme duration in minutes with cold water connection | 59 |
| Water consumption with hot water connection in l | 46.0 |
| Energy consumption with hot water connection in kW | 0.44 |
| Programme duration in minutes with cold water and hot water connection | 49 |
| Residual moisture with cold rinse in % | 48 |
| Residual moisture with hot rinse in % | 45 |
| Spin speed in rpm | 1600 |
| g factor | 704 |
| Tested operating hours | 30000 |

PWM 507 [EL DP]

Professional washing machine, Little Giants, electric heating, drain pump and target group specific programmes. Capacity 7.0 kg in 49 min.



EAN: 4002516134411 / Material number: 11154280 / Old Material Number: 51507154IRL

| Control system | |
|---|--------------------------------|
| Control system | M Select |
| Programmability | programmable |
| Max. delay start in h | 24 |
| Time left display | • |
| Programme sequence indicator | • |
| Control panel with easy-to-understand symbols | • |
| Language can be selected easily at any time | • |
| Dispensing | |
| Detergent drawer | 3 compartments |
| CapDosing | • |
| Flexible dispensing adapter (optional) | • |
| Maximum number of connections for liquid dispenser pumps [number] | 6 |
| Empty sensor | • |
| Standard electrical connection | |
| Heating type | Electric |
| Electrical connection | ~230V 50HZ |
| Heater rating in kW | 5.30 |
| Total connected load in kW | 5.50 |
| Fuse rating in A | 25 |
| Water connection/drainage | |
| Cold water [number] | 1x 1/2" hose w/ 3/4" th. union |
| Hot water [number] | 1x 1/2" hose w/ 3/4" th. union |
| Drain pump | DN 22 |
| Dimensions and weight | |
| External dimensions, height in mm | 850 |
| External dimensions, width in mm | 596 |
| External dimensions, depth in mm | 714 |
| External dimensions, gross height in mm | 944 |
| External dimensions, gross width in mm | 609 |
| External dimensions, gross depth in mm | 768 |
| Net weight in kg | 98.0 |
| Gross weight in kg | 102 |
| Maximum floor load in N/m ² | 2820 |
| Emissions data | |
| Emission sound pressure level in the workplace | <70 dB(A) re 20 µPa |
| Heat dissipation into the room in MJ/h | 1.00 |
| Features | |
| 3-dimensional imbalance monitoring | • |
| Commercial shock absorbers | • |
| Hard-wearing stainless-steel flange | • |
| Disinfection rinse | • |
| EcoSpeed | • |
| Pre-ironing | • |
| Efficient drum rib technology | • |
| Temperature monitoring | • |
| Special heater element | • |
| Automatic load control | • |

PWM 507 [EL DP]

Professional washing machine, Little Giants, electric heating, drain pump and target group specific programmes. Capacity 7.0 kg in 49 min.



EAN: 4002516134411 / Material number: 11154280 / Old Material Number: 51507154IRL

| | |
|--|-----|
| Flow meter | • |
| LED drum lighting, class 1 | • |
| Communication slot | • |
| Add laundry | • |
| Machine-independent accessories | • |
| Efficiency and sustainability | |
| Load capacity for the "eco 40-60" program in lbs. | 7.0 |
| Energy efficiency class (A-G) | A |
| Spin efficiency class (A-G) | A |
| Weighted energy consumption per 100 cycles in the "eco 40-60" program in kWh | 45 |
| Weighted water consumption per cycle in the "eco 40-60" program in l | 37 |
| Noise emission rating (spin cycle) (A-D) | A |
| Noise emission during spin cycle in dB(A) re 1 pW | 72 |
| Program runtime in the "eco 40-60" program in min | 199 |
| Recycling rate in % | 95 |
| Connection options | |
| Payment system (optional) | • |
| Optical interface for service access | • |
| Peak load cut-out/energy management (optional) | • |
| LAN/WiFi module (optional) | • |
| WiFiConn@ct | • |
| Standards, test certificates and symbols | |
| CE | • |
| VDE-EMC | • |
| VDE | • |
| Splash-proof safety rating IPX4 | • |
| UKCA | • |
| WEEE | • |
| Complies with Machinery Directive 2006/42/EC | • |