

PWM 909 [EL DV DD]

Professional washing machine, electrically heated, with drain valve and detergent drawer, M Touch Pro Plus – freely programmable.



- Drum volume 80 l, load capacity 9.0 kg
- 18 % less water consumption and 45 % less energy consumption^{*}
- Ideal operation thanks to colour touch display – M Touch Pro Plus
- Perfect spinning results residual moisture 44 % %^{**}, g factor518
- Connected for the future using LAN and WiFi
- [•] Based on the Coloured items 60 °C programme with a warm water connection, compared to predecessor.
- " Residual moisture specification relates to a hot rinse during the last rinse cycle.

Construction type Front loader Range Performance Plus Front Iron grey Control panel colour Stainless steel Maximum load with a load ratio of 1:9 in kg 9.0 Load ratio 1:9 Load ratio 9.0 Drum volume in 1 80 Door opening angle in degrees 180 Door opening angle in degrees 180 Door opening angle in degrees 9.0 Maintenance-free synchronous motor • Honeycomb drum • Application • Suitable for the hotel and catering industry • Suitable for retirement and care homes • Suitable for retirement and care homes • Suitable for launderettes • Suitable for residential homes and apartments • Suitable for residential nomes and stables • Suitable for universities, nurseries, and schools • Suitable for universities, nurseries, and schools • Suitable for soports clubs • Suitable for soports clubs •<	Operations time and uppeller	
Range Performance Plus Front Iron grey Control panel colour Stainless steel Maximum load with a load ratio of 1:9 in kg 9.0 Load ratio 1:9 Load ratio 1:9 Dadi ni kg 9.0 Drum volume in I 80 Door opening (0) in mm 370 Door opening angle in degrees 180 Door opening angle in degrees 180 Door opening angle in degrees 180 Door opening for the hotel and catering industry • Suitable for the hotel and catering industry • Suitable for tretirement and care homes • Suitable for residential homes and apartments • Suitable for residential homes and apartments • Suitable for residential homes and apartments • Suitable for residential homes and stables • Suitable for small businesses • Suitable for small businesses • Suitable for small businesses • Suitable for norgitals • Suitable for norgitals • Suitable for norgitals • Suitable for norgitals • Suitable for songt clubs • Suitable for norgitals •	Construction type and version	For all here days
Front Iron grey Control panel colour Stainless steel Maximum load with a load ratio of 1:9 in kg 9.0 Load ratio 1:9 Load ratio 9.0 Drum volume in 1 80 Door opening [Ø] in mm 370 Door opening angle in degrees 180 Door hinge right Automatic door lock • Maintenance-free synchronous motor • Honeycomb drum • Application • Suitable for the hotel and catering industry • Suitable for racility management • Suitable for facility management • Suitable for onsmetrical laundries • Suitable for onsmetrical laundries • Suitable for small businesses • Suitable for universities, nurseries, and schools • Suitable for universities, nurseries, and schools • Suitable for universities, nurseries, and schools • Suitable for sports clubs • Suitable for nospitals • Suitable for poptrs clubs • Suitable fo		·
Control panel colour Stainless steel Maximum load with a load ratio of 1:9 in kg 9.0 Load ratio 1:9 Load ratio 9.0 Drum volume in 1 80 Door opening angle in degrees 180 Door Ininge right Automatic door lock • Maintenance-free synchronous motor • Honeycomb drum • Application • Suitable for the hotel and catering industry • Suitable for radilty management • Suitable for radilty management • Suitable for radilty management • Suitable for radilty anagement • Suitable for small businesses • Suitable for small businesses • Suitable for universities, nurseries, and schools • </td <td></td> <td>· · · · · · · · · · · · · · · · · · ·</td>		· · · · · · · · · · · · · · · · · · ·
Maximum load with a load ratio of 1:9 in kg 9.0 Load ratio 1:9 Load ratio 1:9 Load in kg 9.0 Dor opening [0] in mm 370 Door opening log in degrees 180 Door opening log in mm 370 Door opening log in mm 4 Automatic door lock • Maintenance-free synchronous motor • Honeycomb drum • Application • Suitable for the hotel and catering industry • Suitable for relity management • Suitable for relidential homes and apartments • Suitable for dry cleaners • Suitable for dry cleaners • Suitable for small businesses • Suitable for sto		
Load ratio 1:9 Load in kg 9.0 Drum volume in I 80 Door opening [Q] in mm 370 Door opening angle in degrees 180 Door hinge right Automatic door lock • Maintenance-free synchronous motor • Honeycomb drum • Application • Suitable for retrement and care homes • Suitable for retrement and care homes • Suitable for residential homes and apartments • Suitable for doctertes • Suitable for drugderes • Suitable for drugderes • Suitable for small businesses • Suitable for small businesses • Suitable for sundirg schools and stables • Suitable for sundirg schools and stables • Suitable for soptistals • Suitable for s		
Load in kg 9.0 Drum volume in 1 80 Door opening [0] in mm 370 Door opening angle in degrees 180 Door hinge right Automatic door lock • Maintenance-free synchronous motor • Honeycomb drum • Application • Suitable for the hotel and catering industry • Suitable for retirement and care homes • Suitable for retirement and care homes • Suitable for launderettes • Suitable for launderettes • Suitable for anunderettes • Suitable for small businesses • Suitable for small businesses • Suitable for small businesses • Suitable for studs, riding schools and stables • Suitable for noniversities, nurseries, and schools • Suitable for sports clubs • Suitable for the petrochemicals indu		
Drum volume in I 80 Door opening [Ø] in mm 370 Door opening angle in degrees 180 Door hinge right Automatic door lock • Maintenance-free synchronous motor • Honeycomb drum • Application • Suitable for the hotel and catering industry • Suitable for retirement and care homes • Suitable for residential homes and apartments • Suitable for dy cleaners • Suitable for dry cleaners • Suitable for small businesses • Suitable for universities, nurseries, and schools • Suitable for universities, nurseries, and schools • Suitable for bopitals • Suitable for bopitals • Suitable for bopitals • Suitable for bopitals • Suitable for boot-processing industry • Suitable for boot-processing industry • Suitable for the petrochemicals industry • Suitable for the petrochemicals industry • Suitable for breauty salons, spas, and fitness centres • Suitable for the petrochemicals industry • Suitable for the petrochemicals industry • Su		
Door opening [Ø] in mm 370 Door opening angle in degrees 180 Door hinge right Automatic door lock • Maintenance-free synchronous motor • Honeycomb drum • Application • Suitable for the hotel and catering industry • Suitable for retreiment and care homes • Suitable for retreiment and care homes • Suitable for residential homes and apartments • Suitable for commercial laundries • Suitable for small businesses • Suitable for commercial laundries • Suitable for universities, nurseries, and schools • Suitable for universities, nurseries, and schools • Suitable for camp sites • Suitable for comp sites • Suitable for doctors' and dentists' practices • Suitable for othe petrochemicals industry • Suitable for the petrochemicals industry • Suitable for doctors' and dentists' practices • Suitable for othopoprocessing industry • </td <td></td> <td>·</td>		·
Door opening angle in degrees 180 Door hinge right Automatic door lock • Maintenance-free synchronous motor • Honeycomb drum • Application • Suitable for the hotel and catering industry • Suitable for retirement and care homes • Suitable for launderettes • Suitable for launderettes • Suitable for launderettes • Suitable for duy cleaners • Suitable for free brigades and rescue services • Suitable for free brigades and rescue services • Suitable for nuiversities, nurseries, and schools • Suitable for nuiversities, nurseries, and schools • Suitable for ports clubs • Suitable for ports clubs • Suitable for ports clubs • Suitable for sports clubs • Suitable for study, riding achools and fitness centres • Suitable for poents clubs • Suitable for poents clubs • Suitable for poents clubs • Suitable for study, rid dentists' practices <td></td> <td>·</td>		·
Door hinge right Automatic door lock • Maintenance-free synchronous motor • Honeycomb drum • Application • Suitable for the hotel and catering industry • Suitable for the hotel and catering industry • Suitable for treirement and care homes • Suitable for facility management • Suitable for dry cleaners • Suitable for dry cleaners • Suitable for frebrigades and rescue services • Suitable for frebrigades and rescue services • Suitable for hospitals • Suitable for hospitals • Suitable for hospitals • Suitable for sports clubs • Suitable for beauty salons, spas, and fitness centres • Suitable for the petrochemicals industry • Suitable for study community care facilities • Suitable for study community care facilities • Suitable for the petrochemicals industry • Suitable for state/community care facilities • Suitable for state/community care facilities • <td></td> <td></td>		
Automatic door lock • Maintenance-free synchronous motor • Honeycomb drum • Application • Suitable for the hotel and catering industry • Suitable for the notel and cater homes • Suitable for facility management • Suitable for residential homes and apartments • Suitable for or launderettes • Suitable for or residential homes and apartments • Suitable for small businesses • Suitable for small businesses • Suitable for studs, riding schools and stables • Suitable for nonspitals • Suitable for hospitals • Suitable for bays study schools and stables • Suitable for beauty salons, spas, and fitness centres • Suitable for beauty salons, spas, and fitness centres • Suitable for the food-processing industry • Suitable for study.community care facilities • Performance data • Performance data • Performance data • Specific energy consumption for hot water connection in I/kg <td< td=""><td></td><td>· · · · ·</td></td<>		· · · · ·
Maintenance-free synchronous motor • Honeycomb drum • Application • Suitable for the hotel and catering industry • Suitable for retirement and care homes • Suitable for facility management • Suitable for launderettes • Suitable for dry cleaners • Suitable for small businesses • Suitable for small businesses • Suitable for studs, riding schools and stables • Suitable for sports clubs • Suitable for sports clubs • Suitable for camp sites • Suitable for doctors' and dentists' practices • Suitable for the petrochemicals industry • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific energy consumption for hot water connection in I/kg 6.60	*	right
Honeycomb drum • Application • Suitable for the hotel and catering industry • Suitable for facility management • Suitable for launderettes • Suitable for launderettes • Suitable for or generating industry • Suitable for launderettes • Suitable for or mercial laundries • Suitable for small businesses • Suitable for small businesses • Suitable for studs, riding schools and stables • Suitable for studs, riding schools and stables • Suitable for sports clubs • Suitable for sports clubs • Suitable for or app sites • Suitable for doctors' and dentists' practices • Suitable for doctors' and dentists' practices • Suitable for state/community care facilities • Performance data • Tested vincidal efficacy • Proven hygiene • Specific energy consumption for cold water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60		•
Application Suitable for the hotel and catering industry • Suitable for retirement and care homes • Suitable for facility management • Suitable for residential homes and apartments • Suitable for residential homes and apartments • Suitable for residential homes and apartments • Suitable for commercial laundries • Suitable for small businesses • Suitable for studs, riding schools and stables • Suitable for hospitals • Suitable for composites • Suitable for beauty salons, spas, and fitness centres • Suitable for doctors' and dentists' practices • Suitable for doctors' and dentists practices • Suitable for state/community care facilities • Suitable for state/community care facilities • Performance dat		·
Suitable for the hotel and catering industry • Suitable for retirement and care homes • Suitable for facility management • Suitable for residential homes and apartments • Suitable for orny cleaners • Suitable for commercial laundries • Suitable for small businesses • Suitable for studs, riding schools and stables • Suitable for studs, riding schools and stables • Suitable for camp sites • Suitable for studs, riding schools and stables • Suitable for studs, riding schools and stables • Suitable for studs, riding schools and stables • Suitable for sports clubs • Suitable for sports clubs • Suitable for sports clubs • Suitable for the petrochemicals industry • Suitable for the food-processing industry • Suitable for state/community care facilities • Performance data •	-	•
Suitable for retirement and care homes • Suitable for facility management • Suitable for launderettes • Suitable for residential homes and apartments • Suitable for dry cleaners • Suitable for small businesses • Suitable for suds, riding schools and stables • Suitable for hospitals • Suitable for sports clubs • Suitable for beauty salons, spas, and fitness centres • Suitable for the petrochemicals industry • Suitable for the petrochemicals industry • Suitable for state/community care facilities • Performance data • Tested vincidal efficacy • Proven hygiene • Specific energy co		
Suitable for facility management • Suitable for launderettes • Suitable for residential homes and apartments • Suitable for dry cleaners • Suitable for commercial laundries • Suitable for small businesses • Suitable for studs, riding schools and stables • Suitable for universities, nurseries, and schools • Suitable for camp sites • Suitable for sports clubs • Suitable for beauty salons, spas, and fitness centres • Suitable for the petrochemicals industry • Suitable for state/community care facilities • Suitable for the food-processing industry • Suitable for state/community care facilities • Suitable for state/community care facilities • Performance data • Tested vinucidal efficacy • Proven hygiene • Specific energy consumption for cold water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption		•
Suitable for launderettes • Suitable for residential homes and apartments • Suitable for dry cleaners • Suitable for commercial laundries • Suitable for small businesses • Suitable for small businesses • Suitable for fire brigades and rescue services • Suitable for studs, riding schools and stables • Suitable for nospitals • Suitable for sports clubs • Suitable for sports clubs • Suitable for the petrochemicals industry • Suitable for state/community care facilities • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific energy consumption for cold water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.2 Energy consumption with		•
Suitable for residential homes and apartments • Suitable for dry cleaners • Suitable for commercial laundries • Suitable for small businesses • Suitable for small businesses • Suitable for studs, riding schools and stables • Suitable for nuiversities, nurseries, and schools • Suitable for hospitals • Suitable for sports clubs • Suitable for sports clubs • Suitable for beauty salons, spas, and fitness centres • Suitable for the petrochemicals industry • Suitable for the petrochemicals industry • Suitable for state/community care facilities • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific water consumption for cold water connection in I/kg 6.60 Specific water consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.62 Specific energy consumption for hot water connection in I/kg 6.62 Specific energy	Suitable for facility management	·
Suitable for dry cleaners • Suitable for commercial laundries • Suitable for small businesses • Suitable for small businesses • Suitable for studs, riding schools and stables • Suitable for universities, nurseries, and schools • Suitable for comp sites • Suitable for comp sites • Suitable for sports clubs • Suitable for beauty salons, spas, and fitness centres • Suitable for the petrochemicals industry • Suitable for the petrochemicals industry • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific water consumption for cold water connection in I/kg 6.60 Specific water consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.62 Specific energy consumption for hot w	Suitable for launderettes	•
Suitable for commercial laundries • Suitable for small businesses • Suitable for fire brigades and rescue services • Suitable for studs, riding schools and stables • Suitable for universities, nurseries, and schools • Suitable for hospitals • Suitable for camp sites • Suitable for sports clubs • Suitable for beauty salons, spas, and fitness centres • Suitable for doctors' and dentists' practices • Suitable for the petrochemicals industry • Suitable for the petrochemicals industry • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific water consumption for cold water connection in I/ 6.30 kg • Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 56.2 Energy consumption with cold water connection in I 56.2 Energy consumption with cold water connection in KW 1.20 Programme duration in min		•
Suitable for small businesses • Suitable for fire brigades and rescue services • Suitable for studs, riding schools and stables • Suitable for universities, nurseries, and schools • Suitable for hospitals • Suitable for camp sites • Suitable for sports clubs • Suitable for beauty salons, spas, and fitness centres • Suitable for doctors' and dentists' practices • Suitable for the petrochemicals industry • Suitable for amusement parks & holiday complexes • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific water consumption for cold water connection in I/ kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I 0.03 Wh/kg • • Specific energy consumption for hot water connection in I	Suitable for dry cleaners	•
Suitable for fire brigades and rescue services • Suitable for studs, riding schools and stables • Suitable for universities, nurseries, and schools • Suitable for hospitals • Suitable for camp sites • Suitable for sports clubs • Suitable for beauty salons, spas, and fitness centres • Suitable for doctors' and dentists' practices • Suitable for the petrochemicals industry • Suitable for amusement parks & holiday complexes • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific energy consumption for cold water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 0.03 KWh/kg • • Water consumption with cold water connection in I 56.2 Energy consumption in minutes with cold water connection 49	Suitable for commercial laundries	•
Suitable for studs, riding schools and stables • Suitable for universities, nurseries, and schools • Suitable for hospitals • Suitable for camp sites • Suitable for sports clubs • Suitable for beauty salons, spas, and fitness centres • Suitable for doctors' and dentists' practices • Suitable for the petrochemicals industry • Suitable for amusement parks & holiday complexes • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific energy consumption for cold water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 56.2 Energy consumption with cold water connection in KW 1.20 Programme duration in minutes with cold water connection 49	Suitable for small businesses	·
Suitable for universities, nurseries, and schools•Suitable for hospitals•Suitable for camp sites•Suitable for sports clubs•Suitable for beauty salons, spas, and fitness centres•Suitable for doctors' and dentists' practices•Suitable for the petrochemicals industry•Suitable for the food-processing industry•Suitable for state/community care facilities•Performance data•Tested virucidal efficacy•Proven hygiene•Specific energy consumption for cold water connection in I/ kg6.60Specific energy consumption for hot water connection in I/kg6.60Specific energy consumption for hot water connection in I/kg6.60Specific energy consumption for hot water connection in I/kg6.60Specific energy consumption for hot water connection in I/kg56.2Energy consumption with cold water connection in KW1.20Programme duration in minutes with cold water connection49	Suitable for fire brigades and rescue services	·
Suitable for hospitals • Suitable for camp sites • Suitable for sports clubs • Suitable for beauty salons, spas, and fitness centres • Suitable for doctors' and dentists' practices • Suitable for the petrochemicals industry • Suitable for the food-processing industry • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific energy consumption for cold water connection in I/ kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.62 Energy consumption with cold water connection in KW 1.20 Programme duration in minutes with cold water connection 49 49		· · · · · · · · · · · · · · · · · · ·
Suitable for camp sites•Suitable for sports clubs•Suitable for beauty salons, spas, and fitness centres•Suitable for doctors' and dentists' practices•Suitable for the petrochemicals industry•Suitable for the food-processing industry•Suitable for amusement parks & holiday complexes•Suitable for state/community care facilities•Performance data•Tested virucidal efficacy•Proven hygiene•Specific water consumption for cold water connection in I/ kg6.30Specific energy consumption for cold water connection in I/kg6.60Specific energy consumption for hot water connection in I/kg6.60Specific energy consumption for hot water connection in I/kg6.60Specific energy consumption for hot water connection in I/kg56.2Energy consumption with cold water connection in KW1.20Programme duration in minutes with cold water connection49	Suitable for universities, nurseries, and schools	· · · · · · · · · · · · · · · · · · ·
Suitable for sports clubs•Suitable for beauty salons, spas, and fitness centres•Suitable for beauty salons, spas, and fitness centres•Suitable for doctors' and dentists' practices•Suitable for the petrochemicals industry•Suitable for the food-processing industry•Suitable for amusement parks & holiday complexes•Suitable for state/community care facilities•Performance data•Tested virucidal efficacy•Proven hygiene•Specific water consumption for cold water connection in I/ kg6.30Specific energy consumption for cold water connection in I/kg6.60Specific energy consumption for hot water connection in I/kg56.2Energy consumption with cold water connection in kW1.20Programme duration in minutes with cold water connection49	Suitable for hospitals	·
Suitable for beauty salons, spas, and fitness centres • Suitable for doctors' and dentists' practices • Suitable for the petrochemicals industry • Suitable for the food-processing industry • Suitable for the food-processing industry • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific water consumption for cold water connection in I/ kg 6.30 Specific energy consumption for cold water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Wh/kg • • Water consumption with cold water connection in I 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49	Suitable for camp sites	· · · · · · · · · · · · · · · · · · ·
Suitable for doctors' and dentists' practices • Suitable for the petrochemicals industry • Suitable for the food-processing industry • Suitable for amusement parks & holiday complexes • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific water consumption for cold water connection in I/ kg 6.30 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49	Suitable for sports clubs	·
Suitable for the petrochemicals industry • Suitable for the food-processing industry • Suitable for amusement parks & holiday complexes • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific water consumption for cold water connection in I/ kg 6.30 Specific energy consumption for cold water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49	Suitable for beauty salons, spas, and fitness centres	·
Suitable for the food-processing industry • Suitable for amusement parks & holiday complexes • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific water consumption for cold water connection in I/ kg 6.30 Specific energy consumption for cold water connection in I/ kWh/kg 0.13 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in I/kg 1.20 Water consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49	Suitable for doctors' and dentists' practices	· · · · · · · · · · · · · · · · · · ·
Suitable for amusement parks & holiday complexes • Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific water consumption for cold water connection in I/ kg 6.30 Specific energy consumption for cold water connection in kWh/kg 0.13 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in kWh/kg 0.03 Water consumption with cold water connection in I 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49	Suitable for the petrochemicals industry	·
Suitable for state/community care facilities • Performance data • Tested virucidal efficacy • Proven hygiene • Specific water consumption for cold water connection in I/ kg 6.30 Specific energy consumption for cold water connection in kWh/kg 0.13 Specific water consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in kWh/kg 0.03 Water consumption with cold water connection in I 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49	Suitable for the food-processing industry	·
Performance data • Tested virucidal efficacy • Proven hygiene • Specific water consumption for cold water connection in I/ kg 6.30 Specific energy consumption for cold water connection in kWh/kg 0.13 Specific water consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in kWh/kg 0.03 Water consumption with cold water connection in I 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49	Suitable for amusement parks & holiday complexes	· · · · · · · · · · · · · · · · · · ·
Tested virucidal efficacy • Proven hygiene • Specific water consumption for cold water connection in I/ kg 6.30 Specific energy consumption for cold water connection in kWh/kg 0.13 Specific energy consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in kWh/kg 0.03 Water consumption with cold water connection in I 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49	Suitable for state/community care facilities	•
Proven hygiene • Specific water consumption for cold water connection in I/ kg 6.30 Specific energy consumption for cold water connection in kWh/kg 0.13 Specific water consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in kWh/kg 0.03 Wurkkg 6.60 Specific energy consumption for hot water connection in kWh/kg 0.03 Water consumption with cold water connection in I 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49	Performance data	
Specific water consumption for cold water connection in I/ kg 6.30 Specific energy consumption for cold water connection in kWh/kg 0.13 Specific water consumption for hot water connection in I/kg 6.60 Specific energy consumption for hot water connection in kWh/kg 0.03 Water consumption with cold water connection in I 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49	Tested virucidal efficacy	•
kg 0.13 Specific energy consumption for cold water connection in kWh/kg 0.13 Specific water consumption for hot water connection in l/kg 6.60 Specific energy consumption for hot water connection in l/kg 0.03 kWh/kg 0.03 Water consumption with cold water connection in l 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49	Proven hygiene	·
kWh/kg 6.60 Specific water consumption for hot water connection in l/kg 6.60 Specific energy consumption for hot water connection in kWh/kg 0.03 Water consumption with cold water connection in l 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49		6.30
Specific water consumption for hot water connection in I/kg6.60Specific energy consumption for hot water connection in kWh/kg0.03Water consumption with cold water connection in I56.2Energy consumption with cold water connection in kW1.20Programme duration in minutes with cold water connection49		0.13
Specific energy consumption for hot water connection in 0.03 kWh/kg 0 Water consumption with cold water connection in I 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49		6.60
kWh/kg Water consumption with cold water connection in I 56.2 Energy consumption with cold water connection in kW 1.20 Programme duration in minutes with cold water connection 49		
Energy consumption with cold water connection in kW1.20Programme duration in minutes with cold water connection49		
Programme duration in minutes with cold water connection 49		
		1.20
Water consumption with hot water connection in I 59.3		49
		59.3
Energy consumption with hot water connection in kW 0.23	Energy consumption with hot water connection in kW	0.23



PWM 909 [EL DV DD]

Professional washing machine, electrically heated, with drain valve and detergent drawer, M Touch Pro Plus – freely programmable.



Programme duration in minutes with cold water and hot water connection	45
Water consumption in ECO programme with cold water connection in I	49.7
Energy consumption in ECO programme with cold water	0.82
Programme duration in minutes with cold water connection in ECO programme	34
Water consumption in ECO programme with hot water connection in I	52.0
Energy consumption in ECO programme with hot water	0.14
Programme duration in minutes with cold water and hot water connection in ECO programme	32
Residual moisture with cold rinse in %	47
Residual moisture with hot rinse in %	44
Spin speed in rpm	1300
g factor	518
Tested operating hours	30000
Control system	
Control system	M Touch Pro Plus
Programmability	Freely programmable
Max. delay start in h	Freely selectable
Time left display	•
Programme sequence indicator	•
Selectable display languages	•
Standard/target grp programmes	
Basic programmes	•
Programmes for the hotel and catering industry	•
Programmes for retirement and care homes	•
Programmes for facility management	•
Programmes for launderettes	•
Programmes for residential homes and apartments	•
Programmes for dry cleaners	•
Programmes for commercial laundries	•
Programmes for small businesses	•
Programmes for fire brigades and rescue services	•
Programmes for studs, riding schools, and stables	•
Programmes for universities, nurseries, and school	•
Programmes for hospitals	•
Programmes for fast food restaurants	•
Programmes for camp sites	•
Programmes for sports clubs	•
Programmes for beauty clinics, spas, and fitness studios	•
Programmes for domestic use	•
Programmes for doctors' and dentists' practices	•
Dispensing	
Detergent drawer	3 compartments
Flexible dispensing adapter (optional)	•
Maximum number of connections for liquid dispenser pumps [number]	6
Empty sensor	•
Standard electrical connection	
Heating type	Electric



PWM 909 [EL DV DD] Professional washing machine, electrically heated, with drain valve and detergent drawer, M Touch Pro Plus – freely programmable.

Electrical connection	1N AC 230V 50/60HZ
Heater rating in kW	5.30
Total connected load in kW	5.50
Fuse rating in A	25
Water connection/drainage	
Cold water [number]	1x 1/2" hose w/ 3/4" th.
	union
Hot water [number]	1x 1/2" hose w/ 3/4" th. union
Grey water (optional) [number]	1 x 1/2" w/ 3/4" union
Dump valve	DN 70
Dimensions and weight	
External dimensions, height in mm	1020
External dimensions, width in mm	700
External dimensions, depth in mm	730
External dimensions, gross height in mm	1214
External dimensions, gross width in mm	750
External dimensions, gross depth in mm	817
Net weight in kg	140.0
Gross weight in kg	152
Maximum floor load in N/m ²	2421
Emissions data	
Emission sound pressure level in the workplace	65 dB(A) re 20 µPa
Heat dissipation into the room in MJ/h	2.30
Features	2.00
Patented pre-spin	•
	`
Cloth reprocessing 3-dimensional imbalance monitoring	<u>•</u>
Disinfection rinse	<u>•</u>
EcoSpeed	
Temperature monitoring	•
Special heater element	•
Automatic load control+	•
Flow meter	•
Add laundry	<u>-</u>
Programme selection via colour frame	•
Machine-independent accessories	•
Efficiency and sustainability	
Recycling rate in %	95
Connection options	
Payment system (optional)	•
Optical interface for service access	•
Peak load cut-out/energy management (optional)	<u>•</u>
LAN	•
WiFi	•
Connector Box	•
Capacities	
	13
Respirator masks [number]	
Respirator masks [number] Helmets [number]	2
	2



PWM 909 [EL DV DD]

Professional washing machine, electrically heated, with drain valve and detergent drawer, M Touch Pro Plus – freely programmable.



Synthetic duvets [number] 1 Synthetic pillows [number] 2 Down duvets [number] 1 2 Down pillows [number] 204 Cloths, 22 g [number] Cotton mops, 40 cm / 190 g [number] 42 Cotton mops, 50 cm / 220 g [number] 33 Microfibre mops, 40 cm / 120 g [number] 66 Microfibre mops, 50 cm / 170 g [number] 43 Mops, office, 100 g [quantity] 55 Mops, stairway, 150 g [quantity] 35 Summer horse blankets [number] 2 Standards, test certificates and symbols CE • VDE-EMC ٠ VDE ٠ Splash-proof safety rating IPX4 ٠ UKCA ٠ WEEE • Complies with Machinery Directive 2006/42/EC •