

## WEB365 WCS PWash&8kg

W1 front-loader washing machine:

## A -20 %\* I 8 kg I 1400 rpm I QuickPowerWash I Miele@home I CapDosing



- Tested for 20 years of perfect laundry care<sup>\*</sup>
- Save even more energy with A -20  $\%^{**}$
- Cleaning cannot be faster QuickPowerWash
- Miele@home clever networking opens up new possibilities\*\*\*
- Perfect supplement for specific applications CapDosing
- \* During the development phase of the W1 washing machine series, Miele tested models and core components in 5000 wash loads (= 5 wash loads per week for 50 weeks per year) in various programmes. More: miele.com/20years
- \*\* 20 % more economical than the threshold value (52) for energy efficiency class A.
- \*\*\* Additional digital offer from Miele & Cie. KG. All smart applications are made possible with the Miele@home system. The range of functions can vary depending on the model and the country.



EAN: 4002516867388 / Material number: 12721210 / Old Material Number: 11EB3651GB

O	
Construction type	
Suitable for stacking	•
Side-by-side	•
Slot-in	*
Can be built-under	•
Door hinge	right
Model	
Product brand	W1 Chrome Edition
Front-loader	•
Spinning	
Max. spin speed	1400
Rinse hold	•
Without spin function	•
Design	
Appliance colour	Lotus white
Control panel colour	Lotus white
Door design	Graphite grey PearlFinish
Rotary selector colour	Lotus White
Control panel version	Straight
Control type	Rotary control
Display	DirectSensor white, 7 segment
Cleaning performance	
Innovative PowerWash technology	*
CapDosing portioned dispensing	•
Gentle laundry care	
Honeycomb drum	
	•
Load in kg	• 8.0
	• 8.0
Load in kg	• 8.0
Load in kg User convenience	• 8.0 •
Load in kg User convenience Networking with Miele@home	•
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours	•
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display	• • •
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display AutoClean detergent drawer	• • •
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display AutoClean detergent drawer AddLoad Efficiency and sustainability Energy efficiency class (A–G)	• • •
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display AutoClean detergent drawer AddLoad Efficiency and sustainability	• • • •
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display AutoClean detergent drawer AddLoad Efficiency and sustainability Energy efficiency class (A–G) More economical than the threshold value (52) for energy	• • • • • •
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display AutoClean detergent drawer AddLoad Efficiency and sustainability Energy efficiency class (A–G) More economical than the threshold value (52) for energy efficiency class A Weighted energy consumption per 100 operating cycles for	• • • • • • • • • • • • • • • • • • •
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display AutoClean detergent drawer AddLoad Efficiency and sustainability Energy efficiency class (A–G) More economical than the threshold value (52) for energy efficiency class A Weighted energy consumption per 100 operating cycles for the wash cycle in kWh	• • • • • • • • • • • • • • • • • • •
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display AutoClean detergent drawer AddLoad Efficiency and sustainability Energy efficiency class (A–G) More economical than the threshold value (52) for energy efficiency class A Weighted energy consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in I	• • • • • • • • • • • • • • • • • • •
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display AutoClean detergent drawer AddLoad Efficiency and sustainability Energy efficiency class (A–G) More economical than the threshold value (52) for energy efficiency class A Weighted energy consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in I Spin efficiency class (A–G)	• • • • • • • • • • • • • • • • • • •
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display AutoClean detergent drawer AddLoad Efficiency and sustainability Energy efficiency class (A–G) More economical than the threshold value (52) for energy efficiency class A Weighted energy consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in I Spin efficiency class (A–G) Acoustic airborne noise emission class (spin cycle; A–D)	• • • • • • • • • • • • • • • • • • •
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display AutoClean detergent drawer AddLoad Efficiency and sustainability Energy efficiency class (A–G) More economical than the threshold value (52) for energy efficiency class A Weighted energy consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in I Spin efficiency class (A–G) Acoustic airborne noise emission class (spin cycle; A–D) Sound emissions during spin cycle in dB(A) re 1 pW Duration of the "ECO 40–60" programme at nominal	• • • • • • • • • • • • • • • • • • •
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display AutoClean detergent drawer AddLoad Efficiency and sustainability Energy efficiency class (A–G) More economical than the threshold value (52) for energy efficiency class A Weighted energy consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in I Spin efficiency class (A–G) Acoustic airborne noise emission class (spin cycle; A–D) Sound emissions during spin cycle in dB(A) re 1 pW Duration of the "ECO 40–60" programme at nominal capacity	• • • • • • • • • • • • • • • • • • •
Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display AutoClean detergent drawer AddLoad Efficiency and sustainability Energy efficiency class (A–G) More economical than the threshold value (52) for energy efficiency class A Weighted energy consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in I Spin efficiency class (A–G) Acoustic airborne noise emission class (spin cycle; A–D) Sound emissions during spin cycle in dB(A) re 1 pW Duration of the "ECO 40–60" programme at nominal capacity Power rating in off mode in W	<ul> <li>.</li> <li>.&lt;</li></ul>



## WEB365 WCS PWash&8kg W1 front-loader washing machine: A -20 %\* I 8 kg I 1400 rpm I QuickPowerWash I Miele@home I CapDosing



Automatic load control Flow meter • Foam sensing • ProfiEco motor ٠ Wash programmes QuickPowerWash ٠ Cottons (coloureds) • Minimum iron ٠ Delicates . Shirts ٠ Woollens (hand-washable) ٠ Express 20 • Dark garments / Denim • Proofing ٠ Drain / Spin • ECO 40-60 • Washing extras Short ٠ Pre-wash ٠ Water plus • Additional rinse cycle ٠ Pre-ironing with steam • Buzzer ٠ Safety Water protection system Watercontrol-System Safety lock ٠ PIN-Code • Optical interface • **Technical data** Dimensions in mm (width) 596 Dimensions in mm (height) 850 Dimensions in mm (depth) 636 1077 Appliance depth in mm with opened door Appliance depth excluding door (for building-under) in mm 600 Weight in kg 80 Total rated load in kW 2.10-2.40 220-240 Voltage in V Fuse rating in A 13 Frequency in Hz 50 Length of water inlet hose in m 1.60 Length of water drain hose in m 1.50 Length of supply lead in m 2


EAN: 4002516867388 / Material number: 12721210 / Old Material Number: 11EB3651GB




## WEB365 WCS PWash&8kg

W1 front-loader washing machine:

A -20 %\* | 8 kg | 1400 rpm | QuickPowerWash | Miele@home | CapDosing






≤1055

W1 installation drawing, slanted facia or straight facia, measures in  $\ensuremath{\mathsf{mm}}$ 

W1 drawing, slanted facia or straight facia, measures in  $\ensuremath{\mathsf{mm}}$ 

W1 drawing, slanted facia or straight facia, measures in mm



W1 drawing, slanted facia or straight facia, measures in  $\ensuremath{\mathsf{mm}}$