

A 100 Upper basket For the optimum loading of injector modules or inserts.



- Upper basket with two module connections
- for holding up to 2 injector modules or inserts
- Automatic closing of the connections when not in use
- Loading height with module with plastic supports 7.5 inches
- Clearances: width 19 1/4" (489 mm), length 17 5/16" (440 mm

EAN: 4002515460610 / Material number: 09862320 / Old Material Number: 69610000D

Washer-disinfectors, laboratory Machine affiliation PG 8504 PG 8583 PG 8583 P PG 8593 Product category Basket with module connection Upper basket Product characteristics Material Stainless steel, Plastic Color Application area Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases Voltage in V O Frequency in Hz Total rated load in kW Piser rating in A Dimensions and weight External dimensions, net height in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross depth in inches	Product category	
Machine affiliation PG 8504 PG 8583 PG 8583 CD PG 8593 Product category Basket with module connection Upper basket Product characteristics Material Color Stainless Steel, Plastic Color Stainless Steel, Black Application area Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases O Voltage in V Frequency in Hz Total rated load in kW O.00 Fuse rating in A Dimensions and weight External dimensions, net height in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross depth in inches External dimensions	5 ,	•
PG 8504 PG 8583 PG 8583 PG 8583 Product category Basket with module connection Upper basket Product characteristics Material Stainless steel, Plastic Color Stainless Steel, Black Application area Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases O Voltage in V Frequency in Hz Total rated load in kW O.00 Fuse rating in A Dimensions and weight External dimensions, net height in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross depth in inches External dimensions		
PG 8583 PG 8583 CD PG 8593 Product category Basket with module connection Upper basket Product characteristics Material Stainless steel, Plastic Color Stainless Steel, Black Application area Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases Voltage in V O Frequency in Hz Total rated load in kW Fuse rating in A Dimensions and weight External dimensions, net height in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross width in inches External dimensions, gross depth in inches External dimensions External dimensions, gross depth in inches External dimensions E		•
PG 8583 CD PG 8593 Product category Basket with module connection Upper basket Product characteristics Material Stainless steel, Plastic Color Stainless Steel, Black Application area Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases Voltage in V 0 Frequency in Hz Total rated load in kW 0.00 Fuse rating in A Dimensions and weight External dimensions, net height in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross width in inches External dimensions, gross depth in inches External dimensions External dimensions, gross depth in inches External dimensions Exte	<u> </u>	•
Product category Basket with module connection Upper basket Product characteristics Material Color Application area Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases Voltage in V Total rated load in kW Dimensions and weight External dimensions, net height in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross depth in inches External dimensions		•
Product category Basket with module connection Upper basket Product characteristics Material Color Application area Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases Voltage in V O Frequency in Hz Total rated load in kW Dimensions and weight External dimensions, net height in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross depth in inches External dimensions E		•
Basket with module connection Upper basket Product characteristics Material Stainless steel, Plastic Color Stainless Steel, Black Application area Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases Voltage in V O Frequency in Hz Total rated load in kW O.00 Fuse rating in A Dimensions and weight External dimensions, net height in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross depth in inches External dimensions		
Upper basket Product characteristics Material Stainless steel, Plastic Color Stainless Steel, Black Application area Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases O Voltage in V O Frequency in Hz Total rated load in kW O.00 Fuse rating in A Dimensions and weight External dimensions, net height in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross width in inches External dimensions, gross depth in inches External dimensions		•
Product characteristics Material Stainless steel, Plastic Color Stainless Steel, Black Application area Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases O Voltage in V O Frequency in Hz Total rated load in kW O.00 Fuse rating in A Dimensions and weight External dimensions, net height in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross depth in inches 20 13/16 (528) External dimensions, gross depth in inches 21 7/8 (555) External dimensions, gross depth in inches 7 (2.80)		•
Color Application area Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases Voltage in V Frequency in Hz Total rated load in kW Dimensions and weight External dimensions, net height in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross depth in inches 20 13/16 (528) External dimensions, gross depth in inches 21 7/8 (555) External dimensions, gross depth in inches 7 (2.80)	Product characteristics	
Application area Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases Voltage in V Total rated load in kW Total rated load in kW Dimensions and weight External dimensions, net height in inches External dimensions, net width in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross depth in inches External dimensions	Material	Stainless steel, Plastic
Reprocessing of pipettes/vials Reprocessing of laboratory glassware Standard electrical connection Number of phases O Voltage in V Total rated load in kW O Dimensions and weight External dimensions, net height in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross depth in inches External dimensions, gross depth in inches External dimensions, gross depth in inches T T T T T T T T T T T T T	Color	Stainless Steel, Black
Reprocessing of laboratory glassware Standard electrical connection Number of phases O Voltage in V Total rated load in kW Fuse rating in A Dimensions and weight External dimensions, net height in inches External dimensions, net depth in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross width in inches 20 13/16 (528) External dimensions, gross width in inches External dimensions, gross width in inches 21 7/8 (555) External dimensions, gross depth in inches 22 1/4 (565) Net weight in lbs	Application area	
Standard electrical connection Number of phases O Voltage in V Frequency in Hz O Total rated load in kW O.00 Fuse rating in A Dimensions and weight External dimensions, net height in inches External dimensions, net width in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross depth in inches External dimensions, gross depth in inches T (2.80)	Reprocessing of pipettes/vials	•
Number of phases Voltage in V Frequency in Hz O Total rated load in kW O.00 Fuse rating in A Dimensions and weight External dimensions, net height in inches External dimensions, net width in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross width in inches External dimensions, gross width in inches External dimensions, gross depth in inches External dimensions, gross depth in inches T (2.80)	Reprocessing of laboratory glassware	•
Voltage in V 0 Frequency in Hz 0 Total rated load in kW 0.00 Fuse rating in A 0 Dimensions and weight 5 9/16 (141) External dimensions, net height in inches 20 11/16 (525) External dimensions, net depth in inches 20 13/16 (528) External dimensions, gross height in inches 6 3/4 (170) External dimensions, gross width in inches 21 7/8 (555) External dimensions, gross depth in inches 22 1/4 (565) Net weight in lbs 7 (2.80)	Standard electrical connection	
Frequency in Hz Total rated load in kW 0.00 Fuse rating in A 0 Dimensions and weight External dimensions, net height in inches 5 9/16 (141) External dimensions, net width in inches 20 11/16 (525) External dimensions, net depth in inches 20 13/16 (528) External dimensions, gross height in inches 6 3/4 (170) External dimensions, gross width in inches 21 7/8 (555) External dimensions, gross depth in inches 22 1/4 (566) Net weight in lbs	Number of phases	0
Total rated load in kW Fuse rating in A Dimensions and weight External dimensions, net height in inches External dimensions, net width in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross width in inches External dimensions, gross depth in inches T (2.80)	Voltage in V	0
Fuse rating in A Dimensions and weight External dimensions, net height in inches External dimensions, net width in inches External dimensions, net depth in inches External dimensions, gross height in inches External dimensions, gross width in inches External dimensions, gross width in inches External dimensions, gross depth in inches	Frequency in Hz	0
Dimensions and weight External dimensions, net height in inches 5 9/16 (141) External dimensions, net width in inches 20 11/16 (525) External dimensions, net depth in inches 20 13/16 (528) External dimensions, gross height in inches 6 3/4 (170) External dimensions, gross width in inches 21 7/8 (555) External dimensions, gross depth in inches 22 1/4 (565) Net weight in lbs 7 (2.80)	Total rated load in kW	0.00
External dimensions, net height in inches 5 9/16 (141) External dimensions, net width in inches 20 11/16 (525) External dimensions, net depth in inches 20 13/16 (528) External dimensions, gross height in inches 6 3/4 (170) External dimensions, gross width in inches 21 7/8 (555) External dimensions, gross depth in inches 22 1/4 (565) Net weight in lbs 7 (2.80)	Fuse rating in A	0
External dimensions, net width in inches 20 11/16 (525) External dimensions, net depth in inches 20 13/16 (528) External dimensions, gross height in inches 6 3/4 (170) External dimensions, gross width in inches 21 7/8 (555) External dimensions, gross depth in inches 22 1/4 (565) Net weight in lbs 7 (2.80)	Dimensions and weight	
External dimensions, net depth in inches 20 13/16 (528) External dimensions, gross height in inches 6 3/4 (170) External dimensions, gross width in inches 21 7/8 (555) External dimensions, gross depth in inches 22 1/4 (565) Net weight in lbs 7 (2.80)	External dimensions, net height in inches	5 9/16 (141)
External dimensions, gross height in inches 6 3/4 (170) External dimensions, gross width in inches 21 7/8 (555) External dimensions, gross depth in inches 22 1/4 (565) Net weight in lbs 7 (2.80)	External dimensions, net width in inches	20 11/16 (525)
External dimensions, gross width in inches 21 7/8 (555) External dimensions, gross depth in inches 22 1/4 (565) Net weight in lbs 7 (2.80)	External dimensions, net depth in inches	20 13/16 (528)
External dimensions, gross depth in inches 22 1/4 (565) Net weight in lbs 7 (2.80)	External dimensions, gross height in inches	6 3/4 (170)
Net weight in lbs 7 (2.80)	External dimensions, gross width in inches	21 7/8 (555)
	External dimensions, gross depth in inches	22 1/4 (565)
Gross weight in lbs 8 (3.49)	Net weight in lbs	7 (2.80)