

PW 6241 [EL SOM WEK MF]

Washing machine, electric heating

For marine requirements, powder detergent dispenser, liquid dispensing module.



- Drum volume 8.48 (240) ft³ (l), load size 53 (24.0) lb (kg)
- Large program variety –
 application-specific wash programs
- Particularly efficient low water and energy consumption
- Gentle laundry care thanks to the Miele honeycomb drum
- Perfect spinning results residual moisture 43 %^{*}, g-factor541

Residual moisture specification relates to a hot rinse during the last rinse cycle.

EAN: 4002516447344 / Material number: 11813830 / Old Material Number: 51624117SOM

Construction type and design	
Design	Front loader
Product line	Professional
Front	Stainless Steel
Control panel color	Stainless Steel
Load ratio	1:10
Load in lbs	53 (24.0)
Drum volume in cubic feet (I)	8.48 (240)
Door opening [Ø] in in.(mm) Door opening angle in degrees	<u>16 15/16 (430)</u> 180
Door hinging	right
Maintenance-free motor with frequency converter	•
Honeycomb drum	•
Application	
Suitable for Marine use	•
Performance data	
Tested virucidal efficacy	•
Proven hygiene	•
Specific water consumption for cold water connection in gal/lb	9.00
Specific energy consumption for cold water connection in kWh/lb	0.26
Specific water consumption for hot water connection in I/kg	8.80
Specific energy consumption for hot water connection in kWh/lb	0.10
Water consumption for cold water connection in I	216.0
Energy consumption for cold water connection in kWh	6.24
Program duration in minutes with cold water connection	60
Water consumption for hot water connection in I	211.0
Energy consumption for hot water connection in kW	2.40
Program duration in minutes with hot water connection	49
Water consumption in ECO program for cold water connection in I	212.3
Energy consumption in ECO program for cold water connection in kWh	5.04
Program duration in minutes for ECO program with cold water connection	46
Water consumption in ECO program for hot water connection in I	212.5
Energy consumption in ECO program for hot water connection in kWh	1.44
Program duration in minutes for ECO program with hot water connection	36
Residual moisture with cold rinse in %	46
Residual moisture with hot rinse in %	43
Spin speed in rpm	1100
g factor	541
Tested operating hours	30000
Control	
	Profitronic M
Control system Programmability	Profitronic M
Programmability	Freely programmable
Max. delay start in h	Can be selected freely



PW 6241 [EL SOM WEK MF]

Washing machine, electric heating

For marine requirements, powder detergent dispenser, liquid dispensing module.



Countdown indicator Program sequence indicator • Choice of display language . Standard/target group programs Basic programmes • Programmes for the hotel and catering industry • Programmes for retirement and care homes • Programmes for facility management Programmes for dry cleaners Programmes for small businesses • Programmes for fire brigades and rescue services • Programmes for studs, riding schools, and stables • Programmes for hospitals • Programmes for sports clubs ٠ Programmes for beauty clinics, spas, and fitness studios • Dispensing Detergent dispenser drawer 3 compartments Liquid dispensing module • Maximum number of connections for liquid dispenser 12 pumps [number] Empty sensor • Standard electrical connection Type of heating Electric Electrical connection 3 AC 380-415V 50-60HZ Heater rating in kW 24.00 Total connected load in kW 25.00 50 Fuse rating in A Water connection/drainage 3 x 1/2" hose w/ 3/4" union Cold water [number] Hot water [number] 1x 1/2" hose w/ 3/4" th. union Dump valve DN 70 Dimensions and weight External dimensions, net height in inches 64 11/16 (1643) External dimensions, net width in inches 42 7/8 (1089) External dimensions, net depth in inches 49 1/4 (1250) External dimensions, gross height in inches 66 15/16 (1700) External dimensions, gross width in inches 52 5/8 (1336) External dimensions, gross depth in inches 60 1/4 (1530) Net weight in lbs.(kg) 1429 (648.0) 1542 (699) Gross weight in lbs. Maximum floor load in N/m² 8931 Emission values 78 dB(A) re 20 µPa Emissions - sound pressure at workplace Heat dissipation into the room in BTU/h 4.70 Features Patented preliminary drainage • Patented cleaning cloth program • Imbalance monitoring . Temperature monitoring • Special heater element •

EAN: 4002516447344 / Material number: 11813830 / Old Material Number: 51624117SOM



PW 6241 [EL SOM WEK MF]

Washing machine, electric heating

For marine requirements, powder detergent dispenser, liquid dispensing module.



Automatic load control Plus Volumetric flow meter (optional) • Communication slot • Emergency shut off • Appliance-independent accessories • Efficiency and sustainability Recycling rate in % 96 **Connection options** Payment system (optional) • Optical interface for service access • Serial interface module RS 232 (optional) • Peak-load negotiation/energy management (optional) • Logging operating data • Water recovery (optional) ٠ Capacities Respirator masks [number] 19 Overalls [number] 4 6 Over jackets [number] Chemical protection overalls [number] 4 Synthetic duvets [number] 3 Synthetic pillows [number] 6 Feather duvets [number] 3 Feather pillows [number] 6 Cloths, 22 g/0.8 oz[number] 546 Cotton mops, 40 cm/15.7 in[number] 126 Cotton mops, 50 cm/19.7 in[number] 109 Microfibre mops, 40 cm/15.7 in [number]] 200 Microfibre mops, 50 cm/19.7 in [number] 141 4 Summer horse blankets [number] Standards, test certificates, and symbols CE • VDE • Splash protection IPX4 • UKCA • WEEE • RCM • EAC • .

EAN: 4002516447344 / Material number: 11813830 / Old Material Number: 51624117SOM

Complies with Machinery Directive 2006/42/EC