Miele

PW 6241 [D ind. SOM MF]

Washing machine, steam heating (indirect)

for marine requirements with liquid dispenser module.



- Drum volume 8.48 (240) ft³ (l), load size 53 (24.0) lb (kg)
- Large program variety application-specific wash programs
- Gentle laundry care thanks to the Miele honeycomb drum
- Particularly efficient low water and energy consumption
- Perfect spinning results residual moisture 43 %*, g-factor541

EAN: 4002516447375 / Material number: 11813870 / Old Material Number: 51624145SOM

Construction type and design	5 11 1
Design	Front loader
Product line	Professional
Front	Stainless Steel
Control panel color	Stainless Steel
Load ratio	1:10
Load in lbs	53 (24.0)
Drum volume in cubic feet (I)	8.48 (240)
Door opening [Ø] in in.(mm)	16 15/16 (430)
Door opening angle in degrees	180
Door hinging	right
Maintenance-free motor with frequency converter	•
Honeycomb drum	•
Application	
Suitable for Marine use	•
Performance data	
Tested virucidal efficacy	•
Proven hygiene	•
Specific water consumption for cold water connection in gal/lb	9.00
Specific water consumption for hot water connection in I/kg	8.80
Water consumption for cold water connection in I	216.0
Water consumption for hot water connection in I	211.0
Water consumption in ECO program for cold water connection in I	212.3
Water consumption in ECO program for hot water connection in I	212.5
Residual moisture with cold rinse in %	46
Residual moisture with hot rinse in %	43
Spin speed in rpm	1100
g factor	541
Tested operating hours	30000
Control	
Control system	Profitronic M
Programmability	Freely programmable
Max. delay start in h	Can be selected freely
Countdown indicator	• Carried Colocted Healty
Program sequence indicator	•
Choice of display language	•
Standard/target group programs	
Basic programmes	•
Programmes for the hotel and catering industry	
	•
Programmes for retirement and care homes Programmes for facility management	•
Programmes for facility management	•
Programmes for dry cleaners Programmes for small businesses	
Programmes for small businesses	•
Programmes for fire brigades and rescue services	•
Programmes for studs, riding schools, and stables	•
Programmes for positials	•
Programmes for sports clubs	•
Programmes for beauty clinics, spas, and fitness studios	•

^{*} Residual moisture specification relates to a hot rinse during the last rinse cycle.



PW 6241 [D ind. SOM MF]

Washing machine, steam heating (indirect) for marine requirements with liquid dispenser module.



EAN: 4002516447375 / Material number: 11813870 / Old Material Number: 51624145SOM

Diamonaina	
Dispensing Determine dispenses drawer	2 comportments
Detergent dispenser drawer	3 compartments
Liquid dispensing module Maximum purples of compactions for liquid dispenses.	10
Maximum number of connections for liquid dispenser pumps [number]	12
Empty sensor	•
Standard electrical connection	
Type of heating	Indirect steam
Electrical connection	3 AC 400V 60 HZ
Steam heater rating in kW	50.00
Total connected load in kW	6.10
Fuse rating in A	16
Water connection/drainage	10
Cold water [number]	3 x 1/2" hose w/ 3/4" union
	1x 1/2" hose w/ 3/4" th.
Hot water [number]	union 1x 1/2 nose w/ 3/4 tn.
Dump valve	DN 70
Steam connection	BIN 70
Steam connection	2 x ½"
Dimensions and weight	Z X /2
External dimensions, net height in inches	64 11/16 (1643)
External dimensions, net width in inches	
External dimensions, net depth in inches	42 7/8 (1089) 49 1/4 (1250)
External dimensions, gross height in inches	66 15/16 (1700)
External dimensions, gross width in inches	52 5/8 (1336)
External dimensions, gross depth in inches	60 1/4 (1530)
Net weight in lbs.(kg)	1434 (650.0)
Gross weight in lbs. Maximum floor load in N/m²	
Emission values	6931
	79 dP(A) ro 20 uPo
Emissions – sound pressure at workplace	78 dB(A) re 20 µPa
Heat dissipation into the room in BTU/h Features	4.70
	•
Patented preliminary drainage	_ `
Patented cleaning cloth program	_ `
Imbalance monitoring Temperature monitoring	
Special heater element	·
Automatic load control Plus	•
Volumetric flow meter (optional)	
Communication slot	
	_ `
Emergency shut off	_ `
Appliance-independent accessories	•
Efficiency and sustainability	06
Recycling rate in %	96
Connection options	
Payment system (optional)	
Optical interface for service access	
Serial interface module RS 232 (optional)	
Peak-load negotiation/energy management (optional)	•
Logging operating data	



PW 6241 [D ind. SOM MF] Washing machine, steam heating (indirect)

for marine requirements with liquid dispenser module.



EAN: 4002516447375 / Material number: 11813870 / Old Material Number: 51624145SOM

Water recovery (optional)	•
Capacities	
Respirator masks [number]	19
Overalls [number]	4
Over jackets [number]	6
Chemical protection overalls [number]	4
Synthetic duvets [number]	3
Synthetic pillows [number]	6
Feather duvets [number]	3
Feather pillows [number]	6
Cloths, 22 g/0.8 oz[number]	546
Cotton mops, 40 cm/15.7 in[number]	126
Cotton mops, 50 cm/19.7 in[number]	109
Microfibre mops, 40 cm/15.7 in [number]]	200
Microfibre mops, 50 cm/19.7 in [number]	141
Summer horse blankets [number]	4
Standards, test certificates, and symbols	
CE	•
VDE	<u> </u>
Splash protection IPX4	<u> </u>
UKCA	•
WEEE	<u> </u>
Complies with Machinery Directive 2006/42/EC	•