



- Drum volume 8.48 (240) ft³ (l), load size 55 (24.5) lb (kg)
- Large program variety application-specific wash programs
- Gentle laundry care thanks to the Miele honeycomb drum
- Particularly efficient low water and energy consumption
- Perfect spinning results residual moisture 43 %^{*}, g-factor447

Residual moisture specification relates to a hot rinse during the last rinse cycle.

EAN: 4002516585534 / Material number: 12092220 / Old Material Number: 51624189NAM

Construction type and design	
Construction type and design	Front looder
Product line	Front loader Professional
Front	Iron Grey
Control panel color	Stainless Steel
	1:10
Load in lbs	55 (24.5)
Drum volume in cubic feet (I)	8.48 (240)
Door opening [Ø] in in.(mm)	16 15/16 (430)
Door opening angle in degrees	180
Door hinging	right
Maintenance-free motor with frequency converter	•
Honeycomb drum	•
Application	
Suitable for the hotel and catering industry	•
Suitable for senior living facilities	•
Suitable for facility management	•
Suitable for dry cleaners	•
Suitable for commercial laundries	•
Suitable for fire brigades and rescue services	•
Suitable for studs, riding schools and stables	•
Suitable for universities, nurseries, and schools	•
Suitable for hospitals	•
Suitable for sports clubs	•
Suitable for beauty salons, spas, and fitness centers	•
Suitable for the petrochemical industry	•
Performance data	
Tested virucidal efficacy	•
Proven hygiene	•
Specific water consumption for cold water connection in gal/lb	9.00
Specific energy consumption for cold water connection in kWh/lb	0.26
Specific water consumption for hot water connection in I/kg	8.80
Specific energy consumption for hot water connection in kWh/lb	0.10
Water consumption for cold water connection in I	216.0
Energy consumption for cold water connection in kWh	6.24
Energy consumption for cold water connection in Mops standard program in kWh	6.56
Program duration in minutes with cold water connection	55
Water consumption for hot water connection in I	211.0
Water consumption for hot water connection in Mops	276.1
standard program in gal	
Energy consumption for hot water connection in kW	2.40
Energy consumption for hot water connection in Mops standard program in kWh	1.66
Program duration in minutes with hot water connection	47
Water consumption in ECO program for cold water connection in I	212.3





EAN: 4002516585534 / Material number: 12092220 / Old Material Number: 51624189NAM

Energy consumption in ECO program for cold water connection in kWh	5.04
Program duration in minutes for ECO program with cold water connection	46
Water consumption in ECO program for hot water connection in I	212.5
Energy consumption in ECO program for hot water connection in kWh	1.44
Program duration in minutes for ECO program with hot water connection	36
Program runtime in minutes for Mops standard program with cold water connection	70
Program runtime in minutes for Mops standard program with hot water connection	53
Residual moisture with cold rinse in %	46
Residual moisture with hot rinse in %	43
Residual moisture when processing cleaning cloths in %	25
Spin speed in rpm	1100
g factor	447
Tested operating hours	30000
Control	
Control system	Profitronic M
Programmability	Freely programmable
Max. delay start in h	Can be selected freely
Countdown indicator	•
Program sequence indicator	•
Choice of display language	•
Univide di display la lyuaye	
Option to enter weight prior to start of program	•
	•
Option to enter weight prior to start of program	•
Option to enter weight prior to start of program Standard/target group programs	•
Option to enter weight prior to start of program Standard/target group programs Basic programmes	• 3 compartments
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing	• 3 compartments
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer	• 3 compartments • 12
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser	•
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number]	• 12
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number] Empty sensor	• 12
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number] Empty sensor Standard electrical connection	• 12 •
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number] Empty sensor Standard electrical connection Type of heating	
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number] Empty sensor Standard electrical connection Type of heating Electrical connection Steam heater rating in kW Total connected load in kW	Indirect steam 240V 60HZ 1 PH 3 WIRE 50.00 4.40
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number] Empty sensor Standard electrical connection Type of heating Electrical connection Steam heater rating in kW Total connected load in kW Fuse rating in A	12 Indirect steam 240V 60HZ 1 PH 3 WIRE 50.00
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number] Empty sensor Standard electrical connection Type of heating Electrical connection Steam heater rating in kW Total connected load in kW Fuse rating in A Water connection/drainage	Indirect steam Indirect steam 240V 60HZ 1 PH 3 WIRE 50.00 4.40 30
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number] Empty sensor Standard electrical connection Type of heating Electrical connection Steam heater rating in kW Total connected load in kW Fuse rating in A Water connection/drainage Cold water [number]	Indirect steam Indirect steam 240V 60HZ 1 PH 3 WIRE 50.00 4.40 30 2x 1/2" hose w/ 3/4" th. union
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number] Empty sensor Standard electrical connection Type of heating Electrical connection Steam heater rating in kW Total connected load in kW Fuse rating in A Water connection/drainage	Indirect steam Indirect steam 240V 60HZ 1 PH 3 WIRE 50.00 4.40 30 2x 1/2" hose w/ 3/4" th.
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number] Empty sensor Standard electrical connection Type of heating Electrical connection Steam heater rating in kW Total connected load in kW Fuse rating in A Water connection/drainage Cold water [number]	Indirect steam Indirect steam 240V 60HZ 1 PH 3 WIRE 50.00 4.40 30 2x 1/2" hose w/ 3/4" th. union 1x 1/2" hose w/ 3/4" th.
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number] Empty sensor Standard electrical connection Type of heating Electrical connection Steam heater rating in kW Total connected load in kW Fuse rating in A Water connection/drainage Cold water [number]	Indirect steam Indirect steam 240V 60HZ 1 PH 3 WIRE 50.00 4.40 30 2x 1/2" hose w/ 3/4" th. union 1x 1/2" hose w/ 3/4" th. union
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number] Empty sensor Standard electrical connection Type of heating Electrical connection Steam heater rating in kW Total connected load in kW Fuse rating in A Water connection/drainage Cold water [number] Hot water [number] Dump valve	Indirect steam Indirect steam 240V 60HZ 1 PH 3 WIRE 50.00 4.40 30 2x 1/2" hose w/ 3/4" th. union 1x 1/2" hose w/ 3/4" th. union
Option to enter weight prior to start of program Standard/target group programs Basic programmes Dispensing Detergent dispenser drawer Liquid dispensing module (optional) Maximum number of connections for liquid dispenser pumps [number] Empty sensor Standard electrical connection Type of heating Electrical connection Steam heater rating in kW Total connected load in kW Fuse rating in A Water connection/drainage Cold water [number] Hot water [number] Dump valve Steam connection	



EAN: 4002516585534 / Material number: 12092220 / Old Material Number: 51624189NAM

External dimensions, net width in inches	42 7/8 (1089)
External dimensions, net depth in inches	51 9/16 (1309)
External dimensions, gross height in inches	67 3/8 (1710)
External dimensions, gross width in inches	49 11/16 (1262)
External dimensions, gross depth in inches	58 (1472)
Net weight in lbs.(kg)	1456 (660.0)
Gross weight in lbs.	1568 (711)
Maximum floor load in N/m ²	9049
Emission values	
Emissions – sound pressure at workplace	73 dB(A) re 20 µPa
Heat dissipation into the room in BTU/h	4.70
Features	
Patented preliminary drainage	•
Patented cleaning cloth program	•
Imbalance monitoring	•
Temperature monitoring	•
Automatic load control Plus	•
Volumetric flow meter (optional)	•
Communication slot	•
Emergency shut off	•
Appliance-independent accessories	
Efficiency and sustainability	
Recycling rate in %	96
Connection options	30
Payment system (optional)	•
Optical interface for service access	
Serial interface module RS 232 (optional)	•
Peak-load negotiation/energy management (optional)	•
Logging operating data	•
Water recovery (optional)	•
Capacities	
Respirator masks [number]	20
Helmets [number]	6
Overalls [number]	4
Over jackets [number]	6
Chemical protection overalls [number]	2
Synthetic duvets [number]	2
Synthetic pillows [number]	4
Faathar dulvats inlimnari	.)
Feather duvets [number]	<u>2</u> 4
Feather pillows [number]	4
Feather pillows [number] Cloths, 22 g/0.8 oz[number]	4 578
Feather pillows [number] Cloths, 22 g/0.8 oz[number] Cotton mops, 40 cm/15.7 in[number]	4 578 126
Feather pillows [number] Cloths, 22 g/0.8 oz[number] Cotton mops, 40 cm/15.7 in[number] Cotton mops, 50 cm/19.7 in[number]	4 578 126 112
Feather pillows [number] Cloths, 22 g/0.8 oz[number] Cotton mops, 40 cm/15.7 in[number] Cotton mops, 50 cm/19.7 in[number] Microfibre mops, 40 cm/15.7 in [number]	4 578 126 112 223
Feather pillows [number] Cloths, 22 g/0.8 oz[number] Cotton mops, 40 cm/15.7 in[number] Cotton mops, 50 cm/19.7 in[number] Microfibre mops, 40 cm/15.7 in [number] Microfibre mops, 50 cm/19.7 in [number]	4 578 126 112 223 146
Feather pillows [number] Cloths, 22 g/0.8 oz[number] Cotton mops, 40 cm/15.7 in[number] Cotton mops, 50 cm/19.7 in[number] Microfibre mops, 40 cm/15.7 in [number] Microfibre mops, 50 cm/19.7 in [number] Mops, office, 100 g [quantity]	4 578 126 112 223 146 233
Feather pillows [number] Cloths, 22 g/0.8 oz[number] Cotton mops, 40 cm/15.7 in[number] Cotton mops, 50 cm/19.7 in[number] Microfibre mops, 40 cm/15.7 in [number] Microfibre mops, 50 cm/19.7 in [number] Mops, office, 100 g [quantity] Mops, stairway, 150 g [quantity]	4 578 126 112 223 146 233 155
Feather pillows [number] Cloths, 22 g/0.8 oz[number] Cotton mops, 40 cm/15.7 in[number] Cotton mops, 50 cm/19.7 in[number] Microfibre mops, 40 cm/15.7 in [number] Microfibre mops, 50 cm/19.7 in [number] Mops, office, 100 g [quantity] Mops, stairway, 150 g [quantity] Summer horse blankets [number]	4 578 126 112 223 146 233
Feather pillows [number] Cloths, 22 g/0.8 oz[number] Cotton mops, 40 cm/15.7 in[number] Cotton mops, 50 cm/19.7 in[number] Microfibre mops, 40 cm/15.7 in [number] Microfibre mops, 50 cm/19.7 in [number] Mops, office, 100 g [quantity] Mops, stairway, 150 g [quantity] Summer horse blankets [number] Standards, test certificates, and symbols	4 578 126 112 223 146 233 155 4
Feather pillows [number] Cloths, 22 g/0.8 oz[number] Cotton mops, 40 cm/15.7 in[number] Cotton mops, 50 cm/19.7 in[number] Microfibre mops, 40 cm/15.7 in [number] Microfibre mops, 50 cm/19.7 in [number] Mops, office, 100 g [quantity] Mops, stairway, 150 g [quantity] Summer horse blankets [number]	4 578 126 112 223 146 233 155





EAN: 4002516585534 / Material number: 12092220 / Old Material Number: 51624189NAM

•

Complies with Machinery Directive 2006/42/EC