

## KFN 9859 iDE PerfectCool fridge-freezer maximum convenience thanks to generous large capacity and ice maker.



- Optimum and maintenance-free LED lighting in compartment
- Store food anywhere in the refrigerator Dynamic cooling
- No icing up of food and no need to defrost thanks to Frost free
- Ice cubes thanks to the plumbed IceMaker
- Door shelves can be cleaned in the dishwasher ComfortClean

EAN: 4002516611226 / Material number: 12153760 / Old Material Number: 38985952USA

| Angliana ataun   |               |
|--|---------------|
| Appliance category   |               |
| Fridge-freezer   | •             |
| Construction type  |               |
| Built-in   |               |
| Built-in integrated  | •             |
| Door hinge side  | Left          |
| Design   | 1.50          |
| Type of lighting   | LED           |
| Control panel  |               |
| ComfortClean   |               |
| DynaCool   |               |
| NoFrost  |               |
| DuplexCool   | <u>•</u>      |
| SoftClose door closing damper                                      |               |
| IceMaker with plumbed water connection                             | •             |
| Control  |               |
| Fridge compartment can be switched off                             | Yes           |
| Independent temperature control of fridge and freezer compartments | No            |
| Super Cooling  | •             |
| No. of temperature zones   | 2             |
| Fridge / Fridge compartment  |               |
| No. of shelves   | _ 3           |
| Chrome-plated metal bottle rack                                    | •             |
| Number of door racks for cans                                      | 2             |
| Inner door racks for bottles                                       | 1             |
| Freezer/Freezer compartment  |               |
| Number of freezer drawers  | 2             |
| Efficiency and sustainability                                      |               |
| Energy Star Qualified  | •             |
| Safety   |               |
| Optical door alarm   | •             |
| Optical temperature alarm  | •             |
| Power cut indication for freezer compartment                       | •             |
| Technical data   |               |
| Niche width in inches (mm), min.                                   | 30 (762)      |
| Niche width in inches (mm), max.                                   | 30 (762)      |
| Niche height in inches (mm), min.                                  | 80 (2032)     |
| Niche height in inches (mm), max.                                  | 81 5/8 (2072) |
| Niche depth in in.(mm)   | 24 1/8 (610)  |
| Appliance width in in.(mm)   | 29 7/8 (757)  |
| Appliance height in in.(mm)  | 79 3/4 (2024) |
| Appliance depth in in.(mm)   | 24 1/8 (610)  |
| Weight in lbs.(kg)   | 309 (140.0)   |
| Type of mounting   | Fixed door    |
| Climatic classification  | SN-T          |
| Total usable capacity in cu. ft. (I)                               | 14.13 (400)   |
| Storage time in case of fault in h                                 | 30            |
| Current consumption in milliampere (mA)                            | 2500          |
| Voltage in V   | 115           |
|  |               |



## KFN 9859 iDE PerfectCool fridge-freezer maximum convenience thanks to generous large capacity and ice maker.

EAN: 4002516611226 / Material number: 12153760 / Old Material Number: 38985952USA




| Fuse rating in A      | 10               |
|-----------------------|------------------|
| Number of phases      | 1                |
| Frequency in Hz       | 60               |
| Wire length in ft (m) | 9 (2.8)          |
| Replacing bulbs       | Customer Service |



## KFN 9859 iDE

PerfectCool fridge-freezer

maximum convenience thanks to generous large capacity and ice maker.



KFN9859iDE, KFN9855iDE with footnote\* (installation drawings)

```
* A = 3" ( 76 mm), B = 79 \cdot 13/16" ( 2027 mm), C = 29 \cdot 7/8" ( 757 mm), D = 24" ( 610 mm), E = 55 \cdot 1/4" ( 1413 mm), F = 37 \cdot 1/8" ( 952 mm)
```