

Miele

SmartBiz


Washing Machines and Dryers

Miele Professional. Immer Besser.



Washing Machine

Technical data



COMPLIANT
WITH MACHINERY
GUIDELINE
2006/42/EC



Technical data	PWM 1108
Frontloader, door opening [Ø mm]	300
Performance data	
Load capacity [kg]	8
Honeycomb drum, drum volume [l]	64
Max. spin speed [max. rpm]	1400
g factor	535
Residual moisture [%]	49
Controls/programmes	
DirectSensor display, 7-segment, rotary selector with local-language text	◆
Delay start, max. 24 h	◆
Mobile Start	◆
Efficiency and sustainability	
WELS Rating (C02360/1016)	4.5
Water consumption with cold water connection in l	52.0
Energy Rating	4.5
Water connections	
1 x cold water, 1/2" mit with 3/4" threaded union	◆
Drain pump (LP) DN 22	◆
Drive/electrical connections	
AC 230 V 50 Hz	◆
Drying Class [kW]	2.10
Total rated load [kW]	2.3
Fuse rating [A] (provided with plug)	1 x 10
Dispensing system	
3-compartment front dispenser	◆
Dimensions, weight	
External dimensions H/W/D [mm]	850/596/636
Weight, net [kg]	91
Installation as washer-dryer stack possible	◆
Outer casing	
Lid Lotus White, fascia stainless steel, front and side panels Lotus White (LW)	◆
Programme running time	
Cottons 60°C [mins.]	79



DirectSensor controls

- Rotary selector with local-language text
- The display provides information on the temperature, spin speed and countdown time

Designation	Casing/Front	Load capacity	Material number	Art. no.	EAN
PWM 1108 SmartBiz [EL DP]	LW	8 kg	12507000	51110801AUS	4002516811305


Accessories	Description	Material number	Art. no.	EAN
APCL 031	Washer-dryer stacking kit, lotus white, for space-saving and secure installation of washer-dryer stacks.	11458220	59590026D	4002516298427
APCL 028	Washer/dryer stacking kit, lotus white, with integrated drawer for particularly convenient washer-dryer stacks.	11458230	59590023D	4002516298434
APCL 041	Plinth with drawer, 35 cm high, for ergonomic loading and unloading of washing machines and dryers.	11477320	59590036D	4002516306139

Wash programmes

Designation	PWM 1108
Programme	DirectSensor
Standard programmes	
Whites	◆
Coloured items	◆
Minimum iron	◆
Delicates	◆
Express/Mini	◆
Towelling	◆
Woollens	◆
Drain/Spin	◆
ECO 40-60	◆
Intensive	◆
Workwear	
Mops & cloths	◆
Disinfection	
Disinfection 60°C 30 mins.	◆

Dryers

Technical data




COMPLIANT
WITH MACHINERY
GUIDELINE
2006/42/EC



Technical data	PDR 1108 HP
Frontloader, door opening [Ø mm]	370
Performance data	
Load capacity [kg]	8
Honeycomb drum, drum volume [l]	120
Drying system	Heat pump
Drain connection DN 10	◆
Features	
PerfectDry residual-moisture controls	◆
Drum lighting	◆
Controls/programmes	
DirectSensor display, 7-segment, rotary selector with local-language text	◆
Delay start, max. 24 h	◆
Mobile Start	◆
Wash2Dry	◆
Efficiency and sustainability	
Energy Rating	9
Specific energy consumption for Cottons/Normal drying programme with residual moisture at 48 % in kWh	0.14
Emission sound pressure level in the workplace	<70 dB(A) re 20 µPa
Drive/electrical connections	
AC 230 V 50 Hz	◆
Total rated load [kW]	1.1
Fuse rating [A] (plug included)	1 x 10
Dimensions, weight	
External dimensions H/W/D [mm]	850/596/636
Weight, net [kg]	53.5
Installation as washer-dryer stack possible	◇
Outer casing	
Lid Lotus White, fascia stainless steel, front and side panels Lotus White (LW)	◆
Programme running time	
'Cottons Normal Dry' [min]	134
'Mixed load Normal Dry' programme	112

* Warm start, without cooldown



DirectSensor controls

- Rotary selector with local-language text
- The display provides information on the temperature, spin speed and countdown time

Designation	Casing/Front	Load capacity	Material number	Art. no.	EAN
PDR 1108 SmartBiz HP [EL]	LW	8 kg	12507330	52110801AUS	4002516799764

Accessories	Description	Material number	Art. no.	EAN
APCL 031	Washer-dryer stacking kit, lotus white, for space-saving and secure installation of washer-dryer stacks.	11458220	59590026D	4002516298427
APCL 028	Washer/dryer stacking kit, lotus white, with integrated drawer for particularly convenient washer-dryer stacks.	11458230	59590023D	4002516298434
APCL 041	Plinth with drawer, 35 cm high, for ergonomic loading and unloading of washing machines and dryers.	11477320	59590036D	4002516306139

Drying programmes

Designation	PDR 1108
Programme	DirectSensor
Standard programmes	
ECO <input type="checkbox"/>	◆
Cottons	◆
Minimum iron	◆
Express	◆
Woollens	◆
Towelling	◆
DryCare 40	◆
Microfibres	◆
Timed drying/Warm air	◆
Home textiles	
Bed linen	◆

Abbreviations and Symbols

Abbreviations

APCL	Accessories Professional Commercial Laundry
DP	Drain pump
EL	Electric heating
HP	Heat pump
LW	Lotus white
PDR	Professional tumble dryers
PWM	Professional washing machines
SmartBiz	Marketing designation

Characters

◆	Standard
◇	Optional
–	Not available





Miele

Miele Australia and New Zealand
www.miele.com.au/professional
professional.sales@miele.com.au
AUS 1300 731 411 | NZ 0800 002 593