

Miele

Dishwasher accessories
for a perfect workflow
in commercial kitchens

Miele Professional. Immer Besser.



Upper and lower baskets for PG 8061 model series



O 891 upper basket

- For cups, saucers and dessert plates
- With E 810 insert for 33 saucers or 17 dessert plates
- Plastic-coated wire basket
- 2 hinged cup racks for 20 cups
- 2-stage height adjustment by 50 mm
- Integrated spray arm, docking to rear
- Max. vertical clearance 200 mm
- H 190, W 518, D 486 mm



O 892 upper basket

- For glasses and stemware
- With E 812 insert for glasses and 2 glass rails
- Plastic-coated wire basket
- Integrated spray arm, docking to rear
- Max. vertical clearance 200 mm
- H 190, W 518, D 486 mm



U 890 lower basket

- For inserts or plastic baskets (500 x 500 mm)
- Plastic-coated wire basket
- H 100, W 517, D 532 mm



U 881 lower basket

- Fixed insert for 54 saucers
- Plastic-coated wire basket
- Option: E809 insert for 23 cups Ø 90 mm to be top mounted on lower basket U881 for 2nd loading level on lower basket (increased throughput)
- H 98.5 (188), W 529, D 515 mm

| Article | Features | Art. no. |
|---------|--|------------|
| O 891 | Upper basket for cups/saucers, etc. | 67.1891.01 |
| O 892 | Upper basket for glasses | 67.1892.01 |
| U 890 | Lower basket for inserts | 67.1890.01 |
| U 881 | Lower basket with fixed insert for saucers | 4906620 |

Basket carriers for PG 8061 series



O 899 upper basket carrier

- Upper basket for various inserts
- Plastic-coated wire basket
- Integrated spray arm, docking to rear
- 2-stage height adjustment by 50 mm
- Max. vertical clearance 200 mm
- H 190, W 518, D 486 mm



O 885 upper basket carrier

- For 500 x 500mm plastic baskets and inserts
- Stainless steel
- Max. vertical clearance 130 mm*
- H 119, W 530, D 516 mm



U 876 open-fronted carrier

- For 500 x 500 mm plastic baskets and various inserts
- Stainless steel
- Max. vertical clearance 230 mm*
- H 50, W 535, D 500 mm

* With O 885 upper basket carrier



Sample load arrangement:

PG 8061 with O 885 and U 890
and U 502 and U 508 baskets

| Article | Features | Art. no. |
|---------|--|------------|
| O 899 | Upper basket for inserts | 67.1899.01 |
| O 885 | Upper basket for plastic baskets and inserts | 67.1885.01 |
| U 876 | Lower basket for inserts and plastic baskets | 67.1875.01 |

Inserts for upper and lower baskets for PG 8061 model series



E 816 plate insert


- Plastic-coated wire basket
- For use in U 890 lower basket
2 positions possible

Load arrangement without cutlery holder

- For 19 plates, 250 mm Ø
- For 19 plates, 330 mm Ø

Load arrangement with cutlery holder

- For 16 plates, 250 mm Ø
- For 16 plates, 330 mm Ø



E 216 plate insert

- For 15 plates, 240 mm Ø
- Plastic-coated wire basket
- For use in U 890 lower basket
- Accommodates E 165 cutlery holder



E 810 plate insert

- For 33 saucers or 17 dessert plates
- Plastic-coated wire basket
- For use in O 891 upper basket



E 888 plate insert

- For 18 plates, 300 mm Ø
- Plastic-coated wire basket
- For use in U 890 lower basket
- Rests spaced 30 mm apart
- Rest height 175 mm
- H 175, W 460, D 460 mm



E 809 lower basket - Top insert

- For 23 cups, 90 mm Ø
- Plastic-coated wire basket
- Fits **on top** of U 881 lower basket
- H 71, W 506, D 495



E 9 insert

- For pots and pans, bowls and dishes
- Plastic-coated wire basket
- For use in U 890 lower basket
- Rests spaced 45 mm apart
- Rest height 105 mm
- H 115, W 225, D 416 mm


| Article | Features | Art. no. |
|---------|-----------------------------------|------------|
| E 816 | Plate insert for lower basket | 67.5816.01 |
| E 216 | Plate insert for lower basket | 3809080 |
| E 810 | Plate insert for upper basket | 67.5810.01 |
| E 888 | Plate insert for lower basket | 5018690 |
| E 809 | Top insert for lower basket | 5018650 |
| E 9 | Insert for large individual items | 3808260 |

Inserts for upper and lower baskets for PG 8061 model series



E 165 cutlery basket

- Plastic holder
- For use in E 816
- 3 compartments, 70 x 64 mm
- H 110, W 70, D 218 mm



E 167 cutlery basket

- Plastic holder
- For use in plate baskets U 502 and U 506
- 7 compartments
- H 106, W 440, D 50 mm



E 437 cutlery insert

- Stainless-steel container with carrying handle
- For use in O 885 open-fronted upper carriers and U 876 open-fronted lower carrier
- 18 compartments, 59 x 44 mm
- 2 compartments, 59 x 59 mm
- 16 compartments, 4 x 44 mm
- H 70, (128 with handle), W 211, D 436 mm



E 884 insert

- For 10 large trays or platters
- Plastic-coated wire basket
- For use in U 890 lower basket
- Rests spaced 32 mm apart
- Rest height 175 mm
- H 175, W 460, D 460 mm

| Article | Features | Art. no. |
|---------|------------------------------------|------------|
| E 165 | Cutlery holder, 3 compartments | 3808830 |
| E 167 | Cutlery holder, 7 compartments | 67.6167.01 |
| E 437 | Cutlery holder, 36 compartments | 4326640 |
| E 884 | Insert for baking sheets, platters | 5018680 |

Inserts for upper and lower baskets for PG 8061 model series



E 205 insert for glasses

- For 17 glasses, Ø 66 mm
- Plastic-coated wire basket
- For use in U 890 lower basket
- Rests spaced 220 mm apart
- Perforated plate to reduce impact of water jets
- H 221, W 243, D 494 mm



E 459 insert for glasses

- For 12 glasses, Ø 70 mm
- Stainless steel
- For use in U 876 lower basket
- Max. glass height 220 mm
- H 170, W 200, D 460 mm



E 815 insert for glasses

- For 10 wheat beer glasses
- Plastic-coated wire basket
- For use in U 890 lower basket
- Rests spaced 95 mm apart
- Rest height 240 mm
- H 252, W 220, D 513 mm




E 812 insert for glasses

- Plastic-coated wire basket
- For use in O 891 and O 892



E 166 perforated plate

- For use, e.g. in U 890 or U 876 lower baskets
- H 1, W 460, D 460 mm



E 10 Perforated plate (picture left)

- Plastic-coated perforated plate
- For use, e.g. in U 890, U 880, U 876
- Perforation 17 x 17 mm
- W 495, D 222 mm

E 11 Perforated plate (picture left)

- Plastic-coated perforated plate
- For use, e.g. in O 899
- Perforation 17 x 17 mm
- W 460, D 222 mm

| Article | Features | Art. no. |
|---------|--------------------|------------|
| E 205 | Insert for glasses | 3808980 |
| E 459 | Insert for glasses | 4326630 |
| E 815 | Insert for glasses | 5018670 |
| E 812 | Insert for glasses | 67.5812.01 |
| E 166 | Perforated plate | 3808850 |
| E 10 | Perforated plate | 9627360 |
| E 11 | Perforated plate | 9752140 |

Baskets for freshwater or tank dishwashers, Basket size 500 x 500 mm



U 502 plate basket

- For up to 18 large plates
- Plastic basket
- 6 or 9 rows
- Rests spaced 70 mm or 45 mm apart
- H 109, W 500, D 500 mm

Option: E 167 cutlery basket

- For use in U 502 plate basket
- 7 compartments
- H 106, W 440, D 50 mm



U 503 universal/cutlery basket

- Suitable for cutlery, bowls, cups, utensils etc.
- Plastic basket
- Narrow-mesh base
- H 109, W 500, D 500 mm



U 504 cutlery basket

- Plastic-coated wire basket
- Plastic cutlery holder
- 9 compartments
- Compartment size 106 x 106 mm
- H 145, W 500, D 500 mm



U 505 multi-purpose basket

- For pots and pans, larger items, etc.
- Plastic basket
- Interior height 110-160 mm
- Coarse-mesh base
- H 195, W 500, D 500 mm



U 506 plate basket

- Plastic-coated wire basket
- 8 rows
- Rests spaced 54 mm apart
- Accommodates E 167 cutlery holder
- H 92, W 500, D 500 mm



U 507 bistro basket

- Plastic-coated wire basket
- Spacing (tall) 92/113/98 mm
- Spacing (low) 52/49/49 mm
- H 165, W 500, D 500 mm

| Article | Features | Art. no. |
|---------|--------------------------|------------|
| U 502 | Plate basket | 67.6502.01 |
| U 503 | Universal/cutlery basket | 67.6503.01 |
| U 504 | Cutlery basket | 67.6504.01 |
| U 505 | Multi-purpose basket | 67.6505.01 |
| U 506 | Plate basket | 67.6506.01 |
| U 507 | Bistro basket | 67.6507.01 |

Baskets for tank or fresh water dishwashers, Basket size 500 x 500 mm



U 508 cup/mug basket

- Plastic basket
- 4 rows
- For cups and mugs, 100 mm Ø
- H 104, W 500, D 500 mm



U 513 basket for trays

- Plastic basket, one side open
- 9 rows
- Rests spaced 45 mm apart
- H 109, W 500, D 500 mm

Not suitable for PG 8061 dishwashers



U 520 glassware basket

- Plastic basket for 36 glasses
- 6 x 6 compartments
- Compartment size 73 x 73 mm
- H 104, W 500, D 500 mm



U 524 glassware basket

- Plastic-coated wire basket
- 4 rows for glasses, Ø 100 mm
- H 184, W 500, D 500 mm



U 525 glassware basket

- Plastic-coated wire basket
- 5 rows for glasses, Ø 80 mm
- H 184, W 500, D 500 mm

| Article | Features | Art. no. |
|---------|--------------------------|------------|
| U 508 | Basket for cups and mugs | 67.6508.01 |
| U 513 | Basket for trays | 67.6513.01 |
| U 520 | Glassware basket | 67.6520.01 |
| U 524 | Glassware basket | 67.6524.01 |
| U 525 | Glassware basket | 67.6525.01 |

Basket size 530 x 500 mm (U 313/2)



U 313/2 basket for trays

- Plastic basket with pre-fitted skids
- Insert for 10 trays fitted
530 x 275 mm
- Rests spaced 24 mm apart
- Rest height 160 mm
- H 179, W 530, D 498 mm

| Article | Features | Art. no. |
|---------|------------------|------------|
| U 313/2 | Basket for trays | 67.6313.05 |

500 x 500 mm glassware basket sets for tank or freshwater dishwashers, Basket sets with shallow top frame




U 534 glassware basket

- Plastic basket for 16 glasses
- 4 x 4 compartments
- Compartment size 113 x 113 mm



U 535 glassware basket

- Plastic basket for 25 glasses
- 5 x 5 compartments
- Compartment size 90 x 90 mm




U 536 glassware basket

- Plastic basket for 36 glasses
- 6 x 6 compartments
- Compartment size 73 x 73 mm



U 537 glassware basket

- Plastic basket for 49 glasses
- 7 x 7 compartments
- Compartment size 63 x 63 mm



Glass heights for all basket sets with shallow top frame:

- Max. 73 mm without extenders and without top frame
- 110–140 mm with short extenders*
- 175–200 mm with long extenders*

Short and long extender are supplied with basket

| Article | Features | Art. no. |
|---------|-------------------------------|------------|
| U 534 | 16 glasses, shallow top frame | 67.6534.01 |
| U 535 | 25 glasses, shallow top frame | 67.6535.01 |
| U 536 | 36 glasses, shallow top frame | 67.6536.01 |
| U 537 | 49 glasses, shallow top frame | 67.6537.01 |

500 x 500 mm glassware basket sets for tank or freshwater dishwashers, Basket sets with high top frame



U 544 glassware basket

- Plastic basket for 16 glasses
- 4 x 4 compartments
- Compartment size 113 x 113 mm



U 545 glassware basket

- Plastic basket for 25 glasses
- 5 x 5 compartments
- Compartment size 90 x 90 mm




U 546 glassware basket

- Plastic basket for 36 glasses
- 6 x 6 compartments
- Compartment size 73 x 73 mm



U 547 glassware basket

- Plastic basket for 49 glasses
- 7 x 7 compartments
- Compartment size 63 x 63 mm



Glass heights for all basket sets with deep top frame:

- Max. 73 mm without extenders and without top frame
- 140–175 mm with short extenders*
- 200–230 mm with long extenders*

Short and long extender are supplied with basket

*Depending on requirements, the basket can be fitted with securely fitting short or long spacers.

| Article | Features | Art. no. |
|---------|----------------------------|------------|
| U 544 | 16 glasses, deep top frame | 67.6544.01 |
| U 545 | 25 glasses, deep top frame | 67.6545.01 |
| U 546 | 36 glasses, deep top frame | 67.6546.01 |
| U 547 | 49 glasses, deep top frame | 67.6547.01 |

Accessories for PG 8061 series



ABL 50 spacer trim

- Option for build-in version of PG 8061
- Allows height adjustment to 720 mm cabinet size
- Height 50 mm
- Stainless steel



SBU toe-kick panel

- **Option for build-in version of PG 8061**
- Supplied with PG8061U
- Plinth fascia for non-continuous plinth fascias
- H 125, W 595, D 20 mm
- Height-adjustable by 25 mm (805-830 mm)
- Depth-adjustable by 34 mm (74-108 mm)



STAND 2 toe-kick enclosure

- Option for build-in version of PG 8061
- Toe-kick enclosure with 2 brackets
- H 140, W 598, D 127 mm
- Stainless steel



| Article | Features | Art. no. |
|---------|-------------------------------------|------------|
| ABL 50 | Spacer trim, stainless steel | 67.2114.01 |
| SBU | SBU toe-kick panel | 67.2115.01 |
| STAND 2 | Toe-kick enclosure, stainless steel | 67.2116.05 |

Accessories for PG 8061 series



STAND 1-80 freestanding conversion kit

- For PG 8061U only: Conversion kit to convert build-under version to free-standing version
- Includes Toe-kick enclosure with 2 brackets, lid and rear panel Stainless steel



DEF-80 lid

- PG 8061
- H 15, W 600, D 600 mm
- Stainless steel



BKS-80

- Mounting Kit to attach kitchen furniture toe-kick panel



ADB

- Cover panel for undercounter use (between dishwasher and worktop)



VGF-900

- Extended machine feet
- Max. height without lid 900 mm
- Height adjustable -0/+80 to 900 mm

| Article | Features | Art. no. |
|------------|--|---------------|
| STAND 1-80 | Freestanding conversion kit, stainless steel | 67.2116.03USA |
| DEF-80 | Lid, stainless steel | 67.2160.05 |
| BKS-80 | Fitting kit | 67.2115.05 |
| ADB | Cover plate | 9715590 |
| VGF-900 | Extended machine feet | 67.5009.07 |

Accessories for PG 8061 and G 8066 tank dishwashers



UO 30-60/80 base

- Can be used with PG 8061 and G 8066
- Open base
- Can be bolted to machine
- Stainless steel
- H 300, W 600, D 600 mm

UO 52-60/80 base (not illustrated)

- Can be used with PG 8061 and G 8066
- Open base
- Can be bolted to machine
- Stainless steel
- H 520, W 600, D 600 mm



UG 30-60/80 base

- Can be used with PG 8061 and G 8066
- Enclosed base, can be installed with closed or open front, open front setup can be used for detergent storage
- Can be bolted to machine
- Stainless steel
- H 300, W 600, D 600 mm

UG 52-60/80 base (not illustrated)

- Can be used with PG 8061 and G 8066
- Enclosed base, can be installed with closed or open front, open front setup can be used for detergent storage
- Can be bolted to machine
- Stainless steel
- H 520, W 600, D 600 mm

| Article | Features | Art. no. |
|-------------|--------------------|------------|
| UO 30-60/80 | Open base, H 30 cm | 67.3761.03 |
| UO 52-60/80 | Open base, H 52 cm | 67.3761.07 |
| UG 30-60/80 | Box base, H 30 cm | 67.3761.04 |
| UG 52-60/80 | Box base, H 52 cm | 67.3761.08 |

Accessories for tank dishwashers



KTU 530

- Stainless steel reinforcements
- Conversion kit for larger baskets, e.g. 530 x 530 mm, to replace standard basket carrier in PG 8172 dishwasher



DET-60/1 lid

- For G 8066 as freestanding unit
- Stainless steel
- H 15, W 600, D 600 mm

| Article | Features | Art. no. |
|----------|----------------|------------|
| KTU 530 | Basket carrier | 67.8530.04 |
| DET-60/1 | Lid | 67.2160.02 |

Accessories

Dispenser models for commercial dishwashers



DOS G 80 dispenser module

- Peristaltic dispenser pump for liquid detergent
- Concentration adjustable via machine controls
- 333 mm siphon for 5 and 10 l canisters
- Conversion kit for 10-30 l canisters via Miele Service
- 'Container empty' indicator

For PG 8061 and G 8066 dishwashers

Note:

When connecting a DOS G 60 to a PG 8061 dishwasher, the adapter AD 60 (Art. no. 9778670) is required.

| Article | Features | Art. no. |
|----------|---------------------------------------|-------------|
| DOS G 80 | Dispenser module, 5-10L suction lance | 67747020USA |

Accessories for partially demineralized water for PG 8172



LP 2800 Cartridge for partial water demineralization

- Cartridge, without resin
- Max. flow volume 800 l/h
- Max. water intake temperature 40° C
- Pressure rating 100 – 1000kPa (14.5-145 psi)
- Ø 230 mm (9 1/4"), H 570 mm (21")
- 3/4"- threaded union
- Capacity: 19 l of resin
- Resin exhaustion measured by FM FlowMeter
- Stainless steel
- Weight 22 kg (48 lbs)



TE P 2000 Cartridge for partial water demineralization

- As LP 2800, requires less space
- Supplied **with** resin
- Max. flow volume 450 l/h
- Capacity: 12.5L of resin
- Ø 230 mm (9 1/4"), H 410 mm (16 1/4")
- Weight 16 kg (35 lbs)



FM FlowMeter

- Single-line display
- Optical and acoustic 'change cartridge' indicator
- Wall bracket
- Connection to external LED
- Power supply
Input: 120 V, 60 Hz, 85 mA
Output: 9 V, 400 mA, 3,6 VA
- With plug NEMA 5-15 and 1.5m power cord
- Supplied with 3 hoses:
1x 1940mm/76", 3/4", 1x straight/1x angled connector
1x 1500mm/59", 3/4", 1x straight/1x angled connector
1x 1940mm/76", 3/4", 2x straight connector

Capacity in L between two regenerations of TE cartridges

| | | | | | | | | | | | | |
|--------------------------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|-------|
| Carbonats in gr/gal | 2,8 | 5,6 | 8,4 | 10,0 | 11,2 | 14,0 | 16,8 | 19,6 | 20,0 | 22,4 | 25,2 | 28,0 |
| TE P 2000 (12,5 L resin) | 42.250 | 21.125 | 14.075 | 11.825 | 10.560 | 8.450 | 7.035 | 6.025 | 5.910 | 5.275 | 4.690 | 4.225 |
| LP 2800 (19 L resin) | 64.220 | 32.110 | 21.395 | 18.000 | 16.055 | 12.855 | 10.700 | 9.160 | 8.990 | 8.020 | 7.125 | 6.420 |

Depending on local water composition deviations in capacity of up to 20% may occur.

| Article | Features | Art. no. |
|-----------|--|----------|
| TE P 2000 | Cartridge for partially demineralization (small) | 9773440 |
| LP 2800 | Cartridge for partially demineralization (large) | 9782590 |
| FM | FlowMeter | 10008910 |

Accessories for demineralized water for PG 8172



LP 2800 Water demineralization cartridge

- Cartridge, supplied **without** resin
- Max. flow volume 800 l/h
- Max. water intake temperature 40° C
- Pressure rating: 100-1000kPa / 14.5 - 145psi
- Ø 230 mm (9 1/4"), H 570 mm (21")
- 3/4" threaded union
- Capacity: 19 l resin
- Resin exhaustion measured by CM ConductivityMeter
- Weight 22 kg (48 lbs)
- Stainless steel



VE P 2000 Water demineralization cartridge

- As LP 2800, requires less space
- Supplied **with** resin
- Max. flow volume 450 l/h
- Ø 230 mm (9 1/4"), H 410 mm (16 1/4")
- Capacity: 12.5 l resin
- Weight 16 kg (35 lbs)



CM ConductivityMeter

- Single line display
- 10 -point measurement in 0 – 199.9 µS/cm range
- Optical and acoustic 'change cartridge' indicator
- Wall bracket
- Connection to external LED (optional)
- Power supply
Input: 120 V, 60 Hz, 85 mA
Output: 9 V, 400 mA, 3,6 VA
- With plug NEMA 5-15 and 1.5m power cord
- Supplied with 3 hoses:
1x 1940mm/76", 3/4", 1x straight/1x angled connector
1x 1500mm/59", 3/4", 1x straight/1x angled connector
1x 1940mm/76", 3/4", 2x straight connector

Capacity in Liter between two regenerations of VE cartridges

| µS/cm | 150 | 300 | 450 | 600 | 750 | 900 |
|--------------------------|-------|-------|-------|-------|-------|-----|
| VE P 2000 (12.5 L resin) | 4.000 | 2.000 | 1.330 | 1.000 | 800 | 660 |
| LP 2800 (19 L resin) | 5.600 | 2.800 | 1.850 | 1.400 | 1.120 | 930 |

All specifications are approximate values.

| Article | Features | Art. no. |
|-----------|------------------------------------|----------|
| VE P 2000 | Demineralization cartridge (small) | 9773410 |
| LP 2800 | Demineralization cartridge (large) | 9782590 |
| CM | ConductivityMeter | 10008360 |

Accessories for water cartridges



E 313 Wall mounted DI valve

- For manual delivery of demineralized water, pressure proof up to 10 bar, pressure hose approx. 1.5 m



E 314 Countertop mounted DI valve

- For manual delivery of demineralized water, pressure proof up to 10 bar, pressure hose approx. 1.5 m



E 315 DI Single-use resin

- For water demineralization
- 2 bags (10 l each) vacuum sealed in plastic bags, including filter bag for replacement
- 20 l homogenous resin
- For VE P 2000 and LP2800

TE Single-use resin

- For partially demineralization
- 1 bag (25 l)
- For TE P 2000 and LP 2800

E 316 Refill set

- Plastic barrel with lid and funnel for disposable resins (up to 30 l)

| Article | Features | Art. no. |
|----------|-----------------------------|----------|
| E 313 | Wall mounted DI valve | 3830330 |
| E 314 | Countertop mounted DI valve | 3830340 |
| E 315 | Resin | 3830350 |
| TE-Resin | Single-use resin | 10020250 |
| E 316 | Refill set | 38330360 |

Tables and accessories for pass-through dishwashers



T 625 UR/UL universal tables

- Length 625 mm
- Can be fitted to right or left of dishwasher



T 1200 UR/UL universal tables

- Length 1200 mm
- Can be fitted to right or left of dishwasher



SSV end panel

- For multi-purpose and infeed tables

Backsplash panel

- SSB 625: length 625 mm
- SSB 1200: length 1200 mm

| Article | Features | Art. no. |
|-----------|------------------|------------|
| T 625 UR | Table, right | 67.0625.01 |
| T 625 UL | Table, left | 67.0625.02 |
| T 1200 UR | Table, right | 67.1200.01 |
| T 1200 UL | Table, left | 67.1200.02 |
| SSV | Panelling | 67.8200.01 |
| SSB 625 | Backsplash panel | 67.0625.21 |
| SSB 1200 | Backsplash panel | 67.1200.21 |

Tables and accessories for pass-through dishwashers



T 625 BUR/BUL infeed tables

- Length 625 mm
- Sink
- Can be fitted to right or left of dishwasher



T 1200 BUR/BUL infeed tables

- Length 1200 mm
- Sink
- Can be fitted to right or left of dishwasher



Leg adapter

- For pass-through dishwashers and tables
- Set of table feet 50 mm (2 off)
- Set of table feet 100 mm (2 off)
- Set of machine feet 50 mm (4 off)
- Set of machine feet 100 mm (4 off)

| Article | Features | Art. no. |
|-------------------------------------|------------------------|------------|
| T 625 BUR | Table with sink, right | 67.0625.11 |
| T 625 BUL | Table with sink, left | 67.0625.12 |
| T 1200 BUR | Table with sink, right | 67.1200.11 |
| T 1200 BUL | Table with sink, left | 67.1200.12 |
| Set of machine feet 100mm (4 units) | | 67.8200.21 |
| Set of machine feet 50 mm (4 units) | | 67.8200.20 |
| Set of table feet 100 mm (2 units) | | 6424300 |
| Set of table feet 50 mm (2 units) | | 67.8200.22 |

Accessories for pass-through dishwashers



Corner set

- Wall set for corners



AB 50 scraps container

- 50 l volume
- Ø 380 mm



PBMS shower head unit

- For T 625 BUR/BUL infeed table and T 1200 BUR/BUL infeed table
- Mixer-tap set hot/cold
- Boom with shower head, Length 1000 mm
- Pressure valve
- 2 flexible ½" stainless-steel hoses



SAS 500 sink strainer

- Fits into sink
- H 500, W 400, D 250 mm



Afs food scraper

- For fitting on 1200 mm tables

| Article | Features | Art. no. |
|------------|----------|------------|
| Corner set | | 5911690 |
| AB 50 | | 67.8200.11 |
| PBMS | | 67.8200.13 |
| SAS 500 | | 67.8200.02 |
| Afs | | 67.8200.12 |

ProCare Shine Detergent



ProCare Shine 10 MA

- Mildly alkaline liquid detergent
- Universal cleaning agent with good cleaning performance for light to medium soiling
- Very simple handling
- Dosage: 2–5 ml/l
- Packaging unit: 10 l



ProCare Shine 10 A

- Alkaline liquid detergent
- Particularly powerful for dealing with persistent soiling involving starch, protein, tea/coffee stains
- Dosage: 2–5 ml/l
- Packaging unit: 10 l



ProCare Shine 11 OB

- Mildly alkaline powder detergent
- Universal cleaning agent with bleaching agent
- Dosage: 20–25 g per cycle
- Packaging unit: 6 kg



ProCare Shine 12

- Detergent tablets
- Universal cleaning agent with good cleaning performance for light to medium soiling
- Dosage: 1 tablet per cycle
- Packaging unit: 100 tablets (1.5 kg)



ProCare Shine 40

- Liquid rinse aid
- Universal applications
- Dosage: 0.2–0.5 ml/l
- Packaging units: 1 and 10 l



ProCare Universal 61

- Reactivation salt for integrated water softeners
- Packaging unit: 6 kg

Miele Limited
Business Unit Miele Professional
161 Four Valley Drive
Vaughan, ON, L4K 4V8

Toll Free: 888-325-3957

professional@miele.ca
www.mieleprofessional.ca

Immer besser

Since 1899, Miele - a family-run company - has subscribed to a clear corporate philosophy condensed into the two words 'Forever better'. Two words which form the foundation for the highest of quality and production standards and have given rise to the innovating prowess of a brand 'Made in Germany'. A brand promise which gives commercial users the certainty of having chosen the right product.

Award-winning

Miele products' unerring focus on top quality and dependability is the reason why Miele has been repeatedly voted best and most reliable brand, most recently in 2012. In major consumer surveys, Miele's product brand also comes out top in the 'Fair production conditions' category.

Single-source supply

Miele Professional offers commercial users durable and long-lasting washer-extractors and tumble dryers, dishwashers, washer-disinfectors and sterilizers together with accessories and standards of service and pre-sales advice which are of a similar quality. And, if things should go wrong, Miele's after-sales service operation has been acclaimed for many years in succession for its excellence.